

WARNING
KEEP OUT OF REACH OF CHILDREN

Terrazole®

35 WP

**Controls *Pythium* and *Phytophthora* in turf,
ornamentals and vegetable seedlings**

Active ingredient:

Contains 350g/kg etridiazole in the form of a wettable powder.

GROUP 14 FUNGICIDE

**NET
CONTENTS:**

2

KILOGRAM

Distributed by:
Etec Crop Solutions, an
Arysta LifeScience Group company
PO Box 51584, Pakuranga
Auckland, New Zealand
0800 100 325
WWW.ARYSTALIFESCIENCE.NZ



PLEASE READ THE LABEL COMPLETELY BEFORE USE

This product **MUST NOT** be used for any purpose or in any manner contrary to the controls and conditions of this registration.

This product **MUST** be under the control of an Approved Handler.



HSNO CLASSIFICATION: 6.1D, 6.3A, 6.4A, 6.7B, 6.8B, 6.9B, 9.1A, 9.3C

May be harmful if swallowed, inhaled or absorbed through the skin.

May cause skin and eye irritation.

Limited evidence of a carcinogenic effect in animals.

May cause reproductive / development damage or organ damage from repeated oral exposure.

Very toxic to aquatic organisms. Avoid contamination of any water supply with product or empty container.

Harmful to terrestrial vertebrates.

Do not allow animals to graze treated areas.

HANDLING PRECAUTIONS**STORAGE**

Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals. Stores containing 100kg of Terrazole 35WP are subject to signage and more than 100kg require emergency response plans.

PERSONAL PROTECTION

Avoid contact with skin or eyes and inhalation of spray mist. When mixing or applying wear appropriate respiratory and eye protection, gloves, overalls and boots. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

EQUIPMENT

Apply using well maintained and accurately calibrated equipment. Flush equipment thoroughly with clean water after use.

DISPOSAL

Ensure container is completely empty. Burn if circumstances, especially wind direction, permit.

Otherwise crush and bury in a suitable landfill.

Dispose of product only by using according to the label, or at an approved landfill.

FIRST AID: If swallowed do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If in eyes, wash out immediately with water. If inhaled, move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped.

SPILLAGE: Wear appropriate protective clothing and prevent material from entering waterways. Contain liquid spills and absorb with inert material. Sweep up solids without creating dust. Dispose of waste safely in a suitable landfill.

TRANSPORT: Do not carry more than 3kg of Terrazole 35WP on a passenger service vehicle.

RESISTANCE MANAGEMENT: Terrazole 35WP contains a fungicide from the Heteroaromatics mode of action group **GROUP 14 (FUNGICIDE)**. Resistance to this fungicide could develop from excessive use. To minimise this risk use strictly in accordance with label instructions and resistance management strategies that exist for any fungus listed on the label. Consult www.resistance.nzpps.org/ for alternate modes of action and the details of resistance management strategies for crop listed on the label.

RECORD KEEPING: Records of use as described in NZS 8409 Management of Agrichemicals must be kept if 3kg or more is applied within 24 hours in a place where the product is likely to enter air or water and leave the place.

MIXING AND COMPATIBILITY: Mix the correct amount of Terrazole 35WP with sufficient water to make a thin paste. Add the remaining amount of water and mix thoroughly. Keep agitated during use. Terrazole 35WP is compatible with Terracolor 75WP. Do not mix with other pesticides or nutrients unless compatibility and effectiveness have been demonstrated.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice :

Maximum Residue Levels for Agricultural Compounds.

CROP	RATE	NOTES
TURF Established	125-250g in 20-30 litres of water per 100 square metres.	Apply at first sign of disease and repeat 5-10 days later as necessary.
Newly seeded	200-250g in 20-30 litres of water per 100 square metres.	Apply immediately after seeding. Re-apply at 5-7 day intervals to maintain a preventative disease control programme.
BEDDING PLANTS	(Soil media 5-8cm deep). Add 60-100g to 250 litres of water and apply to 40 square metres.	Use as a soil drench when seeding or transplanting. Repeat 6-10 weeks later as necessary.
TROPICAL FOLIAGE PLANTS Bench plantings	75-100g in 250 litres of water per 20 square metres of bench area.	Apply as a soil drench. Repeat at 6-10 week intervals as necessary.
Bed grown	50-150g in 250 litres of water per 20 square metres.	Apply as a soil drench. Repeat at 6-10 week intervals as necessary.
POTTED PLANTS Tropical foliage plants, herbaceous and woody plants	50-150g in 250 litres of water. Use 250ml of solution per 15cm container.	Repeat at 8-12 week intervals as necessary.
VEGETABLE SEEDLINGS Seed bed and seedling	Soil incorporated: 5-10g per square metre; soil incorporated. Drench: 5-10g in 10 litres per square metre	Bulk up Terrazole 35WP with 5 to 6 parts dry soil and work into top 10cm before planting.
DRY SOIL MIX Seed box and potting mixes	50-100g per cubic metre of soil.	Blending may be improved by first mixing the fungicide with 5 to 6 parts of soil and then blending into the soil mix.

Note: To improve penetration after applying a soil drench, follow drenching with an equal quantity of water either by sprinkling or irrigation.

Registered pursuant to the ACVM Act 1997, No. P2221.

See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, Approval Code HSR000472.

See www.epa.govt.nz for approval controls.

©TERRAZOLE is a registered trademark of Chemtura Corporation.

EXCLUSION OF LIABILITY:

To the extent permitted by law, buyers and/or users of the goods accept that neither the manufacturer, Etec Crop Solutions Ltd as distributor, nor any other distributor have any liability or responsibility whatsoever for any loss, damage or injury whether in contract or tort, whether direct, indirect or consequential howsoever arising in connection with the supply of these goods.

REGISTERED TO: ETEC CROP SOLUTIONS LIMITED 0800 100 325

**IN A TRANSPORT EMERGENCY DIAL 111, POLICE OR FIRE BRIGADE
FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY,
CALL 0800 CHEMCALL (0800 243 622)**

BATCH NO

DOM

Proper Shipping Name	Hazard Class	UN No.	Hazchem	Packing Group
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (etridiazole 35%)	9	3077	2X	III

AR191/2KG

