

shade lounges

When style, comfort and luxury are absolutely paramount, nothing compares to TUUCI's exclusive collection of lounges and sun beds. Each frame is expertly detailed with either Armor-Wall™ aluminum marine-grade alloy or our innovative Dura-TEAK™ wood-grain polymer construction and is built with precision to withstand nature's tests, season after season, year after year. Privacy panels and drapes add a sense of peace and solitude and are complemented with a stylish line of high-quality cushions and bed coverings.



shade lounges
mercury



shade lounges
crescent



shade lounges
bali



shade lounges
java

features:

Available with Either Armor-Wall™ Aluminum or our Exclusive Dura-TEAK™ Wood-Grain Polymer Construction
Exclusive Permanent and Semi-Permanent Lounges
Privacy Panels, Windows and Lush Drapes
Stylish Line of High-Quality Cushions and Bed Coverings



shade lounges



mercury™ aluminum

shapes & sizes



section	rectangle			
	ft.	ft.	m.	m.
lounge	4.0	7.5	1.2	2.3
lounge	4.0	7.5	1.2	2.3
lounge	4.0	7.5	1.2	2.3
lounge	4.0	7.5	1.2	2.3

canopy & options



sunroof



canopy vector vent



side view





shade lounges




crescent™ aluminum

shapes & sizes

section	square		m.	
	ft.	ft. top	ft.	m. top
w/canopy lounge	7'0" x 7'0"	11'0" x 11'0"	21 x 21	34 x 34

canopy & options



sunroof

canopy vector vent

shade lounges



bali™ dura-TEAK

shapes & sizes



section	rectangle		m.	
	ft.	ft.	ft.	m.
lounge	4'0" x 7'5"	4'0" x 7'5"	1.2 x 2.3	1.2 x 2.3
w/sunroof	4'0" x 7'5"	4'0" x 7'5"	1.2 x 2.3	1.2 x 2.3
w/canopy	4'0" x 7'5"	4'7'5" x 8'5"	1.2 x 2.3	1.45 x 2.6

canopy & options



sunroof



canopy vector vent



side view

finish options

dura-TEAK finish



natural



shade lounges



java™ dura-TEAK

finish options

dura-TEAK finish



natural

shapes & sizes



sunroof

canopy & options



canopy vector vent

section	ft.	rectangle		m.	m.
		ft.	top		
w/sunroof	4.0' x 7.5'	4.0' x 7.5'	1.2 x 2.3	1.2 x 2.3	
w/canopy	4.0' x 7.5'	7.25' x 12.5'	1.2 x 2.3	2.2 x 4.35	

shade sculpture



shade sculpture



stingray™

shapes & sizes



free form

ft. / m.
7'x20' / 2.1x6.0
9'x13' / 2.7x4.0



hammocks



air lounge





hammocks



air lounge™ stainless steel

- features:**
 Stainless Hook and Link Adjustments
 Patented Spring Suspension System
 Anti-slide Shock Absorbing Pads




NOTE: Wave Stand and Oxygen Air Lounge are sold separately.

color options



shapes & sizes





advertising & logos



Unlike disposable wire-frame umbrellas, TUUCI frames are built to last through multiple marketing campaigns over a period of years, not months, and are designed to quickly capture attention with the highest-quality printing available. Simply pick out the custom details you want, and at least 64 square feet of permanent advertising is yours to extend any eating space and set the perfect mood. Whatever you have in mind, we can do.

NOTE: Brand names displayed as examples.

tuuci shade blade



tuuci shade blade



shade blade

shapes & sizes



bow

ft.

- 5'x7' 6'x8' 7'x9'
- 5'x8' 6'x9' 7'x10'
- 5'x9' 6'x10' 7'x11'
- 5'x10' 6'x11'



rectangle

ft.

- 5'x7' 6'x8'
- 5'x8' 6'x9'
- 5'x9' 7'x9'



shade anchors and accessories

The unsung hero of TUUCI shade structures is a solid foundation. From stainless steel to stone, TUUCI's Shade Anchors use only the toughest time-tested materials available to ensure a lifetime of use. Stainless steel flush mounts, galvanized steel and aluminum concrete filled shells are nearly indestructible and secure shade structures from small to large.

Although TUUCI shade equipment is rigorously tested and built to withstand incredible forces of nature, we do not recommend the use of any collapsible shade equipment in winds that exceed 25 MPH. The size of your TUUCI parasol, and installation location will greatly influence the amount of base weight required for safe operation. Please consult an authorized TUUCI dealer or factory representative directly for recommendations.

TUUCI can only warranty products which are properly secured to an adequate base or other wind security device. Our warranty specifically excludes damage caused to shade equipment as a result of improper anchoring, severe acts of nature including any damage which is caused by contact with a foreign object (including the ground).

Quick find-a-base legend

● for use with
Center Post Parasols
for mast diameters:

1 1/2" 1 3/4" 2" 2 1/4" inches
38 44 50 57 mm

● for use with
Center Post MAX Parasols
for mast diameters:

2 1/2" 2 3/4" inches
60 73 mm

● for use with
Cantilever Parasols
for ALL cantilevers mast styles

for use with
Shade Pod
for ALL shade pod mast styles

● for use with
Stingray Shade Sculpture

*minimum 600 lbs anchor required or in-ground installation required.

for mast diameters:

2 1/2" inches
60 mm

finishes for aluma-crete bases



Powder Coat



Aluma-TEAK



Bases Finishes / Powder Coat Options for aluma-crete Bases



g-plate square anchors galvanized steel with stainless steel security stem

g-plate square				g-MAX plate square				g-MAX plate square double-stack combo				g-MAX plate square triple-stack combo			
lbs.	/	kgs.		lbs.	/	kgs.		lbs.	/	kgs.		lbs.	/	kgs.	
90	/	42		200	/	90		270	/	126		535	/	243	
135	/	63						335	/	152		600	/	270	
200	/	90						400	/	180					

Stainless steel stem ships with Ocean Master MAX, Cantilever MAX, Plantation MAX, Shade Pod or Stingray and not with Shade Anchor.

g-plate round anchors galvanized with stainless steel security sleeve

g-plate circular				g-plate circular double-stack combo			
lbs.	/	kgs.		lbs.	/	kgs.	
45	/	20		120	/	55	
75	/	35		150	/	70	
105	/	50		180	/	83	
				210	/	96	

aluma-crete cube anchors galvanized steel frame, stone paver with stainless steel security stem

FULL aluma-crete cube anchor				HALF aluma-crete cube anchor				HALF aluma-crete cube anchor (with aluma-TEAK)			
lbs.	/	kgs.		lbs.	/	kgs.		lbs.	/	kgs.	
570	/	259		515	/	235		515	/	235	
700	/	318		650	/	298		650	/	298	
960	/	436									

Stingray requires minimum 600 Lbs of base weight. Stainless steel stem ships with Ocean Master MAX, Cantilever MAX, Plantation MAX, Shade Pod or Stingray and not with Shade Anchor.

aluma-crete round anchors concrete-filled with stainless steel security sleeve or stem

aluma-crete		aluma-crete with tuff-wheels		aluma-crete with aluma-TEAK finish		aluma-crete with lift handles		aluma-crete MAX with lift handles			
lbs.	/	kgs.		lbs.	/	kgs.		lbs.	/	kgs.	
65	/	30		65	/	30		200	/	92	
95	/	44		95	/	44		250	/	133	
150	/	70		150	/	70					

Above shade anchors for use with Ocean Master, Bay Master, Plantation, Mistral, Vineyard and TUUCI Pavilions. * Aluma-crete bases are not to be used for MAX Cantilevers or Shade Pod (Cantilever and Shade Pod require minimum 400 lbs of base weight). Anchor Stem sizes (for mast diameters): 1.50" / 1.75" / 2.00" / 2.25" / 2.50"

max anchors for fixed mounting

stainless steel MAX security stem	stainless steel, concrete pad mount <small>for use with an existing reinforced concrete pad</small>	stainless steel in-ground security mount	stainless steel MAX flush mount

finish options

polish titanium

silver

powder coat

linen white desert sand hammered bronze espresso textured black

aluma-teak






natural java weathered

Stainless steel stem ships with Ocean Master MAX, Cantilever MAX, Plantation MAX, Shade Pod or Stingray and not with Shade Anchor. * Aluma-crete Bases are not to be used for Ocean Master MAX Cantilever (Cantilever requires minimum 400lbs of base weight). Anchor Stem sizes (for mast diameters): 1.50" / 1.75" / 2.00" / 2.25" / 2.50"





Quick find-a-base legend

- for use with Center Post Parasols
 for mast diameters:
 1½" 1¾" 2" 2¼" inches
 38 44 50 57 mm
- for use with Center Post MAX Parasols
 for mast diameters:
 2½" 2¾" inches
 60 73 mm
- for use with Cantilever Parasols / Shade Pod
 for ALL cantilevers mast styles
- for use with Stingray Shade Sculpture
 for mast diameters:
 2½" inches
 60 mm


shade anchors (continued)

 <p>stainless steel flush mount with concrete cylinder (for pavers or beach use) **11.5" x 11.5" concrete cylinder</p>	 <p>stainless steel flush in-ground mounts **6.0" rnd flush mount with extension sleeve</p>	 <p>adjustable aluminum extension sleeve with hitchpin</p>	 <p>deck mount for mast diameters: 1½" 1¾" 2" 2¼" inches 38 44 50 57 mm</p>	 <p>deck mount with auto cam lock for mast diameters: 1½" 1¾" 2" 2¼" inches 38 44 50 57 mm</p>
---	--	--	--	---

shade anchor accessories

 <p>aluminum sand anchor w/ stainless steel hitch pin</p>	 <p>sand spike for beach use</p>	 <p>stainless steel tuff wheel independent assembly for use with all thunderstone and steel tuuci bases</p>	 <p>stainless steel g-plate with tuff wheels for use with square g-plates only</p>
--	---	--	--

parasol accessories



parasol gutter
 for joining multiple umbrellas together

ocean master MAX accessories heating & lighting systems



heating system

Adjustable infra-red heaters pivot to efficiently and directly warm objects below the canopy, not the surrounding air. Attached to the frame support struts, the heaters require the companion lighting system with which they share a power supply. Electrical lines are concealed within the mast. The UL-approved heating system features a micro-switch that automatically turns power off when the umbrella frame is closed.



lighting system

Attached to the mast just above the hub, four individual lights rotate 330 degrees and pivot up to a 90-degree angle, creating the option of shining onto objects below for high visibility or up into the canopy for diffused lighting and maximum ambience. Electrical lines are concealed within the mast and the lights automatically power off when the umbrella frame is closed.

protective covers



protective covers

Made with a waterproof fabric, the neutral gray protector cover features the TUUCI logo. The cover closes with a cinch rope at the bottom and features a side zipper with an extended handle for easy operation. A folding extension pole helps lift the cover over the umbrella, making installation and removal easy. Sizes are available for most TUUCI parasols. Made to order Sunbrella Marine protector covers are available for all parasols.

pavilion & lounge accessories ceiling fan / lighting bracket / tv bracket / junction box



ceiling fan mount bracket

Giving you the option of installing an overhead fan for maximum comfort, the ceiling fan mounting adapter provides a 120V electrical line.

A gray polymer housing is located under the bottom of the center pole beneath the hub, and 6 feet of extra wiring are allowed to attach to an external plug.

The electrical wire passes up through the center pole, across the ribs to a corner pole. Fan NOT included.



lighting mount bracket

Providing the option of installing lighting of your choice, an electrical line can be preinstalled for 120V operation.

A gray polymer housing is located under the bottom of the center pole beneath the hub.

The electrical wire passes up through the center pole, across the ribs to a corner pole with 6 feet of extra wiring to attach to an external electrical source. Lights NOT included.



tv mount bracket

For the ultimate in outdoor leisure, a black universal bracket holds flat screens from 17" to 42". Mounted on a back corner of the pavilion, the stationary bracket does not swivel.

Your television can be connected via an extension cord or a TUUCI junction box. TV NOT included.



pre-wired junction box


With two plugs supporting 120V, 15 AMP single-phase operation, the waterproof gray metal junction box closes when items are unplugged.

An electrical wire runs through the frame to connect to an external power source.


Pre-wired junction box NOT included.

details

TUUCI prides itself on maintaining the highest quality standards in manufacturing and customer service available in the world. We handcraft and customize each product specifically to fit our individual client's needs. The following details are an extension of our commitment to provide the most precise information about our products to our global customers. Our dedicated factory representatives and client service professionals are standing by to answer any questions you may have. Please use the information contained herewith, to make the most informed decision about which product may best compliment your unique environment.



ocean master MAX / classic



classic	sizes (ft/m)	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)
square	8.0' / 2.45m	106 / 269	85 / 216	96 / 244	96 / 244	35 / 89	2.375 / 6.0	106 / 269	15 / 38
	10.0' / 3.0m	109 / 277	86 / 218	120 / 305	120 / 305	42 / 107	2.375 / 6.0	130 / 330	15 / 38
	12.0' / 3.65m	115 / 292	89 / 226	144 / 366	144 / 366	33 / 84	2.875 / 7.3	139 / 353	16 / 41
	14.0' / 4.25m	121 / 307	97 / 246	169 / 429	169 / 429	37 / 94	2.875 / 7.3	159 / 404	20 / 51
16.0' / 4.8m	127 / 323	99 / 252	192 / 488	192 / 488	36 / 91	2.875 / 7.3	175 / 445	20 / 51	
octagon	9.0' / 2.75m	102 / 259	84 / 213	101 / 257	109 / 277	41 / 104	2.375 / 6.0	102 / 259	16 / 41
	11.0' / 3.4m	108 / 274	85 / 216	124 / 315	134 / 340	37 / 94	2.375 / 6.0	108 / 274	16 / 41
	13.0' / 4.0m	105 / 267	83 / 211	142 / 361	154 / 391	46 / 117	2.875 / 7.3	132 / 335	16 / 41
	15.0' / 4.5m	112 / 285	87 / 221	167 / 424	181 / 460	45 / 114	2.875 / 7.3	139 / 353	22 / 56
17.0' / 5.2m	118 / 300	90 / 229	189 / 480	204 / 518	45 / 114	2.875 / 7.3	151 / 384	22 / 56	
rectangle	8.0' x 12.0' / 2.45m x 3.65m	105 / 267	89 / 226	96 / 244	145 / 368	35 / 89	2.375 / 6.0	125 / 317	15 / 38
	10.0' x 14.0' / 3m x 4.25m	115 / 292	88 / 224	121 / 307	172 / 437	42 / 107	2.875 / 7.3	150 / 381	20 / 51
	12.0' x 16.0' / 3.65m x 4.8m	124 / 315	101 / 257	143 / 363	194 / 493	42 / 107	2.875 / 7.3	165 / 419	20 / 51


finish options

polished titanium



titanium

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes



vent and pocket options



single vent double vent* contrasting pockets contrasting pockets and vent

panel options



single solid color alternating panels alternating panel & alternating valance alternating panel and matching valance

profile options



market fishtail* valance straight valance scalloped

canopy options



binding accent border

lifting system options



auto-loc marine lift* crank system

finial option




acorn aluminum

* double wind vent & fishtail profile only available on octagon shapes
* auto-loc marine lift only available on select sizes
note: parasol may not close above table with auto-loc lift.

ocean master MAX / manta



manta	sizes (ft/m)	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)
square	10.0' / 3.0m	105 / 267	86 / 218	120 / 305	120 / 305	39 / 99	2.375 / 6.0	127 / 323	15 / 38
	14.0' / 4.25m	121 / 307	95 / 241	169 / 429	169 / 429	38 / 97	2.875 / 7.3	159 / 404	19 / 48



vent and pocket options



no vent contrasting pockets

profile



fishtail

canopy options



binding accent border

panel options



single solid color alternating panels

lifting system options



auto-loc marine lift* crank system

finial option



acorn aluminum

finish options

polished titanium




titanium

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes

* auto-loc marine lift only available on select sizes
note: parasol may not close above table with auto-loc lift.

ocean master MAX / zero horizon



	canopy height	canopy height	canopy height	canopy height	table clearance	mast diameter	total height (closed)	folded canopy diameter
	a	b	c	d	e	f	g	h
	(in/cm)	(in/cm)	(in/cm)	(in/cm)	(in/cm)	(in/cm)	(in/cm)	(in/cm)
zero horizon								
square	10.0' / 3.0m	105 / 267	94 / 239	121 / 307	121 / 307	39 / 99	2.375 / 6.0	127 / 323
	14.0' / 4.25m	108 / 274	95 / 241	171 / 434	171 / 434	28 / 71	2.875 / 7.3	151 / 384
octagon	12.0' / 3.65m	102 / 259	93 / 236	136 / 345	147 / 373	49 / 125	2.375 / 6.0	125 / 318
	16.0' / 4.25m	108 / 274	97 / 246	178 / 452	193 / 450	41 / 104	2.875 / 7.3	139 / 353


finish options

polished titanium




titanium

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes



vent and pocket options



no vent



contrasting pockets

panel options



single solid color



alternating panels

canopy options



binding



accent border

profile



fishtail

lifting system options



auto-loc marine lift* crank system


finial option



acorn aluminum

* auto-loc marine lift only available on select sizes
note: poletail may not close above table with auto-loc lift

ocean master MAX / crescent



	canopy height	canopy height	canopy height	canopy height	table clearance	mast diameter	total height (closed)	folded canopy diameter
	a	b	c	d	e	f	g	h
	(in/cm)	(in/cm)	(in/cm)	(in/cm)	(in/cm)	(in/cm)	(in/cm)	(in/cm)
crescent								
octagon	14.0' / 4.25m	105 / 267	85 / 216	156 / 396	168 / 427	43 / 109	2.375 / 6.0	131 / 333
	16.0' / 4.8m	108 / 274	85 / 216	177 / 450	192 / 488	37 / 94	2.875 / 7.3	137 / 348
	18.0' / 5.5m	112 / 285	87 / 221	203 / 516	219 / 556	31 / 79	2.875 / 7.3	144 / 366


finish options

polished titanium



titanium

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes



vent and pocket options



no vent



contrasting pockets

panel options



single solid color



alternating panels

canopy options



binding



accent border

profile



fishtail

lifting system options



auto-loc marine lift* crank system


finial option



acorn aluminum

* auto-loc marine lift only available on select sizes
note: poletail may not close above table with auto-loc lift

ocean master MAX / f-1




	sizes (ft/m)	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)
square	13.0' / 4.0m	141 / 358	101 / 257	155 / 394	155 / 394	4 / 10	2.875 / 7.3	121 / 307	14 / 36
octagon	18.0' / 5.5m	141 / 358	101 / 257	155 / 394	218 / 554	4 / 10	2.875 / 7.3	121 / 307	14 / 36

finish options



Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes



vent and pocket options

- no vent
- contrasting pockets

profile

- fishtail

canopy options

- binding
- accent border

panel options

- single solid color
- alternating panels

lifting system

- crank system


finial

- ocean sail

mast finish

- polished titanium

ocean master MAX / single cantilever



	sizes (ft/m)	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)	i (in/cm)
square	8.0' / 2.45m	102 / 259	87 / 221	96 / 244	96 / 244	33 / 84	4.2 / 10.7	102 / 259	20 / 51	104 / 264
	10.0' / 3.0m	102 / 259	85 / 216	120 / 305	120 / 305	31 / 79	4.2 / 10.7	129 / 328	20 / 51	127 / 323
	12.0' / 3.65m	108 / 274	86 / 218	144 / 366	144 / 366	31 / 79	4.2 / 10.7	140 / 356	20 / 51	151 / 384
	13.0' / 4m	112 / 284	89 / 226	153 / 290	196 / 500	32 / 81	4.2 / 10.7	145 / 368	20 / 51	160 / 406
octagon	9.0' / 2.75m	102 / 259	83 / 211	101 / 257	109 / 277	60 / 152	4.2 / 10.7	102 / 259	22 / 56	117 / 297
	11.0' / 3.4m	102 / 259	79 / 201	124 / 315	134 / 340	54 / 137	4.2 / 10.7	132 / 335	22 / 56	141 / 358
	13.0' / 4.0m	106 / 269	83 / 211	142 / 361	154 / 391	53 / 135	4.2 / 10.7	139 / 353	22 / 56	161 / 409
rectangle	8.0' x 12.0' 2.45m x 3.65m	99 / 252	84 / 213	96 / 244	145 / 368	33 / 84	4.2 / 10.7	123 / 312	20 / 51	104 / 264
	10.0' x 14.0' 3.0m x 4.25m	106 / 269	90 / 229	121 / 307	172 / 437	30 / 76	4.2 / 10.7	137 / 348	20 / 51	127 / 323

finish options



Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes



vent and pocket options

- single vent
- contrasting pockets
- contrasting pockets and vent

finial option

- acorn aluminum

profile options

- market
- fishtail*
- valance straight
- valance scalloped

panel options

- single solid color
- alternating panels
- alternating panel & alternating valance
- alternating panel and matching valance

canopy options

- binding
- accent border

lifting system options

- crank system
- + auto lift assist system (no telescoping)

* Double wind vent & fishtail profile only available on octagon shapes
† Auto lift assist system only available on single canopy selected sizes

ocean master MAX / dual cantilever



dual cantilever	sizes (ft/m)	mast (ft/cm)	canopy height (ft/cm)	floor to floor (diameter)	point to point (diameter)	table clearance (ft/cm)	mast diameter (ft/cm)	total height (ft/cm)	folded canopy (diameter)	diameter (ft/cm)
		a	b	c	d	e	f	g	h	i
square	8.0' x 16.0' 2.4m x 4.8m	102 / 259	87 / 221	96 / 244	96 / 244	33 / 84	5.25 / 13.3	102 / 259	38 / 97	205 / 521
	10.0' x 20.0' 3.0m x 6.0m	102 / 259	85 / 216	120 / 305	120 / 305	31 / 79	5.25 / 13.3	129 / 328	38 / 97	251 / 638
	12.0' x 24.0' 3.65m x 7.4m	108 / 274	86 / 218	144 / 366	144 / 366	31 / 79	5.25 / 13.3	140 / 356	38 / 97	298 / 757
	13.0' x 26.0' 4.0m x 7.9m	113 / 289	91 / 231	153 / 389	153 / 389	33 / 84	5.25 / 13.3	146 / 373	38 / 97	318 / 807
	15.0' x 30.0' 4.6m x 9.1m	122 / 311	93 / 237	162 / 411	162 / 411	33 / 84	5.25 / 13.3	152 / 389	38 / 97	338 / 857
octagon	9.0' x 18.0' 2.75m x 5.4m	102 / 259	83 / 211	101 / 257	109 / 277	60 / 152	5.25 / 13.3	102 / 259	40 / 102	231 / 587
	11.0' x 22.0' 3.4m x 6.8m	102 / 259	79 / 201	124 / 315	134 / 340	54 / 137	5.25 / 13.3	132 / 335	40 / 102	279 / 709
	13.0' x 26.0' 4.0m x 8.0m	106 / 269	83 / 211	142 / 361	154 / 391	53 / 135	5.25 / 13.3	139 / 353	40 / 102	318 / 808
rectangle	16.0' x 12.0' 4.8m x 3.65m	99 / 252	84 / 213	96 / 244	145 / 368	33 / 84	5.25 / 13.3	123 / 312	36 / 91	205 / 521
	20.0' x 14.0' 6.0m x 4.25m	106 / 269	90 / 229	121 / 307	172 / 437	30 / 76	5.25 / 13.3	137 / 348	36 / 91	252 / 640

finish options

polished titanium



titanium

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes

plantation MAX / classic



classic	sizes (ft/m)	mast height (ft/cm)	canopy height (ft/cm)	floor to floor (diameter)	point to point (diameter)	table clearance (ft/cm)	mast diameter (ft/cm)	total height (ft/cm)	folded canopy (diameter)	diameter (ft/cm)
		a	b	c	d	e	f	g	h	i
square	8.0' / 2.45m	106 / 269	85 / 216	96 / 244	96 / 244	33 / 84	5.25 / 13.3	106 / 269	38 / 97	205 / 521
	10.0' / 3.0m	109 / 277	86 / 218	120 / 305	120 / 305	31 / 79	5.25 / 13.3	129 / 328	38 / 97	251 / 638
	12.0' / 3.65m	115 / 292	89 / 226	144 / 366	144 / 366	33 / 84	5.25 / 13.3	139 / 353	38 / 97	298 / 757
	14.0' / 4.25m	121 / 307	97 / 246	169 / 429	169 / 429	37 / 94	5.25 / 13.3	159 / 404	38 / 97	318 / 807
	16.0' / 4.8m	127 / 323	99 / 252	192 / 488	192 / 488	36 / 91	5.25 / 13.3	175 / 445	38 / 97	338 / 857
octagon	9.0' / 2.75m	102 / 259	84 / 213	101 / 257	109 / 277	41 / 104	5.25 / 13.3	102 / 259	40 / 102	231 / 587
	11.0' / 3.4m	108 / 274	85 / 216	124 / 315	134 / 340	37 / 94	5.25 / 13.3	108 / 274	40 / 102	279 / 709
	13.0' / 4.0m	105 / 267	83 / 211	142 / 361	154 / 391	46 / 117	5.25 / 13.3	132 / 335	40 / 102	318 / 808
	15.0' / 4.5m	112 / 285	87 / 221	167 / 424	181 / 460	45 / 114	5.25 / 13.3	139 / 353	40 / 102	338 / 857
	17.0' / 5.2m	118 / 300	90 / 229	189 / 480	204 / 518	45 / 114	5.25 / 13.3	151 / 384	40 / 102	358 / 907
rectangle	8.0' x 12.0' / 2.45m x 3.65m	105 / 267	89 / 226	96 / 244	145 / 368	35 / 89	5.25 / 13.3	125 / 317	36 / 91	205 / 521
	10.0' x 14.0' / 3m x 4.25m	115 / 292	88 / 224	121 / 307	172 / 437	42 / 107	5.25 / 13.3	150 / 381	36 / 91	252 / 640
	12.0' x 16.0' / 3.65m x 4.8m	124 / 315	101 / 257	143 / 363	194 / 493	42 / 107	5.25 / 13.3	165 / 419	36 / 91	298 / 757

finish options

aluma-TEAK



natural pure weathered

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes

vent and pocket options

profile options

panel options

canopy options

lifting system options

* Double wind vent & fishtail profile only available on octagon shapes
† Auto lift assist system only available on single canopy 8' - 10' sizes

vent and pocket options

profile options

canopy options

panel options


lifting system options

* Auto-loc pulley lift system available on select sizes
note: parasol may not close above table with auto-loc lift.

plantation MAX / manta



	canopy height	total height (closed)	folded canopy (diameter)
manta			
square	10.0' / 3.0m	127 / 323	15 / 38



vent and pocket options	profile	canopy options
no vent contrasting pockets	fishtail	binding accent border
panel options	lifting system options	
single solid color alternating panels	auto-loc marine lift* crank system	



finish options

aluma-TEAK




Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes

plantation MAX / zero horizon



	canopy height	total height (closed)	folded canopy (diameter)
zero horizon			
square	10.0' / 3.0m	127 / 323	16 / 41
octagon	12.0' / 3.65m	139 / 353	22 / 56



vent and pocket options	panel options	lifting system options
no vent contrasting pockets	single solid color alternating panels	auto-loc marine lift* crank system
canopy options	profile	
binding accent border	fishtail	



finish options

aluma-TEAK




Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes


* auto-loc marine lift only available on select sizes
note: parasol may not close above table with auto-loc lift.

* auto-loc marine lift only available on select sizes
note: parasol may not close above table with auto-loc lift.

plantation MAX / crescent




	max height (open, including finial)	canopy height	riero flar (diameter)	point to point (diameter)	table clearance	mast diameter	total height (f closed)	folded canopy (diameter)
	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)
crescent								
octagon	14.0' / 4.25m	105 / 267	85 / 216	156 / 396	168 / 427	43 / 109	2.375 / 6.0	131 / 333



finish options


aluma-TEAK





natural java weathered

Dimension Tolerances ±2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes

plantation MAX / f-1




	max height (open, including finial)	canopy height	riero flar (diameter)	point to point (diameter)	table clearance	mast diameter	total height (f closed)	folded canopy (diameter)
	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)
f-1								
square	13.0' / 4.0m	141 / 358	101 / 257	155 / 394	155 / 394	4 / 10	2.875 / 7.3	121 / 307
octagon	18.0' / 5.5m	141 / 358	101 / 257	155 / 394	218 / 554	4 / 10	2.875 / 7.3	121 / 307

finish options


aluma-TEAK



natural java weathered


Dimension Tolerances ±2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes

vent and pocket options



no vent contrasting pockets single solid color alternating panels

canopy options



binding accent border fishtail auto-loc marine lift crank system


finial option



acorn aluminum


*auto-loc marine lift only available on select sizes
note: parasol may not close above table with auto-loc lift.

vent and pocket options



no vent contrasting pockets fishtail binding accent border

panel options



single solid color alternating panels crank system ocean sail

ocean master / classic



classic	size (ft/m)	mast height (ft/m) including finial	canopy height (ft/m)	flat to flat (diameter) (ft/m)	point to point (diameter) (ft/m)	table clearance (ft/m)	mast diameter (ft/m)	mast height (ft/m) (closed)	folded canopy (diameter) (ft/m)
square	a	b	c	d	e	f	g	h	
4.5' / 1.35m	89/227	72/183	52/133	52/133	46/117	1.5/3.8	89/227	11/27	
5.5' / 1.65m	95/242	76/194	65/165	65/165	43/109	1.5/3.8	95/242	11/27	
6.5' / 2.0m	97/246	77/195	81/207	81/207	34/86	1.5/3.8	97/246	11/27	
7.5' / 2.25m	99/251	78/198	90/228	90/228	30/76	1.5/3.8	99/251	11/27	
8.5' / 2.6m	101/257	76/194	97/247	97/247	26/67	1.5/3.8	101/257	11/27	
square auto-scope	10.0' / 3.0m	108/274	84/213	120/305	120/305	32/81	1.5/3.8	123/312	11/27
octagon	5.0' / 1.5m	89/227	72/184	52/133	58/147	54/137	1.5/3.8	89/227	11/27
	6.0' / 1.8m	89/227	72/184	68/172	74/189	46/117	1.5/3.8	89/227	11/27
	7.5' / 2.25m	95/241	76/194	84/214	92/235	43/109	1.5/3.8	95/241	11/27
	9.0' / 2.75m	97/246	77/195	105/266	114/290	34/86	1.5/3.8	97/246	11/27
	10.5' / 3.2m	99/253	78/198	116/294	126/321	30/76	1.5/3.8	99/253	11/27
	11.5' / 3.6m	101/256	76/194	125/318	137/347	26/67	1.5/3.8	101/256	11/27
octagon auto-scope	13.0' / 4.0m	105/267	83/211	142/361	155/394	31/79	1.5/3.8	119/302	12/31
hexagon	5.5' / 1.65m	89/227	72/83	65/165	75/191	46/117	1.5/3.8	89/227	11/27
	7.0' / 2.15m	95/242	76/194	79/201	91/231	43/109	1.5/3.8	95/242	11/27
	8.5' / 2.6m	97/246	77/195	99/254	115/292	34/86	1.5/3.8	97/246	11/27
	10.0' / 3.0m	99/251	78/198	109/277	126/320	30/76	1.5/3.8	99/251	11/27
	11.0' / 3.4m	101/257	76/194	118/300	137/348	26/67	1.5/3.8	101/257	11/27
oval	9.0' x 11.0' / 2.75m x 3.4m	101/257	81/206	106/269	129/328	28/71	1.5/3.8	101/257	12/30
rectangle	5.0' x 8.0' / 1.5m x 2.45m	101/257	81/206	60/152	96/244	38/97	1.5/3.8	101/257	9/23
	6.0' x 9.0' / 1.8m x 2.75m	101/257	75/191	74/188	114/290	27/69	1.5/3.8	101/257	10/25
rectangle auto-scope	8.0' x 12.0' / 2.45m x 3.65m	105/267	86/218	95/241	143/363	31/79	1.5/3.8	120/305	11/28

finish options

polished titanium

powder coat




Dimension Tolerances +2"
 Dimensions shown correspond to indicated lift system
 Options are subject to change without notice
 Some options are only available in certain sizes and shapes

ocean master / manta




square	size (ft/m)	mast height (ft/m) including finial	canopy height (ft/m)	flat to flat (diameter) (ft/m)	point to point (diameter) (ft/m)	table clearance (ft/m)	mast diameter (ft/m)	mast height (ft/m) (closed)	folded canopy (diameter) (ft/m)
square	a	b	c	d	e	f	g	h	
6.5' / 2.0m	95/241	77/196	80/203	80/203	37/94	1.5/3.8	95/241	10/25	
7.5' / 2.25m	97/246	77/196	91/231	91/231	30/76	1.5/3.8	97/246	11/28	
8.5' / 2.6m	101/257	78/198	101/257	101/257	28/71	1.5/3.8	101/257	11/28	
manta square auto-scope	9.5' / 2.9m	101/257	82/208	112/284	112/284	31/79	1.5/3.8	116/295	11/28

vent and pocket options



profile options




canopy options



finial




panel options




lifting system options




*Double wind vent & fishtail profile only available on octagon & hexagon shapes
 †Manual with pin not recommended on parasols over 9' / 2.75m



vent and pocket options



panel options



lifting system



profile



canopy options



finial




finish options

polished titanium

titanium

Dimension Tolerances +2"
 Dimensions shown correspond to indicated lift system
 Options are subject to change without notice
 Some options are only available in certain sizes and shapes

ocean master / zero horizon




	zero horizon	square	square auto-scope	octagon
mast height (including finial)	a	93 / 236	91 / 231	95 / 241
canopy height	b	84 / 213	112 / 284	87 / 221
flat to flat (diameter)	c	83 / 211	112 / 284	88 / 224
point to point (diameter)	d	83 / 211	112 / 284	96 / 244
table clearance	e	32 / 81	35 / 89	45 / 115
mast diameter	f	1.5 / 3.8	1.5 / 3.8	1.5 / 3.8
total height (closed)	g	93 / 236	116 / 295	95 / 241
folded canopy (diameter)	h	11 / 28	16 / 41	11 / 29
finial				
profile				
canopy options				
lift system				
vent and pocket options				
panel options				
finish options				



titanium


Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes

ocean master / crescent




	crescent	hexagon
mast height (including finial)	a	95 / 241
canopy height	b	79 / 202
flat to flat (diameter)	c	88 / 223
point to point (diameter)	d	101 / 257
table clearance	e	39 / 99
mast diameter	f	1.5 / 3.8
total height (closed)	g	95 / 241
folded canopy (diameter)	h	13 / 33
vent and pocket options		
profile		
canopy options		
lift system		
panel options		
finish options		

ocean master / razor



	razor	octagon
mast height (including finial)	a	97 / 246
canopy height	b	75 / 191
flat to flat (diameter)	c	118 / 300
point to point (diameter)	d	141 / 358
table clearance	e	11 / 28
mast diameter	f	1.5 / 3.8
total height (closed)	g	97 / 246
folded canopy (diameter)	h	10 / 25
vent and pocket options		
profile		
canopy options		
lift system		
panel options		
finish options		

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes



	zero horizon	square	square auto-scope	octagon
mast height (including finial)	a	93 / 236	91 / 231	95 / 241
canopy height	b	84 / 213	112 / 284	87 / 221
flat to flat (diameter)	c	83 / 211	112 / 284	88 / 224
point to point (diameter)	d	83 / 211	112 / 284	96 / 244
table clearance	e	32 / 81	35 / 89	45 / 115
mast diameter	f	1.5 / 3.8	1.5 / 3.8	1.5 / 3.8
total height (closed)	g	93 / 236	116 / 295	95 / 241
folded canopy (diameter)	h	11 / 28	16 / 41	11 / 29
vent and pocket options				
profile				
canopy options				
lift system				
panel options				
finish options				

ocean master / pagoda



pagoda	sizes (ft/m)	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)
hexagon	8.5' / 2.6m	113 / 287	78 / 198	104 / 264	120 / 305	36 / 91	1.5 / 3.8	116 / 295	12 / 27
hexagon	10.5' / 3.2m	113 / 287	77 / 196	114 / 290	132 / 335	30 / 76	1.5 / 3.8	116 / 295	12 / 27

finial	single solid color	alternating panels	manual with pin	auto-loc marine lift	profile
venice aluminum					fishtail


finish options

polished titanium



titanium

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes



vent and pocket options	canopy options	mast finish options
no vent contrasting pockets	binding accent border	polished titanium powder coating ‡

panel options	lifting system options	profile
single solid color alternating panels	manual with pin auto-loc marine lift	fishtail

finial
venice aluminum

plantation / classic



classic	sizes (ft/m)	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)
square	4.5' / 1.35m	89 / 227	72 / 183	52 / 133	52 / 133	46 / 117	1.5 / 3.8	89 / 227	11 / 27
square	5.5' / 1.65m	95 / 242	76 / 194	65 / 165	65 / 165	43 / 109	1.5 / 3.8	95 / 242	11 / 27
square	6.5' / 2.0m	97 / 246	77 / 195	81 / 207	81 / 207	34 / 86	1.5 / 3.8	97 / 246	11 / 27
square	7.5' / 2.25m	99 / 251	78 / 198	90 / 228	90 / 228	30 / 76	1.5 / 3.8	99 / 251	11 / 27
square	8.5' / 2.6m	101 / 257	76 / 194	97 / 247	97 / 247	26 / 67	1.5 / 3.8	101 / 257	11 / 27
square auto-scope	10.0' / 3.0m	108 / 274	84 / 213	120 / 305	120 / 305	32 / 81	1.5 / 3.8	123 / 312	11 / 27
octagon	5.0' / 1.5m	89 / 227	72 / 184	52 / 133	58 / 147	54 / 137	1.5 / 3.8	89 / 227	11 / 27
octagon	6.0' / 1.8m	89 / 227	72 / 184	68 / 172	74 / 189	46 / 117	1.5 / 3.8	89 / 227	11 / 27
octagon	7.5' / 2.25m	95 / 241	76 / 194	84 / 214	92 / 235	43 / 109	1.5 / 3.8	95 / 241	11 / 27
octagon	9.0' / 2.75m	97 / 246	77 / 195	105 / 266	114 / 290	34 / 86	1.5 / 3.8	97 / 246	11 / 27
octagon	10.5' / 3.2m	99 / 253	78 / 198	116 / 294	126 / 321	30 / 76	1.5 / 3.8	99 / 253	11 / 27
octagon	11.5' / 3.6m	101 / 256	76 / 194	125 / 318	137 / 347	26 / 67	1.5 / 3.8	101 / 256	11 / 27
octagon auto-scope	13.0' / 4.0m	105 / 267	83 / 211	142 / 361	155 / 394	31 / 79	1.5 / 3.8	119 / 302	12 / 31
hexagon	5.5' / 1.65m	89 / 227	72 / 83	65 / 165	75 / 191	46 / 117	1.5 / 3.8	89 / 227	11 / 27
hexagon	7.0' / 2.15m	95 / 242	76 / 194	79 / 201	91 / 231	43 / 109	1.5 / 3.8	95 / 242	11 / 27
hexagon	8.5' / 2.6m	97 / 246	77 / 195	99 / 254	115 / 292	34 / 86	1.5 / 3.8	97 / 246	11 / 27
hexagon	10.0' / 3.0m	99 / 251	78 / 198	109 / 277	126 / 320	30 / 76	1.5 / 3.8	99 / 251	11 / 27
hexagon	11.0' / 3.4m	101 / 257	76 / 194	118 / 300	137 / 348	26 / 67	1.5 / 3.8	101 / 257	11 / 27
oval	9.0' x 11.0' / 2.75m x 3.4m	101 / 257	81 / 206	106 / 269	129 / 328	28 / 71	1.5 / 3.8	101 / 257	12 / 30
rectangle	5.0' x 8.0' / 1.5m x 2.45m	101 / 257	81 / 206	60 / 152	96 / 244	38 / 97	1.5 / 3.8	101 / 257	9 / 23
rectangle	6.0' x 9.0' / 1.8m x 2.75m	101 / 257	75 / 191	74 / 188	114 / 290	27 / 69	1.5 / 3.8	101 / 257	10 / 25
rectangle auto-scope	8.0' x 12.0' / 2.45m x 3.65m	105 / 267	86 / 218	95 / 241	143 / 363	31 / 79	1.5 / 3.8	120 / 305	11 / 28

finish options

aluma-TEAK



natural java weathered

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes



vent and pocket options
no vent single vent double vent* contrasting pockets contrasting pockets and vent

panel options
single solid color alternating panels alternating panel & alternating valance alternating panel and matching valance

profile options
market fishtail* valance straight valance scalloped

canopy options
binding accent border

lifting system options	finial
manual with pin auto-loc marine lift	venice aluminum

* Double wind vent & fishtail profile only available on octagon shapes
‡ Manual with pin not recommended on posts over 9' (2.7m)

plantation / manta

	canopy height (ft/m)	canopy height (in/cm)	canopy height (in/cm)	canopy height (in/cm)	canopy height (in/cm)	canopy height (in/cm)	canopy height (in/cm)	canopy height (in/cm)	canopy height (in/cm)
manta	8.5' / 2.6m	101 / 257	78 / 198	101 / 257	101 / 257	28 / 71	1.5 / 3.8	101 / 257	11 / 28
square	8.5' / 2.6m	101 / 257	78 / 198	101 / 257	101 / 257	28 / 71	1.5 / 3.8	101 / 257	11 / 28
manta square auto-scope	9.5' / 2.9m	101 / 257	82 / 208	112 / 284	112 / 284	31 / 79	1.5 / 3.8	116 / 295	11 / 28

vent and pocket options

- no vent
- contrasting pockets

panel options

- single solid color
- alternating panels

lifting system

- auto-loc marine lift

profile

- fishtail

canopy options

- binding

finial

- aluminum

finish options



Dimension Tolerances +2"
 Dimensions shown correspond to indicated lift system
 Options are subject to change without notice
 Some options are only available in certain sizes and shapes

plantation / zero horizon

	canopy height (ft/m)	canopy height (in/cm)	canopy height (in/cm)	canopy height (in/cm)	canopy height (in/cm)	canopy height (in/cm)	canopy height (in/cm)	canopy height (in/cm)	canopy height (in/cm)
zero horizon	8.5' / 2.6m	101 / 257	92 / 234	101 / 257	101 / 257	26 / 66	1.5 / 3.8	101 / 257	13 / 33
square	8.5' / 2.6m	101 / 257	92 / 234	101 / 257	101 / 257	26 / 66	1.5 / 3.8	101 / 257	13 / 33
square auto-scope	9.5' / 2.9m	101 / 257	91 / 231	112 / 284	112 / 284	35 / 89	1.5 / 3.8	116 / 295	16 / 41
octagon	10.0' / 3.0m	97 / 246	88 / 224	108 / 274	118 / 300	36 / 91	1.5 / 3.8	97 / 246	14 / 35
	11.0' / 3.4m	99 / 251	90 / 229	119 / 302	130 / 330	32 / 80	1.5 / 3.8	99 / 251	14.5 / 37
	12.0' / 3.7m	99 / 251	90 / 229	130 / 330	141 / 358	26 / 66	1.5 / 3.8	99 / 251	15.5 / 39

vent and pocket options

- no vent
- contrasting pockets

panel options

- single solid color
- alternating panels

lifting system

- auto-loc marine lift

profile

- fishtail

canopy options

- binding
- accent border

finial

- aluminum

finish options



Dimension Tolerances +2"
 Dimensions shown correspond to indicated lift system
 Options are subject to change without notice
 Some options are only available in certain sizes and shapes

plantation / pagoda



	pagoda	hexagon	canopy height	total height (closed)	total height (open)	table clearance	mast diameter	rib height (closed)	rib height (open)	rib height (open, including finial)
sizes [ft/m]	8.5' / 2.6m	10' / 3.0m	113 / 287	80 / 203	105 / 267	121 / 307	36 / 92	1.5 / 3.8	116 / 295	12 / 27
a (in/cm)	113 / 287	113 / 287	80 / 203	105 / 267	121 / 307	36 / 92	1.5 / 3.8	116 / 295	12 / 27	
b (in/cm)			79 / 201	109 / 277	126 / 320	30 / 76.5	1.5 / 3.8	116 / 295	12 / 27	
c (in/cm)										
d (in/cm)										
e (in/cm)										
f (in/cm)										
g (in/cm)										
h (in/cm)										


finish options

aluma-TEAK



natural java weatheread

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes



vent



no vent

canopy options



binding accent border

panel options



single solid color alternating panels

lifting system options



manual with pin double pulley lift auto-loc marine lift

profile options



market valance straight valance scalloped tassels

finial



venice aluminum

mistral / classic



	classic	square	octagon	hexagon	canopy height	total height (closed)	total height (open)	table clearance	mast diameter	total height (closed)	total height (open)	
sizes [ft/m]	6.5' / 2.0m	7.5' / 2.25m	7.5' / 2.25m	8.5' / 2.6m	103 / 262	77 / 196	84 / 214	90 / 229	50 / 127	1.5 / 3.8	103 / 262	9 / 23
a (in/cm)	103 / 262	103 / 262	103 / 262	103 / 262	77 / 196	84 / 214	90 / 229	50 / 127	1.5 / 3.8	103 / 262	9 / 23	
b (in/cm)					75 / 191	88 / 224	88 / 224	35 / 89	1.5 / 3.8	103 / 262	9 / 23	
c (in/cm)					88 / 224	111 / 282	111 / 282	29 / 74	2.3 / 5.8	113 / 287	9 / 23	
d (in/cm)												
e (in/cm)												
f (in/cm)												
g (in/cm)												
h (in/cm)												


finish options

natural hardwood



natural

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes



vent and pocket options



no vent single vent double vent* contrasting pockets contrasting pockets and vent

finial options



hardwood finial

panel options



single solid color alternating panels alternating panel & alternating valance alternating panel and matching valance

profile options



market fishtail* valance straight valance scalloped tassels binding accent border

lifting system options




manual with pint double pulley lift auto-loc marine lift

* Double wind vent & fishtail profile only available on octagon & hexagon shapes
* Manual with pin not recommended on parasols over 9' (2.73m)
* Auto-loc pulley lift system available on select sizes

bay master / aluminum classic



classic	sizes (ft/m)	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)
octagon	7.5' / 2.25m	95 / 241	76 / 194	84 / 214	92 / 235	43 / 109	1.5 / 3.8	95 / 241	11 / 27
	9.0' / 2.75m	97 / 246	77 / 195	105 / 266	114 / 290	34 / 86	1.5 / 3.8	97 / 246	11 / 27
	10.5' / 3.2m	99 / 253	78 / 198	116 / 294	126 / 321	30 / 76	1.5 / 3.8	99 / 253	11 / 27
hexagon	7.0' / 2.15m	95 / 242	76 / 194	79 / 201	91 / 231	43 / 109	1.5 / 3.8	95 / 242	11 / 27
	8.5' / 2.6m	97 / 246	77 / 195	99 / 254	115 / 292	34 / 86	1.5 / 3.8	97 / 246	11 / 27
	10.0' / 3.0m	99 / 251	78 / 198	109 / 277	126 / 320	30 / 76	1.5 / 3.8	99 / 251	11 / 27
square	5.5' / 1.65m	95 / 242	76 / 194	65 / 165	65 / 165	43 / 109	1.5 / 3.8	95 / 242	11 / 27
	6.5' / 2.0m	97 / 246	77 / 195	81 / 207	81 / 207	34 / 86	1.5 / 3.8	97 / 246	11 / 27
	7.5' / 2.25m	99 / 251	78 / 198	90 / 228	90 / 228	30 / 76	1.5 / 3.8	99 / 251	11 / 27
	8.5' / 2.6m	101 / 257	76 / 194	97 / 247	97 / 247	26 / 67	1.5 / 3.8	101 / 257	11 / 27
rectangle	6.0' x 9.0' / 1.8m x 2.75m	101 / 257	75 / 191	74 / 188	114 / 290	27 / 69	1.5 / 3.8	101 / 257	10 / 25




finish options



satin

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes

bay master / single cantilever




cantilever	sizes (ft/m)	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)	i (in/cm)
octagon	9.0' / 2.75m	105 / 267	86 / 218	100 / 254	108 / 274	40 / 102	3.6 / 9.2	105 / 267	20 / 51	116 / 295
	11.0' / 3.4m	105 / 267	86 / 218	121 / 307	131 / 333	30 / 76	3.6 / 9.2	105 / 267	20 / 51	138 / 351
square	8.0' / 2.45m	105 / 267	90 / 229	96 / 244	96 / 244	36 / 91	3.6 / 9.2	105 / 267	18 / 46	103 / 262
	10.0' / 3.0m	105 / 267	87 / 221	120 / 305	120 / 305	19 / 48	3.6 / 9.2	105 / 267	21 / 53	127 / 323
rectangle	8.0' x 12.0' / 2.45m x 3.65m	105 / 267	91 / 231	96 / 244	144 / 366	20 / 51	3.6 / 9.2	105 / 267	21 / 53	103 / 262

finish options



satin

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes



vent and pocket options



profile options



panel options




canopy options



lift system




most finish



* Double wind vent & fishtail profile only available on octagon shapes

bay master / shade pod



shadepod	sizes (ft/m)	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)	i (in / cm)
square	16.5' x 16.5' 5m x 5m	100/254	79/200	96/244	198/503	25/62	5.32/13.5	100/254	33/84	280/711

vent and pocket options



single vent

profile options



market valance straight valance scalloped

finial



acorn aluminum

panel options



single solid color alternating panels alternating panel & alternating valance alternating panel and matching valance

canopy options



binding

lift system



auto lift assist system (no telescoping)

mast finish



satin anodized aluminum

finish options


satin anodized aluminum



satin

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes

baymaster / fiberflex classic



fiber-flex	sizes (ft/m)	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)
octagon	7.5' / 2.25m 9.0' / 2.75m 10.5' / 3.2m	95 / 241 97 / 246 99 / 253	76 / 194 77 / 195 78 / 198	84 / 214 105 / 266 116 / 294	92 / 235 114 / 290 126 / 321	43 / 109 34 / 86 30 / 76	1.5 / 3.8 1.5 / 3.8 1.5 / 3.8	95 / 241 97 / 246 99 / 253	11 / 27 11 / 27 11 / 27
hexagon	7.0' / 2.15m 8.5' / 2.6m 10.0' / 3.0m	95 / 242 97 / 246 99 / 251	76 / 194 77 / 195 78 / 198	79 / 201 99 / 254 109 / 277	91 / 231 115 / 292 126 / 320	43 / 109 34 / 86 30 / 76	1.5 / 3.8 1.5 / 3.8 1.5 / 3.8	95 / 242 97 / 246 99 / 251	11 / 27 11 / 27 11 / 27
square	5.5' / 1.65m 6.5' / 2.0m 7.5' / 2.25m	95 / 242 97 / 246 99 / 251	76 / 194 77 / 195 78 / 198	65 / 165 81 / 207 90 / 228	65 / 165 81 / 207 90 / 228	43 / 109 34 / 86 30 / 76	1.5 / 3.8 1.5 / 3.8 1.5 / 3.8	95 / 242 97 / 246 99 / 251	11 / 27 11 / 27 11 / 27


finish options

satin anodized aluminum mast



satin

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes



vent and pocket options



no vent single vent

profile options



market valance straight valance scalloped

canopy options



binding

panel options



single solid color alternating panels alternating panel & alternating valance alternating panel and matching valance

finial



triton polymer

lifting system options



manual lift with pin pulley lift with pin auto-loc marine lift


finish options



satin anodized aluminum

* Double wind vent & finial profile only available on octagon & hexagon shapes
† Manual with pin not recommended on parasols over 9' (2.75m)

vineyard / classic



classic	sizes [ft/m]	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)
octagon	7.5' / 2.25m	95 / 241	76 / 194	84 / 214	92 / 235	43 / 109	1.5 / 3.8	95 / 241	11 / 27
	9.0' / 2.75m	97 / 246	77 / 195	105 / 266	114 / 290	34 / 86	1.5 / 3.8	97 / 246	11 / 27
	10.5' / 3.2m	99 / 253	78 / 198	116 / 294	126 / 321	30 / 76	1.5 / 3.8	99 / 253	11 / 27
hexagon	7.0' / 2.15m	95 / 242	76 / 194	79 / 201	91 / 231	43 / 109	1.5 / 3.8	95 / 242	11 / 27
	8.5' / 2.6m	97 / 246	77 / 195	99 / 254	115 / 292	34 / 86	1.5 / 3.8	97 / 246	11 / 27
	10.0' / 3.0m	99 / 251	78 / 198	109 / 277	126 / 320	30 / 76	1.5 / 3.8	99 / 251	11 / 27
square	5.5' / 1.65m	95 / 242	76 / 194	65 / 165	65 / 165	43 / 109	1.5 / 3.8	95 / 242	11 / 27
	6.5' / 2.0m	97 / 246	77 / 195	81 / 207	81 / 207	34 / 86	1.5 / 3.8	97 / 246	11 / 27
	7.5' / 2.25m	99 / 251	78 / 198	90 / 228	90 / 228	30 / 76	1.5 / 3.8	99 / 251	11 / 27
rectangle	8.5' / 2.6m	101 / 257	76 / 194	97 / 247	97 / 247	26 / 67	1.5 / 3.8	101 / 257	11 / 27
	6.0' x 9.0' / 1.8m x 2.75m	101 / 257	75 / 191	74 / 188	114 / 290	27 / 69	1.5 / 3.8	101 / 257	10 / 25


finish options

dura-TEAK mast & struts



natural

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes



vent and pocket options



no vent single vent

profile options



market valance straight valance scalloped

canopy options



binding

finial



triton polymer

panel options



single solid color alternating panels alternating panel & alternating valance alternating panel and matching valance


lifting system options



manual with pin pulley lift with pin auto-loc marine lift

* Double wind vent & finial profile only available on octagon & hexagon shapes
† Manual with pin not recommended on parasols over 9' (2.75m)

vineyard / single cantilever



cantilever	sizes [ft/m]	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)	i (in/cm)
octagon	9.0' / 2.75m	105 / 267	86 / 218	100 / 254	108 / 274	40 / 102	3.6 / 9.2	105 / 267	20 / 51	116 / 295
	11.0' / 3.4m	105 / 267	86 / 218	121 / 307	131 / 333	30 / 76	3.6 / 9.2	105 / 267	20 / 51	138 / 351
	8.0' / 2.45m	105 / 267	90 / 229	96 / 244	96 / 244	36 / 91	3.6 / 9.2	105 / 267	20 / 51	103 / 262
square	10.0' / 3.0m	105 / 267	87 / 221	120 / 305	120 / 305	19 / 48	3.6 / 9.2	105 / 267	21 / 53	127 / 323
	8.0' x 12.0' / 2.45m x 3.65m	105 / 267	91 / 231	96 / 244	144 / 366	20 / 51	3.6 / 9.2	105 / 267	21 / 53	103 / 262

finish options

aluma-TEAK mast




natural

dura-TEAK struts



natural

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes



vent and pocket options



single vent

profile options



market valance straight valance scalloped

finial



acorn aluminum

panel options



single solid color alternating panels alternating panel & alternating valance alternating panel and matching valance

canopy options



binding


lift system



auto lift assist system (no telescoping)

* Double wind vent & finial profile only available on octagon shapes

vineyard / shade pod



vent and pocket options



single vent

profile options



market valance straight valance scalloped

finial



acorn aluminum

panel options



single solid color alternating panels alternating panel & alternating valance alternating panel and matching valance

canopy options



binding

lift system



auto lift assist system (no telescoping)

finish options

aluma-TEAK



natural java weathered

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes

vineyard / fiberflex classic



fiber-flex	sizes [ft/m]	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)
octagon	7.5' / 2.25m	95 / 241	76 / 194	84 / 214	92 / 235	43 / 109	1.5 / 3.8	95 / 241	11 / 27
	9.0' / 2.75m	97 / 246	77 / 195	105 / 266	114 / 290	34 / 86	1.5 / 3.8	97 / 246	11 / 27
	10.5' / 3.2m	99 / 253	78 / 198	116 / 294	126 / 321	30 / 76	1.5 / 3.8	99 / 253	11 / 27
hexagon	7.0' / 2.15m	95 / 242	76 / 194	79 / 201	91 / 231	43 / 109	1.5 / 3.8	95 / 242	11 / 27
	8.5' / 2.6m	97 / 246	77 / 195	99 / 254	115 / 292	34 / 86	1.5 / 3.8	97 / 246	11 / 27
	10.0' / 3.0m	99 / 251	78 / 198	109 / 277	126 / 320	30 / 76	1.5 / 3.8	99 / 251	11 / 27
square	5.5' / 1.65m	95 / 242	76 / 194	65 / 165	65 / 165	43 / 109	1.5 / 3.8	95 / 242	11 / 27
	6.5' / 2.0m	97 / 246	77 / 195	81 / 207	81 / 207	34 / 86	1.5 / 3.8	97 / 246	11 / 27
	7.5' / 2.25m	99 / 251	78 / 198	90 / 228	90 / 228	30 / 76	1.5 / 3.8	99 / 251	11 / 27

finish options

aluma-TEAK mast



natural

vent and pocket options



no vent single vent

profile options



market valance straight valance scalloped

finial



triton polymer

canopy options



binding accent border

panel options



single solid color alternating panels alternating panel & alternating valance alternating panel and matching valance

lifting system options



manual with pin pulley/lift with pin auto-loc marine lift

* Double wind vent & fishtail profile only available on octagon & hexagon shapes
† Manual with pin not recommended on parasols over 9' (2.75m)


Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes

pavilions / atlantis



	sizes (ft/m)	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)
square	8.0' / 2.45m	94 / 239	82 / 208	97 / 246	97 / 246	88 / 224	88 / 224	125 / 318	1.5 / 3.8
	9.0' / 2.75m	94 / 239	82 / 208	110 / 279	110 / 279	100.3 / 255	100.3 / 255	118 / 300	1.5 / 3.8
	10.0' / 3.0m	94 / 239	82 / 208	120 / 305	120 / 305	111.5 / 283	111.5 / 283	126 / 320	1.5 / 3.8
	11.0' / 3.4m	94 / 239	82 / 208	132 / 335	132 / 335	123 / 312	123 / 312	128 / 325	1.5 / 3.8
rectangle	8.0' x 12.0' 2.45m x 3.65m	94 / 239	96 / 244	95 / 241	143 / 363	89 / 226	135 / 338	114 / 290	1.5 / 3.8

atlantis pavilion fabric / binding selection




Dimension Tolerances $\pm 2"$
 Dimensions shown correspond to indicated lift system
 Options are subject to change without notice
 Some options are only available in certain sizes and shapes

pavilions / grand pacific



	sizes (ft/m)	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)
square	12.0' / 3.7m	94 / 239	86 / 218	144 / 366	144 / 366	111.5 / 283	111.5 / 283	145 / 368	1.5 / 3.8

grand pacific fabric / binding selection



Dimension Tolerances $\pm 2"$
 Dimensions shown correspond to indicated lift system
 Options are subject to change without notice
 Some options are only available in certain sizes and shapes

vent options: single vent, vector vent (included)

curtain options: accent curtains, full curtains, fabric walls, fabric walls with windows

finial: venice aluminum, most finish (polished titanium)

vent options: single vent, vector vent

curtain options: accent curtains, full curtains, fabric walls, fabric walls with windows

finial: venice aluminum, most finish (polished titanium)

pavilions / crescent




crescent

square	sizes (ft/m)	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)
	11.0' / 3.4m	98 / 249	86 / 218	136 / 346	136 / 346	100.3 / 255	100.3 / 255	132 / 335	1.5 / 3.8
	13.0' / 4.0m	98 / 249	82 / 208	160 / 406	160 / 406	123 / 312	123 / 312	140 / 356	1.5 / 3.8



crescent fabric / binding selection



Dimension Tolerances ±.2"
 Dimensions shown correspond to indicated lift system
 Options are subject to change without notice
 Some options are only available in certain sizes and shapes

pavilions / st. tropez



st. tropez

rectangle	sizes (ft/m)	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)
	10.0' x 12.0' 3.0m x 3.65m	94 / 239	82 / 208	120 / 305	144 / 366	114 / 290	85 / 216	110 / 279	1.5 / 3.8



vent options

fishtail fishtail with vent

curtain options


accent curtains full curtains fabric walls fabric walls with windows

finial

venice aluminum

mast finish

polished titanium



canopy options

standard interior privacy curtains interior fabric walls

finial

venice aluminum

mast finish


polished titanium

Dimension Tolerances ±.2"
 Dimensions shown correspond to indicated lift system
 Options are subject to change without notice
 Some options are only available in certain sizes and shapes

pavilions / maui



maui	sizes (ft/m)	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)
square	8.0' / 2.45m	94 / 239	82 / 208	97 / 246	97 / 246	88 / 224	88 / 224	125 / 318	1.5 / 3.8
	9.0' / 2.75m	94 / 239	82 / 208	110 / 279	110 / 279	100.3 / 255	100.3 / 255	118 / 300	1.5 / 3.8
	10.0' / 3.0m	94 / 239	82 / 208	120 / 305	120 / 305	111.5 / 283	111.5 / 283	126 / 320	1.5 / 3.8
	11.0' / 3.4m	94 / 239	82 / 208	132 / 335	132 / 335	123 / 312	123 / 312	128 / 325	1.5 / 3.8
rectangle	8.0' x 12.0' 2.45m x 3.65m	94 / 239	82 / 208	95 / 241	143 / 363	89 / 226	133 / 338	118 / 300	1.5 / 3.8



vent options

single vent vector vent (included)


curtain options

accent curtains full curtains fabric walls fabric walls with windows

finial

venice aluminum dura-TEAK

maui pavilion fabric / binding selection




Dimension Tolerances +/- 2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes

cabana / exuma



exuma	sizes (ft/m)	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)
square	4.0' / 1.5m	80 / 203	72 / 183	50 / 127	50 / 127	43 / 109	43 / 109	105 / 267	0.75 / 1.9



vent options

pagoda top scalloped valance straight valance

finial

venice aluminum dura-TEAK

exuma fabric / binding selection



Dimension Tolerances +/- 2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes


shade lounge / mercury



mercury	lounge dim (ft/m)	top dim (ft/m)	max height (in/cm)	canopy height (in/cm)	flap to flap (diameter) (in/cm)	point to point (diameter) (in/cm)	flange width (flange to center) (in/cm)	flange length (flange to center) (in/cm)	total height (in/cm)	pole diameter (in/cm)
rectangle	4.0' x 7.5' 1.25m x 2.3m	7.25' x 13.5' 2.2m x 4.15m	87 / 221	76 / 193	162 / 412	89 / 226	87.5 / 222	47.5 / 121	114 / 290	1.5 / 3.8



mercury fabric / binding selection



Dimension Tolerances +/- 2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes


shade lounge / crescent




crescent	lounge dim (ft/m)	top dim (ft/m)	max height (in/cm)	canopy height (in/cm)	flap to flap (diameter) (in/cm)	point to point (diameter) (in/cm)	flange width (flange to center) (in/cm)	flange length (flange to center) (in/cm)	total height (in/cm)	pole diameter (in/cm)
square	7.0' x 7.0' 2.15m x 2.15m	11.0' x 11.0' 3.4m x 3.4m	90 / 229	74 / 188	136 / 346	136 / 346	86 / 218	86 / 218	120 / 305	1.5 / 3.8




crescent fabric / binding selection



Dimension Tolerances +/- 2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes



canopy options		drape and accessories	
sunroof	vector vent	straight valance	privacy sheer curtains
finial	mast finish		
venice aluminum	polished titanium		




canopy options		drape and accessories	
sunroof	vector vent	straight valance	privacy sheer curtains
finial	mast finish		
venice aluminum	polished titanium		

lounge / crescent

shade lounge / bali




	lounge dim (ft/m)	top dim (ft/m)	most height a (in/cm)	canopy height b (in/cm)	flat to flat (diameter) c (in/cm)	point to point (diameter) d (in/cm)	frame width (center to center) e (in/cm)	frame length (center to center) f (in/cm)	total height g (in/cm)	pole diameter h (in/cm)
bali										
rectangle	4.0' x 7.5' 1.23m x 2.3m	4.75' x 8.5' 1.45m x 2.6m	87 / 221	73 / 185	104 / 264	56 / 142	87.5 / 222	47.5 / 121	129 / 328	1.5 / 3.8



canopy options



drape and accessories





finish



most finish



bali fabric / binding selection




Dimension Tolerances +/- 2"
Dimensions shown correspond to indicated lift system.
Options are subject to change without notice.
Some options are only available in certain sizes and shapes.


shade lounge / java




	lounge dim (ft/m)	top dim (ft/m)	most height a (in/cm)	canopy height b (in/cm)	flat to flat (diameter) c (in/cm)	point to point (diameter) d (in/cm)	frame width (center to center) e (in/cm)	frame length (center to center) f (in/cm)	total height g (in/cm)	pole diameter h (in/cm)
java										
rectangle	4.0' x 7.5' 1.23m x 2.3m	7.25' x 13.5' 2.2m x 4.15m	87 / 221	76 / 193	162 / 412	89 / 226	87.5 / 222	47.5 / 121	109 / 277	1.5 / 3.8



canopy options



drape and accessories





finish



most finish



java fabric / binding selection



Dimension Tolerances +/- 2"
Dimensions shown correspond to indicated lift system.
Options are subject to change without notice.
Some options are only available in certain sizes and shapes.

shade sculpture / stingray



stingray

sizes [ft/m]	total length		total width		total height		head clearance		pole diameter	
	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)	i (in/cm)	j (in/cm)
7.0' x 10.0' / 2.15m x 3.0m	125 / 318	92 / 234	91 / 231	75 / 191	1.9 / 4.8					
9.0' x 13.0' / 2.75m x 4.0m	156 / 396	108 / 274	114 / 290	85 / 216	2.375 / 6.0					



most finish



polished titanium


Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes

hammocks / air lounge



wave stand
with air lounge

sizes [ft/m]	total length		total width		total height		height leg to leg (corner to corner)		width leg to leg (corner to corner)		pole diameter	
	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)	i (in/cm)	j (in/cm)	k (in/cm)	l (in/cm)
4.5' x 14' / 1.4m x 4.35m	170 / 432	55 / 140	47 / 119	72 / 183	52 / 132	2.375 / 6.0						



wave stand



polished titanium

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes

Care & Maintenance **Terms & Conditions**

Frames

TUUCI frames are constructed from durable, marine-grade, weather resistant materials including fiberglass, armor-wall aluminum, Dura-TEAK composites, Aluma-TEAK aluminum and sustainable hardwood. All fasteners (nuts, bolts, pulleys, cam cleats, etc.) are marine-grade stainless steel and will withstand the most corrosive environments. Proper care and maintenance is important to extend the serviceable life of all TUUCI products. Fresh water rinses once a week will enhance the life and long lasting beauty of your TUUCI shade equipment. Weekly inspection of your TUUCI product is recommended. Loose screws should be tightened and any broken components replaced immediately to avoid further damage to your product. TUUCI Parts can be purchased at parts@tuuci.com.

Prior to opening, ensure that the shade product is properly secured to an adequate shade anchor, using the locking system intended for the specific product (star knob, hitch pin or cam lock).

When opening a TUUCI parasol, separate each rib 6 inches from the center post, before raising the hub. Do not force hub if it does not rise easily. When closing the parasol, pull the fabric out from between the struts to avoid pinching or damaging the TUFF-SKIN canopy membrane.

Although many TUUCI frames have been tested for structural integrity in winds exceeding 50 MPH, it is always recommended that caution and common sense be applied in extreme wind and weather conditions. TUUCI recommends that all collapsible shade equipment be closed in wind conditions which exceed 25 MPH. Stability of TUUCI shade products in heavy wind and severe weather conditions is directly related to the size, weight and security of the shade anchor. Please use reasonable and cautious judgment when determining when the parasol should be closed.

Shade Anchors

ALWAYS BE SURE THAT PARASOL CENTER POLE IS FIRMLY ATTACHED TO BASE BEFORE OPENING PARASOL. Clean above ground parasol bases regularly to maintain appearance. To clean, gently wash with soap and water using a non-abrasive cloth or pad. Check three bolts in base plate regularly to ensure that they remain fully tightened. Inspect weekly if parasol bases are moved on a regular basis.

Do not roll Aluma-crete (Aluminum Shell, Concrete Filled) bases on their side as damage to shell or finish can occur. Touch up bases with exterior paint as needed. Touch up can be ordered from the TUUCI parts department (parts@tuuci.com). Wheeled parasol bases are intended for use on even surfaces. Move bases slowly and with caution on uneven surfaces. Do not use on stairways or over distances which exceed 50 feet, as damage to welded wheel tray may occur.

Tuff-Skin Canopies, Curtains and Tensioned Fabric Walls

TUUCI's TUFF-SKIN parasol canopies employ the most durable and state of the art marine fabrics and thread including (but not limited to: Sunbrella Marine and Awning Fabrics, Weathermax, Ferrari Fabrics, Dickson Acrylic Fabrics, Weblon, Regatta, Gortex and other proven high-performance, UV stable materials). TUUCI TUFF-SKINS should be cleaned regularly before dirt is allowed to accumulate and become embedded in the fabric. The fabric canopy can be cleaned without being removed from the frame. Simply brush off any loose dirt or particles; hose down and clean with a mild soap in lukewarm water (no more than 100° F) Rinse thoroughly to remove soap. Allow fabric to air dry. Do not use heavy detergents.

For stubborn stains, clean with a mild soap and add one cup of bleach to a gallon of water, scrub vigorously with a soft bristle brush, sponge or clean towel. Allow fabric to air dry. This method of

cleaning may remove part of the water repellency. If water repellency is a factor, the fabric should receive an application of an air-curing water repellent treatment (such as SM fabric guard).

Sunbrella® may be machine washed but a water repellent treatment must be applied to the fabric after washing to reestablish water repellency. Sunbrella® is made from 100% acrylic fiber and is thermoplastic or heat sensitive. When washing or cleaning, DO NOT SUBJECT TO EXCESSIVE HEAT as the fabric will shrink. DO NOT STEAM PRESS OR DRY IN ELECTRIC OR GAS DRYERS, but allow air to dry. In cases where the parasol is taken down and stored during the winter season, the TUFF-SKIN canopy should be cleaned, allowed to air dry, and stored in a dry, well ventilated area. A TUUCI Protective Cover should be used at all times when umbrella is not in use to ensure the longest serviceable life.



warranty parasol / pavilion / lounge / shade anchor

Product

TUUCI constructs its shade structures with the finest marine-grade materials available. We test our products in extreme weather environments to ensure stability, durability and years of worry-free service. In addition, TUUCI personnel carefully follow specific quality control procedures and inspect each product to ensure freedom from any type of manufacturing defect. Our goal is to produce shade platforms that will exceed your expectations and provide a shade experience like no other in the world. The warranty protection listed below covers manufacturing defects only.

Although all TUUCI marine-grade shade equipment is rigorously tested to withstand incredible forces of nature, TUUCI does not recommend or warranty the deployment or use of any collapsible shade equipment in wind conditions which exceed 25 MPH (45 MPH for the Ocean Master MAX F-1 and Plantation MAX F-1). TUUCI will only warranty products which are properly secured to an adequate base or anchoring system. Furthermore, TUUCI will not cover any damage to a shade or base device which occurs as a result of contact with the ground or any other foreign object including damage which occurs as a result of sudden and severe weather events or other extreme acts of nature. In general, TUUCI recommends that all collapsible shade products be securely closed when not in use.

TUUCI can recommend specific base weight and anchoring systems for specific parasol styles, shapes and sizes, however, TUUCI will only warrant the safe, sensible and reasonable operation of our shade structures within the recommended deployment guidelines. Please contact TUUCI directly if requesting shade devices and anchoring systems which can be warranted in sustained wind conditions which exceed 25 MPH.

The following specific time periods and limitations apply to the product indicated:

15 Year Warranty

Includes OCEAN MASTER™, OCEAN MASTER MAX™, including the F-1, and PLANTATION MAX™ center mast, including the F-1, cantilever mast, top and bottom hubs and stainless steel hardware only. If warrantable damage occurs to the hubs, center pole or stainless steel hardware, TUUCI will replace or repair any item listed in this category at its discretion. Superficial damage occurring from contact with foreign objects including any type of scratches or abrasions caused from contact with the moving components of the frame itself or canopy during normal operation are not eligible for warranty coverage unless the damage somehow compromises the structural integrity of the frame.

5 Year Warranty

Includes OCEAN MASTER™, OCEAN MASTER MAX™, including the F-1, PLANTATION MAX™, including the F-1, STINGRAY SHADE SCULPTURE, PAVILION and LOUNGE COLLECTIONS connecting brackets, optional hardware (pulleys, auto-loc arms, auto-loc lifts and crank systems), aluminum canopy ribs, struts and SUNBRELLA® 9.25 oz. marine-grade fabric. If said SUNBRELLA® marine-grade fabric is rendered unserviceable by loss of color or strength caused by UV degradation, mildew, rot or atmospheric chemicals, or warrantable damage occurs to the connecting brackets, attached optional hardware or aluminum canopy ribs or struts, TUUCI will replace or repair said items in this category at its discretion. Labor charges will apply to the cutting and sewing of any SUNBRELLA® fabric replaced under warranty. PLANTATION™ and PLANTATION MAX™ parasols, including the center pole, hub system, fasteners and canopy rib assembly. If warrantable damage occurs to the hubs, center pole or stainless steel hardware, TUUCI will replace or repair any item listed in this category at its discretion.

LOUNGE and PAVILION structures, whether constructed of OCEAN MASTER™ or PLANTATION™ materials, including the tubing, hub system, and fasteners. Fabric warranty separate. If warrantable damage occurs to the hubs, center pole, struts or stainless steel hardware, TUUCI will replace or repair any item listed in this category at its discretion. Please close or remove canopy tops to any TUUCI LOUNGE or PAVILION product for winds exceeding 25 MPH except where specifically engineered and warranted for specific wind loads according to TUUCI's engineering and usage guide for subject products (property / installation specific).

3 Year Warranty

Covers Bay Master and Vineyard Classic, Fiber-Flex, and Cantilever umbrellas, including the center pole, side mast, hub system, fasteners and canopy ribs. If warrantable damage occurs to the hubs, center pole, struts or stainless steel hardware, TUUCI will replace or repair any item listed in this category at its own discretion. SUNBRELLA® 8.25 oz. standard fabric: If said SUNBRELLA® fabric is rendered unserviceable by loss of color or strength caused by UV degradation, mildew, rot or atmospheric chemicals, TUUCI will replace or repair said fabric. Labor charges will apply to the reinstallation of any SUNBRELLA® fabric replaced under warranty. Fabrication labor for any fabric warranty claim related to loss of color or strength shall be the sole burden of the warranty claimant.

MISTRAL™ hardwood umbrella: including the center pole, hub system, fasteners and canopy ribs. If warrantable damage occurs to the hubs, center pole, struts or stainless steel hardware, TUUCI will replace or repair any item listed in this category at its own discretion.

2 Year Warranty

Covers Bay Master and Vineyard Ultra –Flex umbrellas, including the center pole, side mast, hub system, fasteners and canopy ribs. If warrantable damage occurs to the hubs, center pole, struts or stainless steel hardware, TUUCI will replace or repair any item listed in this category at its own discretion.

1 Year Warranty

Covers powder coat finish of aluminum frames and bases including TUUCI's exclusive Aluma-TEAK finish. If any TUUCI applied finish flakes, bubbles, peels, or loses color within one (1) year from the date of purchase, TUUCI will replace or repair any paint finish damage at its own discretion.

The redeemable value of all warranties provided herewith shall be prorated over the life of the specific limited warranty itself. TUUCI may, at its sole discretion, waive any and all associated warranty, service labor or shipping charges as any specific case may warrant. In all cases, the warranty claimant shall be responsible for all shipping and/ or freight charges incurred by claimant or TUUCI as a result of a warranty claim. Warranty covers only parts and the labor to manufacture the parts for non-fabric claims. Labor for installation of parts covered under TUUCI Warranty is not included. Fabric warranties shall never include the cost of labor and any associated fabrication costs. All warranty claims must be submitted with an original proof of purchase dated from the dealer of origin, a description of damaged product, including how the damage was thought to occur, along with photos of the damaged product. The foregoing warranties may not be assigned and are available only to the original purchaser of TUUCI products. TUUCI reserves at its sole discretion the right to repair, replace, or redesign any product that is returned as a result of a warranty claim.



efforts & affiliations

Since our business is all about enjoying the outdoors, it's no secret that we love and respect the environment. That's why we make every possible effort to minimize our footprint as we manufacture quality shade structures. In addition to our efforts to conserve energy in our factory, we have a streamlined process for recycling plastics, aluminum, steel, paper and cardboard. We understand that what we do today ultimately affects tomorrow, and we never forget that fact.

In addition to our conservation and recycling efforts, TUUCI and its employees support many environmental causes, including The Coastal Conservation Association, The Sierra Club, The Friends of Biscayne Bay, The Miami Museum of Science, The Kampong Botanical Garden, David Fairchild Botanical Gardens and The Coral Gables Garden Club.

TUUCI also supports dozens of non-profit community organizations. A few of these organizations are: Adopt-a-Classroom, Best Buddies, Habitat for Humanity, The

American Red Cross, Friends Forever Rescue, NEWH South Florida, The Coral Gables Youth Center, Beaux Arts and a number of religious and educational institutions.

Our company touches six continents and employs people from over 20 countries. As a result, we understand how small our planet really is and how important social and environmental responsibility is for all of us. TUUCI is conscious of our environmental footprint and we continue to develop sustainable and renewable business practices which will ensure a positive contribution to the health of our planet for generations to come.

Our love of the natural environment and our community directs everything that we do. Our mission in shade design connects our passions for sustainable and enjoyable lifestyles the world over.

We handcraft beautiful outdoor shade structures inspired by our life on the water in ways that are friendly to the earth. We spend our days thinking about outdoor living and that has, in effect, "greened" our way of doing business. Our mission for shade design connects our passion with sustainable and enjoyable lifestyles the world over. We are reducing our carbon footprint, one parasol at a time.

We participate in many stewardship programs. Our scrap fabric is carefully sorted and recycled into industrial products such as felt, insulation and padding. We have also begun to utilize recycled decorative fabrics on some of our latest shade designs.

We implemented an environmental sustainability program. Our program includes efforts to reduce solid waste as well as recycling of plastics, aluminum, steel, paper and cardboard for use in our products, packaging and supplies.

Our products are made with 100 percent replaceable parts. To take our environmental commitment even further, we make sure our product components are 100 percent recyclable, giving them a sustainable lifeline. As a result, we produce less landfill materials.

getting greener every day

Our wood frames are ecologically farmed and made from 100% plantation grown hardwoods which are both renewable and sustainable.

Excess packaging is recycled and we save energy and gas by packing as much as possible into fewer shipments.

TUUCI protects your skin from the sun. Our shade products provide valuable and effective sun protection by reducing exposure to harmful ultra-violet sunlight. With all components containing specialized UV inhibitors, our shade is guaranteed to last in the most demanding, sun-drenched landscapes on earth.

We care about the community and share our green story in all our endeavors, including our support of dozens of non-profit global and community organizations. Some of these organizations include Project Medishare, a project dedicated to earthquake relief efforts in Haiti, Camilius House, Shake-A-Leg, Special Olympics, Sylvester Cancer Center, The Kampong-National Tropical Botanical Garden, Paws4You Rescue, Beaux Arts and Barnacle Society just to name a few. We sponsor many local and national events providing both shade products and financial support.



contact

global headquarters

January 1998

2900 NW 35th Street
Miami, Florida, 33142

T: +1 305 634 5116

info@tuuci.com
www.tuuci.com

Established in 1998, TUUCI's global design and manufacturing campus in Miami, Florida is recognized for producing the most durable and uniquely designed shade structures on the planet. Occupying more than three acres of industrial space near Miami's International Airport, TUUCI manages all design, manufacturing, logistics, customer service and administration operations from this hub. Known for award winning designs the world over, TUUCI's roots within Miami's marine-industry are evident in every specialized product they produce.

Though TUUCI's products may be experienced in the most far-off lands from Europe to Africa, the Americas and beyond, our clients are pleased to know that our products are designed and engineered right here in Miami, Florida.



european office

June 2003

De Nedervonder 17
5061 JP Oisterwijk
The Netherlands


T: +31 13 522 0471

info@tuuci.eu
www.tuuci.com


TUUCI's European Office was established in 2003 fulfilling a need to be close to our European Customers. Our state of the art facility in Holland offers full service shade manufacturing services for Europe, the Middle East and Africa. In addition to manufacturing on-demand shade products, our European facility also stocks a wide range of finished shade products for immediate delivery and hosts a first class client services team for the EMEA market.



the journey



behind the scenes





thank you for sharing our journey





caution: may cause sudden relaxation

global headquarters

2900 NW 35th Street, Miami, FL 33142 USA / 305.634.5116
info@tuuci.com

european office

Nedervonder 17, 5061 JP Oisterwijk, The Netherlands / +31.13.522.0471
info@tuuci.eu

asia pacific office

Singapore
infoasia@tuuci.com



www.facebook.com/tuucishade
www.tuuci.com

version 3.0

