

**evo**®



2019 BIKES AND eBIKES





evo

## Granville

The Granville is a well-appointed and beautifully styled modern city bike. A lightweight aluminum frame, all-weather disc brakes, and hill-flattening 8-speed drivetrain add up to make the Granville the only bike you'll need in your urban quiver.



Smart Cycling  Fun  
evobicycle.com



# PickRight™

## For Bike Riders that don't speak Bike!

How many times have you sold a bike only to learn later the customer bought a bag or a computer at a local big box store? We must remember that for the Bike Rider, walking into your shop can be an overwhelming experience. Often they don't know the accessories or why they need them. So, why not speak to them in a way they can understand... enter PickRight™.

Using a color-coded category system, PickRight™ helps your customers confidently pick the right accessories for their bike. The category system allows the Bike Rider to quickly identify the right products for their bike. And, the packaging itself helps them understand how or why they need it. Simple. Easy. Brilliant!

- MOUNTAIN** Off-road style bicycles with low tire pressure
- ROAD** Road racing style bicycles with high-pressure tires
- CITY** Hybrid and upright riding commuting-style bicycles
- PATH** Slow-rolling comfort path style bicycles, such as beach cruisers, with wider tires
- KIDS** Youth and kids bicycles



**MTN**



**ROAD**



**CITY**



**PATH**



**KIDS**



# ROCK RIDGE 16

What kid doesn't want to rock their block on a fun and colorful right-sized mountain-style bike. The 16" Rock Ridge is well-equipped and ready to provide hours of neighborhood exploration.

PickRight™



Actual products may differ from image shown.

## FRAMESET

Frame	Aluminum
Fork	Hi-Tensile steel

## WHEELS

Wheelset	16" single-wall 20H alloy rims, bolt-on hubs, coaster brake rear
Tires	16 x 2.125"

## DRIVETRAIN

Shifters	-
Front Derailleur	-
Rear Derailleur	-
Crankset	3-Piece Alloy Crank 32T
Cassette/Freewheel	18T

## COMPONENTS

Saddle	EVO Junior Padded
Seat Post	EVO 27.2mm
Handlebar	EVO Alloy 22.2 x 550mm, 5 degree rise
Grips	EVO Rubber Youth
Stem	40mm Alloy Threadless
Brakes	Linear Pull "V" Brake
Pedals	Resin w/ Steel Axle, 9/16"

## ACCESSORIES

Chainguard, Adjustable steel training wheels, Center mount kickstand



## GEOMETRY

Size	16"
Ages	4-6 years
Seat Tube Length	210mm/8.3"
Top Tube C-C	365mm/14.4"
Head Tube Length	90mm
Seat Tube Angle	71°
Head Tube Angle	70°
Chainstay Length	323mm/12.7"
Wheelbase	747mm/29.4"
Standover	444mm/17.5"

PRODUCT #	COLOR
920657-01	Fire Engine Red
920657-02	Grape Parfait

\* Specifications subject to change without notice.

# ROCK RIDGE 20

The Rock Ridge 20's mid-range gearing and mountain bike style cockpit allows kids to explore their world a little more. In the neighborhood, through the park, to school or even a light trail. It takes them where they want to go in style.

PickRight™



Actual products may differ from image shown.

## FRAMESET

Frame	Aluminum
Fork	Hi-Tensile steel

## WHEELS

Wheelset	20" single-wall 28H alloy rims, bolt-on hubs, coaster brake rear
Tires	20 x 2.125"

## DRIVETRAIN

Shifters	-
Front Derailleur	-
Rear Derailleur	-
Crankset	3-Piece Alloy Crank 36T
Cassette/Freewheel	18T

## COMPONENTS

Saddle	EVO Junior Padded
Seat Post	EVO 27.2mm
Handlebar	EVO Alloy 22.2 x 570mm, 5 degree rise
Grips	EVO Rubber Youth
Stem	40mm Alloy Threadless
Brakes	Linear Pull "V" Brake
Pedals	Resin w/ Steel Axle, 9/16"

## ACCESSORIES

Center mount kickstand
------------------------



## GEOMETRY

Size	20"
Ages	6-9 years
Seat Tube Length	300mm/11.8"
Top Tube C-C	479mm/18.9"
Head Tube Length	130mm
Seat Tube Angle	65°
Head Tube Angle	69°
Chainstay Length	385mm/15.2"
Wheelbase	909mm/35.8"
Standover	558mm/22"

PRODUCT #	COLOR
920658-01	Big Blue/Neo Green
920658-03	Grape Popsicle

\* Specifications subject to change without notice.



# ROCK RIDGE 24

Every year a kid gets older their world expands a little more. The Rock Ridge 24 lets them go further to explore more. It gives them the gears to get there, tires to tackle any terrain and a sore bottom saving saddle that keeps them comfortable along the way.

PickRight™



Actual products may differ from image shown.

## FRAMESET

Frame	Aluminum
Fork	Hi-Tensile steel

## WHEELS

Wheelset	24" single-wall 28H alloy rims, bolt-on hubs, coaster brake rear
Tires	24 x 2.125"

## DRIVETRAIN

Shifters	Shimano 7-Spd REVO Twist Grip
Front Derailleur	-
Rear Derailleur	Shimano 7-Speed Tourney
Crankset	3-Piece Alloy Crank 36T
Cassette/Freewheel	12 - 26T

## COMPONENTS

Saddle	EVO Youth Saddle
Seat Post	EVO 27.2mm
Handlebar	EVO Alloy 22.2 x 570mm, 5 degree rise
Grips	EVO Rubber Youth
Stem	40mm Alloy Threadless
Brakes	Linear Pull "V" Brake
Pedals	Resin w/ Steel Axle, 9/16"

## ACCESSORIES

Center mount kickstand
------------------------



## GEOMETRY

Size	24"
Ages	9-12 years
Seat Tube Length	325mm/12.8"
Top Tube C-C	539mm/21.2"
Head Tube Length	130mm
Seat Tube Angle	71°
Head Tube Angle	71°
Chainstay Length	420mm/16.5"
Wheelbase	1009mm/39.7"
Standover	630mm/24.8"

PRODUCT #	COLOR
920659-01	Monster Black/Silver
920659-02	Fresh Green

\* Specifications subject to change without notice.





# ACTON SINGLE-SPEED

The Acton satisfies your need for single-speed urban adventure fun. With its versatile flip-flop rear wheel, you can ride it fixie or free while you're navigating urban landscapes. The deep-v rims, 32c tires, alloy 42T crankset and hi-tensile steel frame make for a tough and durable ride.

PickRight™



Actual products may differ from image shown.

## FRAMESET

Frame	Hi-Tensile steel
Fork	Hi-Tensile steel

## WHEELS


Wheelset	700c Double-Wall 32H Alloy Rims, Bolt-On Hubs, Flip/Flop Rear
Tires	700 x 32c

## DRIVETRAIN

Shifters	-
Front Derailleur	-
Rear Derailleur	-
Crankset	3-Piece Alloy, 42T (170mm S, M) (175mm L, XL)
Cassette/Freewheel	18T Fixed / 18T Free

## COMPONENTS

Saddle	EVO Race
Seat Post	EVO 25.4 x 400mm
Handlebar	EVO Alloy 31.8 x 580mm
Grips	EVO Rubber 130mm
Stem	EVO Alloy 31.8 x 80mm
Brakes	Caliper Front & Rear
Pedals	Alloy w/ Steel Axle, 9/16"



## GEOMETRY

Size	S 52cm (5'4" - 5'7")	M 54cm (5'7" - 5'9")	L 56cm (5'9" - 5'11")	XL 59cm (5'11" - 6'2")
Seat Tube Length	520mm/20.5"	540mm/21.3"	560mm/22"	590mm/23.2"
Top Tube C-C	550mm/21.7"	555mm/21.8"	560mm/22"	568mm/22.4"
Head Tube Length	140mm	140mm	140mm	140mm
Seat Tube Angle	73.5°	73.5°	73.5°	73.5°
Head Tube Angle	72°	72°	72°	72°
Chainstay Length	448mm/17.6"	448mm/17.6"	448mm/17.5"	448mm/17.6"
Wheelbase	1040mm/41"	1040mm/41"	1040mm/41"	1040mm/41"
Standover	755mm/29.7"	770mm/30.3"	783mm/30.8"	800mm/31.5"

PRODUCT #	COLOR
920703-01-S	Gray Ghost
920703-01-M	Gray Ghost
920703-01-L	Gray Ghost
920703-01-XL	Gray Ghost

\* Specifications subject to change without notice.



# ACTON 8-SPEED

The 8-speed Acton satisfies your need for urban adventure fun. With its versatile, hill flattening 8-speed drivetrain, you'll have a ton of fun navigating urban landscapes. The deep-v rims, 38c tires and steel frame make for a tough and durable ride — all at the right price.

PickRight™



Actual products may differ from image shown.

## FRAMESET

Frame	Alloy
Fork	Hi-Tensile steel

## WHEELS

Wheelset	700c single-wall 28/32H alloy rims, bolt-on hubs, freewheel rear
Tires	700 x 32c

## DRIVETRAIN

Shifters	Shimano 8-Speed Twist
Front Derailleur	-
Rear Derailleur	Shimano Tourney 8-Speed
Crankset	3-Piece Alloy Crank 42T
Cassette/Freewheel	Sunrace 12-32T

## COMPONENTS

Saddle	EVO Race
Seat Post	EVO 25.4 x 250mm
Handlebar	EVO Alloy 22.2 x 580
Grips	EVO Rubber
Stem	EVO Alloy
Brakes	Mechanical Disc, F:160, R: 140 Disc
Pedals	Alloy w/ Steel Axle, 9/16"



## GEOMETRY

Size	S 52cm (5'4" - 5'7")	M 54cm (5'7" - 5'9")	L 56cm (5'9" - 5'11")	XL 59cm (5'11" - 6'2")
Seat Tube Length	520mm/20.5"	540mm/21.3"	560mm/22"	590mm/23.2"
Top Tube C-C	550mm/21.7"	555mm/21.8"	560mm/22"	568mm/22.4"
Head Tube Length	140mm	140mm	140mm	140mm
Seat Tube Angle	73.5°	73.5°	73.5°	73.5°
Head Tube Angle	72°	72°	72°	72°
Chainstay Length	448mm/17.6"	448mm/17.6"	448mm/17.5"	448mm/17.6"
Wheelbase	1040mm/41"	1040mm/41"	1040mm/41"	1040mm/41"
Standover	755mm/29.7"	770mm/30.3"	783mm/30.8"	800mm/31.5"

PRODUCT #	COLOR
920702-01-S	Banished Black
920702-01-M	Banished Black
920702-01-L	Banished Black
920702-01-XL	Banished Black

\* Specifications subject to change without notice.

# GRANVILLE

The Granville is a well-appointed and beautifully-styled modern city bike. A lightweight aluminum frame, all-weather disc brakes and hill-flattening 8-speed drivetrain add up to make the Granville the only bike you'll need in your urban quiver.

PickRight™



Actual products may differ from image shown.

## FRAMESET

Frame	Custom Drawn 6000 Series Aluminum
Fork	Custom Drawn 6000 Series Aluminum

## WHEELS

Wheelset	700c double-wall 32H alloy rims, QR disc, freewheel rear
Tires	CST 700 x 35c with Reflective Sidewall

## DRIVETRAIN


Shifters	Shimano Tourney Twist Shifter 8-Speed
Front Derailleur	-
Rear Derailleur	Shimano Tourney
Crankset	Shimano Altus
Cassette/Freewheel	Shimano 11-28T 8 Speed

## COMPONENTS

Saddle	EVO Cruiser w/ Suspension
Seat Post	EVO 27.2 x 400mm
Handlebar	EVO Alloy 60x 620mm
Grips	EVO Ergonomic Dual Locking Grips
Stem	EVO Alloy 80mm, 30 Degree, 25.4mm
Brakes	Tektro Mechanical Disc, F: 160, R: 160
Pedals	Rubber Cage w/ Alloy Body 9/16"

## ACCESSORIES

Center mount kickstand, chainguard, steel fenders



## GEOMETRY

Size	Women's 17" (5'4" - 5'9")	18 18" (5'9" - 5'11")	20 20" (5'11" - 6'1")
Seat Tube Length	432mm/17"	457mm/18"	508mm/20"
Top Tube C-C	633mm/24.9"	633mm/24.9"	633mm/24.9"
Head Tube Length	160mm	160mm	160mm
Seat Tube Angle	73°	73°	73°
Head Tube Angle	71°	71°	71°
Chainstay Length	460mm/18.1"	460mm/18.1"	460mm/18.1"
Wheelbase	1137mm/44.8"	1158mm/45.6"	1158mm/45.6"
Standover	582mm/22.9"	770mm/30.3"	797mm/31.3"

PRODUCT #	COLOR
920711-01-18	Stealth Gray
920711-01-20	Stealth Gray
920712-01-U	Summertime Lime

\* Specifications subject to change without notice.



# SEABROOK

The Seabrook's laid-back, feet flat-on-the-ground geometry makes for a confidence inspiring ride. There's no need to step-off the saddle when you stop, just put your feet flat on the ground. With 8 speeds, a lightweight aluminum frame, 26" wheels and super-comfortable saddle, it's quite possibly the perfect bike.

PickRight™



Actual products may differ from image shown.

## FRAMESET

Frame	Custom Drawn 6000 Series Aluminum
Fork	Hi-Tensile Steel

## WHEELS

Wheelset	26" double-wall 32H alloy rims, QR disc hubs, freewheel rear
Tires	26 x 2.125"

## DRIVETRAIN


Shifters	Shimano Altus 8-Spd Push Button
Front Derailleur	-
Rear Derailleur	Shimano Altus
Crankset	Alloy, 42T, 170mm w/ Chainguard
Cassette/Freewheel	Shimano 13-24T 8-Speed

## COMPONENTS

Saddle	EVO Cruiser
Seat Post	EVO 27.2 x 300mm
Handlebar	EVO Cruiser 122 x 630mm
Grips	EVO Ergonomic 85mm
Stem	EVO 80 Degree
Brakes	Mechanical Disc, F: 160mm, R: 140mm
Pedals	Rubber Cage w/ Alloy Body 9/16"

## ACCESSORIES

Center mount kickstand, chainguard



## GEOMETRY

Size	Men's 18" (5'9"-5'11")	Women's 17" (5'4"-5'9")
Seat Tube Length	470mm/18.5"	400mm/15.7"
Top Tube C-C	572mm/22.5"	629mm/24.8"
Head Tube Length	230mm	230mm
Seat Tube Angle	61°	61°
Head Tube Angle	68°	68°
Chainstay Length	540mm/21.3"	540mm/21.3"
Wheelbase	1143mm/45"	1143mm/45"
Standover	726mm/28.6"	520mm/20.5"

PRODUCT #	COLOR
920713-01-U	Brilliant Blue
920714-01-U	Mist Blue

\* Specifications subject to change without notice.

# OAKMONT

The Oakmont's ultra-low and wide step-through frame makes it easy for riders of all fitness levels to get on and off the bike. Designed specifically for people with limited flexibility, the Oakmont is loaded with comfort-enhancing features, like a comfortable saddle, upright seating position with an adjustable stem, wide handlebars, 8 speeds, and wide tires for stability.

PickRight™



Actual products may differ from image shown.

## FRAMESET

Frame	Custom Drawn 6000 Series Aluminum
Fork	Hi-Tensile Steel

## WHEELS

Wheelset	26" double-wall 32H alloy rims, bolt-on hubs, freewheel rear
Tires	26 x 2.0"

## DRIVETRAIN

Shifters	Shimano Altus 8-Speed Push Button
Front Derailleur	-
Rear Derailleur	Shimano Tourney
Crankset	Alloy, 40T, 170mm w/ Chainguard
Cassette/Freewheel	Shimano 11-30T

## COMPONENTS

Saddle	EVO Hybrid
Seat Post	EVO 28.6 x 350mm
Handlebar	EVO Alloy, 31.8mm, 620mm
Grips	EVO Ergonomic 85mm
Stem	EVO Adjustable 10 - 50 Degree, 31.8mm
Brakes	Power "V" Brake
Pedals	Rubber Cage w/ Alloy Body 9/16"

## ACCESSORIES

Center mount kickstand, full coverage steel fenders with mounts



## GEOMETRY

Size	Universal 16" (5'4" - 5'11")
Seat Tube Length	401mm/15.8"
Top Tube C-C	-
Head Tube Length	135mm
Seat Tube Angle	72°
Head Tube Angle	69°
Chainstay Length	426mm/16.8"
Wheelbase	1119mm/44"
Standover	>200mm/>8"

PRODUCT #	COLOR
920720-01-U	Bonfire Red/Cream

\* Specifications subject to change without notice.



# LATITUDE 8

Whether it's needed for exercise or just to feel the simple joy of riding again, the Latitude 8 is a great choice. Riders who struggle with balance or just want the security that comes from three wheels on the ground will find this trike with its 8 speeds equally capable at getting around the neighborhood as it is on longer rides to the store.

PickRight™



Actual products may differ from image shown.

## FRAMESET

Frame	Custom Drawn 6000 Series Aluminum
Fork	Hi-Tensile Steel

## WHEELS

Wheelset	24" double-wall 32H alloy rims, bolt-on rear, disc bolt-on front
Tires	Excel 24 X 2.125

## DRIVETRAIN


Shifters	Shimano Tourney Micro Shift 8-Spd
Front Derailleur	-
Rear Derailleur	Shimano Tourney Micro Shift 8-Spd
Crankset	Prowheel Alloy, 38T, 152mm with Chainguard
Cassette/Freewheel	Shimano 12-32 8-Speed

## COMPONENTS

Saddle	Evo Cruiser with Suspension
Seat Post	Evo 25.4 X 350MM
Handlebar	Evo Aluminum Cruiser 740mm/25.4
Grips	Evo Ergonomic 85mm
Stem	Evo Alloy 30 Degree, 25.4
Brakes	Yake 160 Front, 140 Rear Disc
Pedals	Alloy Cage with Rubber Grips and Alloy Body 9/16"

## ACCESSORIES

Basket rack, fender mounts



## GEOMETRY

Size	Universal 24" (5'1"-6'1")
Seat Tube Length	450mm/17.7"
Top Tube C-C	590mm/23.2"
Head Tube Length	160mm
Seat Tube Angle	72°
Head Tube Angle	70°
Chainstay Length	500mm/19.6"
Wheelbase	1080mm/42.5"
Standover	-

PRODUCT #	COLOR
920701-01-U	Jamaica Blue
920701-02-U	Alpine White

\* Specifications subject to change without notice.

# VISTA FOLDING

The Vista goes where you go—from the house to the train to work and back again. Quick and easy to fold, the Vista features a capable 7-speed drivetrain, weather-managing fenders, a convenient cargo rack and commute-worthy 20" tires.

PickRight™



Actual products may differ from image shown.

## FRAMESET

Frame	Custom Drawn 6000 Series Aluminum
Fork	Hi-Tensile Steel

## WHEELS

Wheelset	20" double-wall 32H alloy rims, bolt-on hubs, freewheel rear
Tires	20 x 1.75"

## DRIVETRAIN

Shifters	Shimano Tourney Twist Shifter 7-Speed
Front Derailleur	-
Rear Derailleur	Shimano Tourney
Crankset	Alloy, 48T, 170mm w/ Chainguard
Cassette/Freewheel	Shimano 14-28T

## COMPONENTS

Saddle	EVO Sport
Seat Post	EVO 27.2 x 500mm
Handlebar	Straight Bar 560mm
Grips	EVO Ergonomic Locking Grips 130mm
Stem	Integrated Folding Stem
Brakes	Radius V993 "V" Brake
Pedals	Folding Rubber Cage w/ Alloy Body 9/16"

## ACCESSORIES

Center mount kickstand, EVO aluminum rack, front and rear Zytel fenders



## GEOMETRY

Size	Universal 14" (5'3" - 6'1")
Seat Tube Length	360mm/14.2"
Top Tube C-C	579mm/22.8"
Head Tube Length	110mm
Seat Tube Angle	77°
Head Tube Angle	73°
Chainstay Length	398mm/15.7"
Wheelbase	1013mm/39.9"
Standover	585mm/23"

PRODUCT #	COLOR
920704-01	Chelsea Gray

\* Specifications subject to change without notice.





# GRAND RAPID 3

Ride it to school or to work, on the path or a light trail. The Grand Rapid is a versatile fitness hybrid that gives you the freedom to pick your own path. Lightweight and easy to ride, the Grand Rapid's aluminum frame, 21 speeds, comfortable saddle and capable tires make this bike a no-brainer for virtually any rider.

PickRight™



Actual products may differ from images shown.

## FRAMESET

Frame	Custom Drawn 6000 Series Aluminum
Fork	Hi-Tensile steel

## WHEELS


Wheelset	700c double-wall 32H alloy rims, QR, freewheel rear
Tires	Kenda K193 700 x 35c

## DRIVETRAIN

Shifters	Shimano 3 x 7-Speed
Front Derailleur	Shimano Altus
Rear Derailleur	Shimano Altus
Crankset	Prowheel 28/38/48T
Cassette/Freewheel	13-32T

## COMPONENTS

Saddle	EVO Hybrid
Seat Post	EVO 27.2 x 350mm
Handlebar	EVO Alloy 31.8mm, 6 Degree Sweep, 30 x 640mm
Grips	Evo Ergonomic Locking Dual Density Rubber 130mm
Stem	EVO Alloy 7 Degree Rise
Brakes	Tektro M280 Mechanical Disc, F:160, R: 160
Pedals	Alloy Cage w/ Plastic Body 9/16"



## GEOMETRY

Size	Ladies 17" (5'4"-5'9")	S 16" (5'5"-5'9")	M 18" (5'9"-5'11")	L 20" (5'11"-6'1")	XL 22" (6'1"-6'4")
Seat Tube Length	432mm/17"	406mm/16"	457mm/18"	508mm/20"	559mm/22"
Top Tube C-C	566mm/22.2"	540mm/21.3"	566mm/22.3"	590mm/23.2"	615mm/24.2"
Head Tube Length	150mm	140mm	150mm	160mm	170mm
Seat Tube Angle	74°	74°	74°	74°	74°
Head Tube Angle	71°	70°	71°	71°	71°
Chainstay Length	445mm/17.5"	445mm/17.5"	445mm/17.5"	445mm/17.5"	445mm/17.5"
Wheelbase	1076mm/42.4"	1060mm/41.7"	1076mm/42.4"	1101mm/43.3"	1127mm/44.4"
Standover	681mm/26.8"	739mm/29"	771mm/30"	800mm/31.5"	827mm/32.6"

## PRODUCT #

## COLOR

920716-01-S	Twilight Gray
920716-01-M	Twilight Gray
920716-01-L	Twilight Gray
920716-01-XL	Twilight Gray
920717-01-U	Dew Lilly Green

\* Specifications subject to change without notice.

# GRAND RAPID 5

Ride it to school or to work, on the path or a light trail. The Grand Rapid is a versatile fitness hybrid that gives you the freedom to pick your own path. Lightweight and easy to ride, the Grand Rapid's aluminum frame, 24 speeds, comfortable saddle and capable tires make this bike a no-brainer.

PickRight™



Actual products may differ from image shown.

## FRAMESET

Frame	Custom Drawn 6000 Series Aluminum
Fork	Hi-Tensile steel

## WHEELS

Wheelset	700c double-wall 32H alloy rims, QR disc hubs, freewheel rear
Tires	Kenda K193 700 x 35c

## DRIVETRAIN

Shifters	Shimano EF51 3 x 8-Speed
Front Derailleur	Shimano Altus
Rear Derailleur	Shimano Altus
Crankset	Prowheel 28/38/48T
Cassette/Freewheel	13-32T

## COMPONENTS

Saddle	EVO Hybrid
Seat Post	EVO 27.2 x 350mm
Handlebar	EVO Alloy 31.8mm, 6 Degree Sweep, 30 x 640mm
Grips	EVO Ergonomic Locking Dual Density Rubber 130mm
Stem	EVO Alloy 7 Degree Rise
Brakes	Tektro M280 Mechanical Disc, F:160, R: 160
Pedals	Alloy w/ Steel Axle, 9/16"



## GEOMETRY

Size	S 16" (5'5"-5'9")	M 18" (5'9"-5'11")	L 20" (5'11"-6'1")	XL 22" (6'1"-6'4")
Seat Tube Length	406mm/16"	457mm/18"	508mm/20"	559mm/22"
Top Tube C-C	540mm/21.3"	566mm/22.3"	590mm/23.2"	615mm/24.2"
Head Tube Length	140mm	150mm	160mm	170mm
Seat Tube Angle	74°	74°	74°	74°
Head Tube Angle	70°	71°	71°	71°
Chainstay Length	445mm/17.5"	445mm/17.5"	445mm/17.5"	445mm/17.5"
Wheelbase	1060mm/41.7"	1076mm/42.4"	1101mm/43.3"	1127mm/44.4"
Standover	739mm/29"	771mm/30"	800mm/31.5"	827mm/32.6"

## PRODUCT #

## COLOR

920715-01-S	Ice Silver
920715-01-M	Ice Silver
920715-01-L	Ice Silver
920715-01-XL	Ice Silver

\* Specifications subject to change without notice.



# SWIFT RIDGE 5

The Swift Ridge is a contemporary, do-it-all, dual sport hybrid. Complete with modern 27.5" wheels, powerful disc brakes and a lightweight, fit-friendly frameset. From the street to the trail, it's all about versatility and fun!

PickRight™



Actual products may differ from image shown.

## FRAMESET

Frame	Custom Drawn 6000 Series Aluminum
Fork	Hi-Tensile steel

## WHEELS

Wheelset	27.5" double-wall 32H alloy rims, QR disc hubs, freewheel rear
Tires	27.5 x 1.75"

## DRIVETRAIN

Shifters	Shimano Altus 3 x 8-Speed
Front Derailleur	Shimano M310 Altus
Rear Derailleur	Shimano M360GS Acera
Crankset	ProWheel 24/34/42T
Cassette/Freewheel	12-32T

## COMPONENTS

Saddle	EVO Mountain
Seat Post	EVO 27.2 x 350mm
Handlebar	EVO Alloy 31.8, 6 Degree Sweep, 30 x 660mm
Grips	EVO Ergonomic Locking Dual Density Rubber 130mm
Stem	EVO Alloy 7 Degree Rise
Brakes	Tektro M280 Mechanical Disc, F:160, R: 160
Pedals	Alloy w/ Steel Axle, 9/16"



## GEOMETRY

Size	S 16" (5'5"-5'9")	M 18" (5'9"-5'11")	L 20" (5'11"-6'1")	XL 22" (6'1"-6'4")
Seat Tube Length	406mm/16"	457mm/18"	508mm/20"	559mm/22"
Top Tube C-C	570mm/22.4"	570mm/22.4"	570mm/22.4"	570mm/22.4"
Head Tube Length	130mm	130mm	130mm	130mm
Seat Tube Angle	73°	73°	73°	73°
Head Tube Angle	70°	70°	70°	70°
Chainstay Length	445mm/17.5"	445mm/17.5"	445mm/17.5"	445mm/17.5"
Wheelbase	1079mm/42.5"	1079mm/42.5"	1079mm/42.5"	1079mm/42.5"
Standover	739mm/29"	764mm/30"	790mm/31.1"	814mm/32"

PRODUCT #	COLOR
920709-01-S	Steel Gray/Blue
920709-01-M	Steel Gray/Blue
920709-01-L	Steel Gray/Blue
920709-01-XL	Steel Gray/Blue

\* Specifications subject to change without notice.

# SWIFT RIDGE 7

The Swift Ridge is a contemporary, do-it-all, dual sport hybrid. Complete with modern 27.5" wheels, powerful disc brakes and a lightweight, fit-friendly frameset. From the street to the trail, it's all about versatility and fun!

PickRight™



Actual products may differ from image shown.

## FRAMESET

Frame	Custom Drawn 6000 Series Aluminum
Fork	Zoom CH-565 w/ 60mm Travel

## WHEELS

Wheelset	27.5" double-wall 32H alloy rims, QR disc hubs, freewheel rear
Tires	27.5 x 1.75"

## DRIVETRAIN

Shifters	Shimano Altus 3 x 9-Speed
Front Derailleur	Shimano M310 Altus
Rear Derailleur	Shimano M3000 Acera
Crankset	ProWheel 24/34/42T
Cassette/Freewheel	12-32T

## COMPONENTS

Saddle	EVO Mountain
Seat Post	EVO 27.2 x 350mm
Handlebar	EVO Alloy 31.8mm, 6 Degree Sweep, 30 x 660mm
Grips	EVO Ergonomic Dual Density Rubber 130mm
Stem	EVO Alloy 7 Degree Rise
Brakes	Tektro M280 Mechanical Disc, F:160, R: 160
Pedals	Alloy w/ Steel Axle, 9/16"



## GEOMETRY

Size	S 16" (5'5"-5'9")	M 18" (5'9"-5'11")	L 20" (5'11"-6'1")	XL 22" (6'1"-6'4")
Seat Tube Length	406mm/16"	457mm/18"	508mm/20"	559mm/22"
Top Tube C-C	570mm/22.4"	570mm/22.4"	570mm/22.4"	570mm/22.4"
Head Tube Length	130mm	130mm	130mm	130mm
Seat Tube Angle	73°	73°	73°	73°
Head Tube Angle	70°	70°	70°	70°
Chainstay Length	445mm/17.5"	445mm/17.5"	445mm/17.5"	445mm/17.5"
Wheelbase	1079mm/42.5"	1079mm/42.5"	1079mm/42.5"	1079mm/42.5"
Standover	739mm/29"	764mm/30"	790mm/31.1"	814mm/32"

PRODUCT #	COLOR
920710-01-S	Rich Red
920710-01-M	Rich Red
920710-01-L	Rich Red
920710-01-XL	Rich Red

\* Specifications subject to change without notice.

# STONE RIDGE

The Stone Ridge's 27.5 x 2.8" mid-fat tires ramp up the fun factor in a big way. The soft-riding, traction-enhancing tires make it easy to roll over rocks and roots, while its 24 speeds and lightweight aluminum frame makes climbing a breeze.

PickRight™



Actual product may differ from image shown.

## FRAMESET

Frame	Custom Drawn 6000 Series Aluminum
Fork	MD-971 with 100mm Travel and Lock Out

## WHEELS

Wheelset	27.5" double-wall 32H alloy rims, QR disc hubs, freewheel rear
Tires	27.5 x 2.8"

## DRIVETRAIN

Shifters	Shimano Altus 3 x 8-Speed
Front Derailleur	Shimano M310 Altus
Rear Derailleur	Shimano M360GS Acera
Crankset	ProWheel 24/34/42T
Cassette/Freewheel	11-34T

## COMPONENTS

Saddle	EVO Mountain
Seat Post	EVO 30.9 x 350mm
Handlebar	EVO Alloy 31.8, 6 Degree Sweep, 30 x 680mm
Grips	EVO Ergonomic Locking Dual Density Rubber 130mm
Stem	EVO Alloy 7 Degree Rise
Brakes	Tektro M280 Mechanical Disc, F: 160, R: 160
Pedals	Alloy w/ Steel Axle, 9/16"



## GEOMETRY

Size	S 16" (5'5"-5'9")	M 18" (5'9"-5'11")	L 20" (5'11"-6'1")	XL 22" (6'1"-6'4")
Seat Tube Length	406mm/16"	457mm/18"	508mm/20"	559mm/22"
Top Tube C-C	560mm/22"	560mm/22"	560mm/22"	562mm/22.1"
Head Tube Length	130mm	130mm	130mm	130mm
Seat Tube Angle	73°	73°	73°	73°
Head Tube Angle	69°	69°	69°	69°
Chainstay Length	450mm/17.7"	450mm/17.7"	450mm/17.7"	450mm/17.7"
Wheelbase	1115mm/43.9"	1115mm/43.9"	1115mm/43.9"	1115mm/43.9"
Standover	797mm/31.3"	818mm/32.2"	842mm/31.1"	867mm/34"

PRODUCT #	COLOR
920718-01-S	Shock Blue
920718-01-M	Shock Blue
920718-01-L	Shock Blue
920718-01-XL	Shock Blue

\* Specifications subject to change without notice.





POWERED BY

# Promovec®

the e-bike solution

The engineers and staff at Promovec are experts in eBike technologies. With more than 10 years building weather-tough eBike systems in Denmark, they've proven their technology can stand up to anything the North American climate can offer. It's also very mechanic-friendly, which matters to us, to you, and to riders. The Promovec system is truly brilliant in its simplicity – you won't need an engineering degree to work on it. With color-coded wires, removeable motor cores, modular parts, and a smart battery, it's reliable, simple and affordable.

## Benefits of the system

---



MECHANIC AND CONSUMER FRIENDLY



FRONT OR REAR HUB MOTORS



REMOVEABLE MOTOR CORES FOR FAST SERVICE



EASY PLUG-N-PLAY MODULAR COMPONENTS



REMOVABLE SMART LITHIUM-ION BATTERIES



800 CHARGE CYCLE MEMORY



3-YEAR SYSTEM WARRANTY



2-YEAR BATTERY WARRANTY  
(70% CAPACITY GUARANTEE)



ONLINE BATTERY READ-OUT TOOLS



WALK ASSIST  
(UP TO 6KM/3.7MPH)



US AND CANADIAN SERVICE CENTERS

# ATWATER

Hop off the train or bus, flip the Atwater™ open and roll the rest of your commute in style. Driven by a right-sized 250W Promovec rear hub motor and integrated smart battery, it has the power to get you where you're going in a fraction of the time.

PickRight™



Actual product may differ from image shown.  
Actual products may differ from image shown.

## FRAMESET

Frame	Premium reinforced eBike aluminum
Fork	Chromoly

## WHEELS

Wheelset	20", double wall rim - Joytech front, Promovec rear
Tires	CST, 20 x 2.125"

## DRIVE SYSTEM

Battery	Promovec 36V, 8.8Ah Li-ION smart battery
Motor	Promovec 250W, 36V front hub
Controller/Computer	Promovec bar-mounted LED with walk-assist

## DRIVETRAIN

Shifters	Shimano Revoshift
Front Derailleur	-
Rear Derailleur	Shimano Altus, 8-speed
Crankset	Prowheel, 170mm, 44T
Cassette/Freewheel	SR R96, 8-speed, 11-28T

## COMPONENTS

Saddle	Hybrid, high density foam
Seat Post	Zoom, 34 x 500mm
Handlebar	Alloy flat, 25.4mm, 560mm
Grips	Ergonomic, 130mm
Stem	Alloy, 25.4mm
Headset	Threadless, IS41
Brakes	Tektro M280 mechanical disc, 160/160
Pedals	City Folding

## ACCESSORIES

Heavy-duty center mount kickstand	
-----------------------------------	--

<b>WEIGHT</b>	18kg / 40lbs
---------------	--------------

REAR HUB SYSTEM  
POWERED BY Promovec™

## ATWATER

CLASS 2 EBIKE  
ASTM: Condition 1  
Paved surfaces



### GEOMETRY

	One Size 5'8" - 6'3"
Standover	N/A
Effective Top Tube	625mm   24.6"
Seat Tube Length	310mm   12.2"
Head Tube Angle	74°
Seat Tube Angle	70°
Head Tube Length	110mm
Chainstay Length	400mm
Wheelbase	103cm   40.7"
Wheel Size	20"

**RANGE: UP TO 80KM / MAX ASSOCIATED SPEED: 32KPH**  
36V x 8.8Ah Battery / 250W Motor / Charge time: 4.5 hrs

Product #	Color
920729-01-U	Beaming Blue



# FITZROY / FITZROY ST

PickRight™



Actual product may differ from image shown.  
Actual products may differ from image shown.

FRONT HUB SYSTEM  
POWERED BY Promovec™

## FRAMESET

Frame	Premium reinforced eBike aluminum
Fork	Full chromoly

## WHEELS

Wheelset	700c, Alex DH19 double wall rim - Promovec front, Alloy rear
Tires	Kenda, 700 x 40c

## DRIVE SYSTEM

Battery	Promovec 36V, 7.8Ah Li-ION smart battery
Motor	Promovec 250W, 36V front hub
Controller/Computer	Promovec bar-mounted LED with walk-assist

## DRIVETRAIN

Shifters	MicroShift Twist Shifter
Front Derailleur	-
Rear Derailleur	Shimano Tourney TY-500
Crankset	Prowheel 170mm, 44T
Cassette/Freewheel	Shimano TZ21, 7-speed, 14-28T

## COMPONENTS

Saddle	SR Freeway
Seat Post	Alloy 27.2 x 300mm
Handlebar	Alloy riser, 660mm
Grips	Comfort, 135/92mm
Stem	Promax adjustable
Headset	Threaded
Brakes	Tektro 855AL v-brakes
Pedals	Polished alloy with rubber tread


## ACCESSORIES

Rear mounted rack for battery, heavy-duty center mount kickstand

**WEIGHT** 18kg / 39.6lbs (battery included)

## FITZROY

CLASS 2 EBIKE  
ASTM: Condition 1  
Paved surfaces



### GEOMETRY

	17"	19.5"
	5'3"-5'9"	5'10"-6'2"
Standover	754mm   29.7"	778mm   30.6"
Effective Top Tube	595mm   23.4"	608mm   23.9"
Seat Tube Length	432mm   17"	495mm   19.5"
Head Tube Angle	70°	70°
Seat Tube Angle	71°	71°
Head Tube Length	175mm	175mm
Chainstay Length	455mm	455mm
Wheelbase	109cm   43"	110cm   43.5"
Wheel Size	700c	700c

**RANGE: UP TO 80KM / MAX ASSOCIATED SPEED: 32KPH**  
36V x 7.8Ah Battery / 250W Motor / Charge time: 4 hrs

Product #	Color
920730-01-17	City Slate
920730-01-20	City Slate

Perfect for trips to the store or a leisurely stroll through the park, the Fitzroy has the right amount of front wheel drive power to put a little extra spring in your stroke. Designed and tested in Denmark, the Promovec drive system is simple to use, easy to maintain and provides hours of e-assisted cycling fun.

PickRight™



Actual product may differ from image shown.  
Actual products may differ from image shown.

FRONT HUB SYSTEM  
POWERED BY Promovec™

#### FRAMESET

Frame	Premium reinforced eBike aluminum
Fork	Full chromoly

#### WHEELS

Wheelset	700c, Alex DH19 double wall rim - Promovec front, Alloy rear
Tires	Kenda, 700 x 40c

#### DRIVE SYSTEM

Battery	Promovec 36V, 7.8Ah Li-ION smart battery
Motor	Promovec 250W, 36V front hub
Controller/Computer	Promovec bar-mounted LED with walk-assist

#### DRIVETRAIN

Shifters	MicroShift Twist Shifter
Front Derailleur	-
Rear Derailleur	Shimano Tourney TY-500
Crankset	Prowheel 170mm, 44T
Cassette/Freewheel	Shimano TZ21, 7-speed, 14-28T

#### COMPONENTS

Saddle	SR Freeway
Seat Post	Alloy 27.2 x 300mm
Handlebar	Alloy riser, 620mm
Grips	Comfort, 135/92mm
Stem	Promax adjustable
Headset	Threaded
Brakes	Tektro 855AL v-brakes
Pedals	Polished alloy with rubber tread

#### ACCESSORIES

Rear mounted rack for battery, heavy-duty center mount kickstand
------------------------------------------------------------------

<b>WEIGHT</b>	18kg / 39.6lbs (battery included)
---------------	-----------------------------------

## FITZROY ST

CLASS 2 EBIKE  
ASTM: Condition 1  
Paved surfaces



#### GEOMETRY

	17"
	5' 1" - 5' 6"
Standover	661mm   26"
Effective Top Tube	576mm   22.7"
Seat Tube Length	432mm   17"
Head Tube Angle	67°
Seat Tube Angle	71°
Head Tube Length	175mm
Chainstay Length	455mm
Wheelbase	110cm   43.3"
Wheel Size	700c

**RANGE: UP TO 80KM / MAX ASSOCIATED SPEED: 32KPH**  
36V x 7.8Ah Battery / 250W Motor / Charge time: 4 hrs

<b>Product #</b>	<b>Color</b>
920725-01-U	Slate Gray

\* Specifications subject to change without notice.

# BUSHWICK / BUSHWICK ST

PickRight™



Actual product may differ from image shown.  
Actual products may differ from image shown.

REAR HUB SYSTEM  
POWERED BY Promovec™

## FRAMESET

Frame	Premium reinforced eBike aluminum
Fork	Zoom 106D, 25mm travel mono-shock

## WHEELS

Wheelset	700c, Alex DH19 double wall rim - Alloy front, Promovec rear
Tires	Kenda, Kwick 700 x 42c

## DRIVE SYSTEM

Battery	Promovec 36V, 7.8Ah Li-ION downtube integrated smart battery
Motor	Promovec 350W, 36V rear hub
Controller/Computer	Promovec Bar-mounted LED with walk-assist

## DRIVETRAIN

Shifters	Shimano Altus trigger shifter
Front Derailleur	-
Rear Derailleur	Shimano Altus, 9-speed
Crankset	Prowheel 170mm, 44T
Cassette/Freewheel	Sunrace R91, 9-speed, 11-30T

## COMPONENTS

Saddle	SR Freeway
Seat Post	Suspension, 31.6 x 350mm
Handlebar	Alloy riser, 31.8mm, 720 x 10mm
Grips	Gel comfort grips, 130/92mm
Stem	Alloy 31.8mm
Headset	Threadless, ZS44
Brakes	Shimano M315 hydraulic disc
Pedals	Polished alloy w/ alloy cage

## ACCESSORIES

Heavy-duty center mount kickstand
-----------------------------------

<b>WEIGHT</b>	20kg / 44lbs
---------------	--------------

## BUSHWICK

CLASS 2 EBIKE  
ASTM: Condition 2  
Paved surfaces and  
gravel roads/light trails



### GEOMETRY

	17"	19.5"
	5'3"-5'9"	5'10"-6'2"
Standover	794mm   31.3"	819mm   32.2"
Effective Top Tube	605mm   23.8"	605mm   23.8"
Seat Tube Length	432mm   17"	495mm   19.5"
Head Tube Angle	72°	72°
Seat Tube Angle	74°	74°
Head Tube Length	190mm	190mm
Chainstay Length	455mm	455mm
Wheelbase	110cm   43.5"	110cm   43.5"
Wheel Size	700c	700c

RANGE: UP TO 80KM / MAX ASSOCIATED SPEED: 32KPH  
36V x 7.8Ah Battery / 350W Motor / Charge time: 5 hrs

Product #	Color
920727-01-17	Black/Touring Teal
920727-01-20	Black/Touring Teal



Daily commutes, weekend tours through the countryside or brisk workouts – the Bushwick is the perfect blend of upright comfort mixed with lively handling. Driven by a Promovec rear-drive system, designed and tested in Denmark, the Bushwick features a downtube integrated smart battery that tucks nicely out of sight.

PickRight™



Actual product may differ from image shown.  
Actual products may differ from image shown.

REAR HUB SYSTEM  
POWERED BY Promovec

#### FRAMESET

Frame	Premium reinforced eBike aluminum
Fork	Zoom 106D, 25mm travel mono-shock

#### WHEELS

Wheelset	700c, Alex DH19 double wall rim - Alloy front, Promovec rear
Tires	Kenda, Kwik 700 x 42c

#### DRIVE SYSTEM

Battery	Promovec 36V, 7.8Ah Li-ION downtube integrated smart battery
Motor	Promovec 350W, 36V rear hub
Controller/Computer	Promovec bar-mounted LED with walk-assist

#### DRIVETRAIN

Shifters	Shimano Altus trigger shifter
Front Derailleur	-
Rear Derailleur	Shimano Altus, 9-speed
Crankset	Prowheel 170mm, 44T
Cassette/Freewheel	Sunrace R91, 9-speed, 11-30T

#### COMPONENTS

Saddle	SR Freeway
Seat Post	Suspension, 31.6 x 350mm
Handlebar	Alloy riser, 31.8mm, 620 x 10mm
Grips	Gel comfort grips, 130/92mm
Stem	Alloy 31.8mm
Headset	Threadless, ZS44
Brakes	Shimano M315 hydraulic disc
Pedals	Polished alloy w/ alloy cage

#### ACCESSORIES

Heavy-duty center mount kickstand	
-----------------------------------	--

**WEIGHT** 20kg / 44lbs

## BUSHWICK ST

CLASS 2 EBIKE  
ASTM: Condition 2  
Paved surfaces and gravel roads/light trails



#### GEOMETRY

	17"
	5'1" - 5'6"
Standover	709mm   27.9"
Effective Top Tube	605mm   23.8"
Seat Tube Length	432mm   17"
Head Tube Angle	72°
Seat Tube Angle	74°
Head Tube Length	190mm
Chainstay Length	450mm
Wheelbase	110cm   43.5"
Wheel Size	700c

**RANGE: UP TO 80KM / MAX ASSOCIATED SPEED: 32KPH**  
36V x 7.8Ah Battery / 350W Motor / Charge time: 5 hrs

Product #	Color
920726-01-U	Black/Touring Turquoise

\* Specifications subject to change without notice.

# FIRE RIDGE

Hitting the trails, conquering climbs, and leaving a little left in your tank is what the Fire Ridge™ is all about. With a capable 350W Promovec rear hub motor, 27.5" wheels and an integrated downtube smart battery, it has just the right amount of power to keep the fun alive. It's complimented with an SR suspension fork and wide-range Shimano Acera 2 gearing.

PickRight™



Actual products may differ from image shown.  
Actual product may differ from image shown.

REAR HUB SYSTEM  
POWERED BY **Promovec**

## FRAMESET

Frame	Premium reinforced eBike aluminum
Fork	SR Suntour XCM, 27.5"

## WHEELS

Wheelset	27.5" doublewall rim - Joytech front, Promovec rear
Tires	Kenda HoneyBadger, 27.5 x 2.35"

## DRIVE SYSTEM

Battery	Promovec 36V, 7.8Ah Li-ION smart battery
Motor	Promovec 350W, 36V front hub
Controller/Computer	Promovec bar-mounted LED with walk-assist

## DRIVETRAIN

Shifters	Shimano Acera M3000, 2x9
Front Derailleur	Shimano Acera M3000
Rear Derailleur	Shimano Acera M3000, Top Swing
Crankset	Shimano Acera M3000, 175mm, 22/36T
Cassette/Freewheel	Shimano HG300, 9-speed, 11-34T

## COMPONENTS

Saddle	Velo MTB, high density foam
Seat Post	Zoom, 29.8 x 350mm
Handlebar	Promax alloy riser, 31.8mm, 760 x 10mm
Grips	Velo ergonomic, 130mm
Stem	Zoom, 31.8mm
Headset	Shimano M310 hydraulic disc, 160/160
Brakes	Threadless integrated
Pedals	Caged, alloy

**WEIGHT** 21kg / 48lbs

## FIRE RIDGE

### CLASS 2 EBIKE

#### ASTM: Condition 3

Paved surfaces, gravel roads and rough trails with jumps and drops less than 24"



### GEOMETRY

	17.5"	20"
	5'8"-6'0"	6'0"-6'3"
Standover	773mm   30.4"	795mm   31.3"
Effective Top Tube	600mm   23.6"	600mm   23.6"
Seat Tube Length	445mm   17.5"	495mm   19.5"
Head Tube Angle	69°	69°
Seat Tube Angle	73°	73°
Head Tube Length	150mm	150mm
Chainstay Length	435mm	435mm
Wheelbase	110cm   43.6"	110cm   43.6"
Wheel Size	27.5"	27.5"

**RANGE: UP TO 80KM / MAX ASSOCIATED SPEED: 32KPH**  
36V x 7.8Ah Battery / 350W Motor / Charge time: 5 hrs

Product #	Color
920728-02-18	Black/Blue Rapids
920728-02-20	Black/Blue Rapids

## EVO COMPLETE BICYCLE/E-BICYCLE LIMITED WARRANTY

All EVO® bicycle products are warranted against manufacturing defects in materials and workmanship from the date of the original owner's retail purchase, subject to the limitations covered below. Every EVO bicycle frame and component has a useful life. The length of a product's life cycle will vary depending on the construction and materials used to produce the product, the maintenance and care the product receives, and the amount and type of use the product is subjected to over its life. Your bike has a specific level of intended use as defined by the ASTM Riding Condition Classification Chart. A copy of this chart is available at [EVOBicycle.com](http://EVOBicycle.com). Failure to adhere to the use cases identified in the ASTM chart will void your bicycles warranty. Please, save your dated receipt as proof of purchase.

NOTE: All warranty periods outlined below apply to original owner only

### FIVE-YEAR WARRANTY

Steel and aluminum frames  
All EVO forks

### TWO-YEAR WARRANTY

EVO branded components including, seat posts, stems and handlebars.

### ONE-YEAR WARRANTY

EVO branded tires, grips and saddles

EVO does not guarantee the compatibility of original components with a warranty replacement frame. EVO is not responsible for parts or labor required to remove and/or refit and re-adjust the product within the bicycle assembly. EVO cannot guarantee a color match to the original frame or component in the event of a replacement. This warranty applies to 2017 and newer model bicycles and covers only EVO branded products. Any other original part or component, including all e-bicycle electronics and batteries, shall be covered by the stated warranty of the original manufacturer. Any products not specifically included above are hereby excluded.

### THIS WARRANTY DOES NOT COVER:

- Normal wear and tear
- Damage due to improper assembly or routine follow-up maintenance, competence or experience of the user or assembler
- Bicycles not assembled or serviced by an authorized EVO dealer
- Products that have been modified, neglected, used in competition, or for commercial purposes, misused or abused, involved in accidents or anything other than normal use
- Installation of components, parts, or accessories not originally intended for use with or compatible with EVO frames and components
- EVO bicycles, frames or components purchased and unauthorized dealer or from third-party internet sites, including auction websites, and regional trading websites (eBay and Craigslist) are not covered under this warranty, even with a receipt
- Modification of any kind (sanding, grinding, welding, drilled holes, anodizing, refinishing) to the bicycle, frame, or component will void the warranty
- Wear, scratches, chips and cracks to paint, finish, or coating on all EVO frames and components
- Bent or broken derailleur hangers
- Labor required to remove and/or refit and re-adjust the product within the bicycle assembly

### EVO® WARRANTY REGISTRATION

Warranty registration is managed online at [evobicycle.com/online-registration](http://evobicycle.com/online-registration)





# 2019 BIKES/EBIKES PROGRAM



## TERMS & CONDITIONS

BOOKING VOLUME	BOOKING DISCOUNT*
\$10,000+	Speak to your HLC rep
\$7,500	8%
\$5,000	7%
\$3,500	5%
\$2,000	4%
\$1,500	3%
\$500	2%
DELIVERY WINDOWS	PAYMENT TERMS**
Sept 1–Nov 14, 2018	3% 45 days, Net 210 days
Nov 15, 2018–Feb 28, 2019	April 15 / May 15 / June 15
Mar 1–Apr 15, 2019	May 15 / June 15 / July 15

**Minimum Order:** \$500

- Best practice to drive sales in the eBike category is to support a range of models and sizes. We believe the minimum order to successfully participate in the ebike category is 4 bikes. Please see your rep for display and demo opportunities.

**Deadline:** October 31, 2018

**Freight:** Prepaid

**Demo Program:** Ask your HLC rep for more information on our eBike Demo Program.

**MAP:** EVO has established a minimum advertised pricing (MAP) policy. You can download this policy on hlc.bike by visiting the Documents and Links section of the EVO brand page. By submitting a booking order, you agree to comply with the EVO policy.

- Season prices are subject to change without notice.

\*Your account must be in good standing, in order to maintain your discounts.

\*\*Subject to approval by the credit department, some restrictions may apply.



promovec

# 2019 EBIKE DEMO PROGRAM



## TERMS & CONDITIONS

BOOKING VOLUME	DEMO UNIT
\$5,000	1
\$7,500	2

**Deadline:** October 31, 2018

**Discount:** Get your demo units at 15% off

**Delivery:** With your 2019 bike delivery.

**Payment Terms:** 180 days\*

### CONDITIONS

- Your eBike demo must be kept fully charged and in good shape in your showroom for consumers to try until August 1, 2019.
- Your demo order does not add up to your normal 2019 Bikes/ eBikes Booking order and cannot help access higher discount or better payment terms.

\*Subject to approval by the credit department, some restrictions may apply.

GET A  
DEMO AT  
**15%  
OFF**

**evo**<sup>®</sup>



**CANADA**

EVO Bicycle  
1000 Des Riveurs  
Levis, QC, Canada G6V 9G3

**USA**

EVO Bicycle  
1181 South Lake Drive  
Lexington, SC 29073

Smart Cycling  Fun

[evobicycle.com](http://evobicycle.com)

Available  
exclusively  
through



Hawley-Lambert Cycling