

IMPORTANT! READ CAREFULLY AND KEEP FOR FUTURE REFERENCE

Baby carrier instructions



O
r
g
a
n
i
c
c
o
t
t
o
n

IMPORTANT! READ CAREFULLY AND KEEP FOR FUTURE REFERENCE



First carry (from 3.5 kg)



Adjust your carrier width to **width 1** and reverse buckles (for details see appendix). Place the belt over your ribcage, and make sure that the press studs are on the outside. Fasten the buckles until you hear a clear 'CLICK' and pull the straps tight at your back.

Place your baby in front of you and move the carrier body over your baby's back.



Move both shoulder straps over your shoulders and fasten the buckles behind your neck.



Pull the lower and upper adjustment straps down to tighten the shoulder straps as required.

IMPORTANT! READ CAREFULLY AND KEEP FOR FUTURE REFERENCE



Front carry with straight straps (from 3 months approx)



Adjust your carrier width as required. The seat should cover your child's bottom and thighs, from knee to knee. Place the waist belt on your hips, fasten the buckles till you hear a clear 'CLICK' and pull the straps tight at your back.

Place your baby in front of you and move the carrier body over your baby's back.



Move both shoulder straps over your shoulders and fasten the buckles behind your neck.



Pull the lower and upper adjustment straps down to tighten the shoulder straps as required.

IMPORTANT! READ CAREFULLY AND KEEP FOR FUTURE REFERENCE



Front carry with crossed straps (from 3 months approx.)



Adjust your carrier width as required. The seat should cover your child's bottom and thighs, from knee to knee. Place the waist belt on your hips, fasten the buckles till you hear a clear 'CLICK' and pull the straps tight at your back.

Ensure the shoulder straps are unbuckled. Then place your baby in front of you and move the carrier body over your baby's back and move one strap over your shoulder.



Cross the strap at your back and click it into the buckle on the side of the carrier body. Pull the webbing to tighten the shoulder strap around your baby.



Move the other shoulder strap over your shoulder, cross at the back and clip it into the buckle on the side of the carrier. Tighten the carrier around your baby by pulling the webbing.

IMPORTANT! READ CAREFULLY AND KEEP FOR FUTURE REFERENCE



Back carry (from 6 months approx.
When baby has strong head and neck control)



Place the carrier body on your side and fasten the waist belt, until you hear a clear 'CLICK'. Ensure that the shoulder straps are at its widest possible. Sit your baby on your hip, on top of the carrier and move the carrier body over your baby's back.

While holding your baby with one arm, find the shoulder strap nearest to your other arm and move it over your shoulder as shown.



While bending forward, move your baby towards your back, while pulling the webbing to tighten the shoulder strap.

Move your other arm through the other shoulder strap and pull the webbing to tighten the shoulder strap.



Fasten the buckles on your chest.

IMPORTANT! READ CAREFULLY AND KEEP FOR FUTURE REFERENCE

Appendix

Width settings of your carrier



WIDTH 1: 0-3 months *



WIDTH 2: 3-6 months *



WIDTH 3: 6 + months *

* These sizes are intended as a guide only. Each baby is different and will develop differently.

Reversing buckles



Place the carrier with the logo towards you. Remove the buckles from the belt. Reverse the carrier inside out and weave the webbing through the buckles again as shown. Ensure that the buckles “lock” themselves onto the webbing when under tension.

Fasten the head support



Move the head support over your child’s head. Slide the webbing through the D-ring on the shoulder strap and fold the webbing back onto itself. Fasten the pop snaps to secure. Do the same on the other side.

IMPORTANT! READ CAREFULLY AND KEEP FOR FUTURE REFERENCE

The **T.I.C.K.S** rule of safe babywearing

Tight - Slings and carriers should be tight enough to hug your baby close, as this will be most comfortable for you both. Any slack/loose fabric will allow your baby to slump down in the carrier, which can hinder their breathing and pull on your back.

In view at all times - You should always be able to see your baby's face simply by glancing down. The fabric of a sling or carrier should not close around them so you have to open it to check on them.

Close enough to kiss - Your baby's head should be as close to your chin as is comfortable. By tipping your head forward, you should be able to kiss your baby on the head or forehead.

Keep chin off the chest - A baby should never be curled so their chin is forced onto their chest as this can restrict their breathing. Ensure there is always a space of at least a finger's width under your baby's chin.

Supported back - In an upright carrier, a baby should be held comfortably close to you so their back is supported in its natural position and their tummy and chest are against you. If a sling is too loose, they can slump, which can partially close their airway. (You can test this by placing a hand on your baby's back and pressing gently – they should not uncurl or move closer to you.)

WARNING:

A) WARNING: Your balance may be adversely affected by your movement and that of your child;

B) WARNING: Take care when bending or leaning forward or sideways;

C) WARNING: This carrier is not suitable for use during sporting activities.

- When using the soft carrier monitor your child.

- This carrier is intended for children from birth, with a minimum weight of 3.5kgs, and a maximum weight of 20kgs.

- Ensure that there is free airflow around your baby's airways at all times.

- Do not overheat your baby.

- Do not use the carrier while driving or instead of a car seat.

- Do not use the carrier while in front of a hob, oven or open flame.

- Take extra care when consuming hot beverages when using the carrier

- Do not undo the waist belt before taking your baby out of the carrier.

- For low birthweight babies and children with medical conditions, seek medical advice from a health care professional before using the product.

- Stop using the carrier if parts are missing or damaged.

- The Hana Baby Carrier conforms to BS EN 13209-2:2015.

WASHING INSTRUCTIONS:

Machine wash, gentle cycle. Do not bleach. Line dry. Do not machine wash frequently. Spot clean when needed.



IMPORTANT! READ CAREFULLY AND KEEP
FOR FUTURE REFERENCE



Hana Baby Carrier name and logo are trademark of Hanababy Ltd, UK.
Designed in London, Made in Turkey.

www.hanababy.co.uk
info@hanababy.co.uk