

Autumn Catalogue 2018



INNOVATIVE SECURITY TECHNOLOGY

CONTENTS

— 603 DECT WIRELESS INTERCOM	— Page 1-9
— 703 DECT WIRELESS INTERCOM	— Page 10-14
— GSM ADVANCED INTERCOM (CellcomPrime/CellcomProx Range)	— Page 15-28
— MULTI BUTTON GSM INTERCOMS (CellcomPrime Range)	— Page 29-30
— BUILDING INTERCOM SYSTEM (Multi Apartment)	— Page 31-34
— VIDEO WIRELESS INTERCOM (WI-FI 2)	— Page 35-43
— VIDEO WIRELESS INTERCOM (WI-FI 4G)	— Page 44-51
— VIDEO WIRELESS INTERCOM (DECT 705)	— Page 52-56
— 2 PIECE AUDIO GSM INTERCOM KITS	— Page 57-58
— STAND ALONE KEYPAD	— Page 59-60
— GSM KEYPAD	— Page 61-62
— GSM GATE SWITCH & ALARM DIALLER I-GATE PRIME	— Page 63
— HARD WIRED INTERCOM SLIM SYSTEM	— Page 64-75
— HARD WIRED INTERCOM STYLUSCOM SYSTEM	— Page 76-80
— T & C'S	— Page 81-82

D.E.C.T 603

Digital Enhanced Cordless Telecommunications

Simple Wireless Access!



Handsfree wall/desk
mount option

Cordless
handset
option


Transmitter

High quality
speech panel
options

- Up to 500 meters open field range!
- Working range of 200 meters through 1 exterior concrete, brick or stone wall.
- Up to 4 handsets / indoor units per system.
- Built in voicemail feature to record missed callers at your door or gate (playback from handset).
- Intercall between handsets.
- 2 year warranty.

D.E.C.T 603

Digital Enhanced Cordless Telecommunications



Technical Details			
Outdoor Unit		Indoor Unit	
Relays	2	Power Supply	Charging Base = 5v dc. Wall Unit = 12v dc.
Construction	Marine Stainless & Powder Coated Aluminium	Volume Adjust	Yes
Keypad Relays	3	Voicemail Capacity	16
Power Supply	24v DC (included)	Calling Between Handsets	Yes
Current Consumption	65mA Standby, 400mA Calling		

D.E.C.T 603

Digital Enhanced Cordless Telecommunications



*Range varies according to building construction, obstacles, shrubs, trees, height of transmitter, etc.

— 603-IMP



— 603-HF-IMP



Sleek, all black call point, constructed from marine grade stainless steel, powder coated aluminium hood and gloss black toughened acrylic faceplate trim.

— 603-IMP-K



— 603-HF-IMP-K



Sleek, all black call point with keypad, constructed from marine grade stainless steel, powder coated aluminium hood and gloss black toughened acrylic faceplate trim.

— 603-IMP-PED



— 603-HF-IMP-PED



Pedestal mountable, high volume call point, constructed from marine grade stainless steel, powder coated aluminium hood and gloss black toughened acrylic faceplate trim.

— 603-IMPK-PED



— 603-HF-IMPK-PED



Pedestal mountable, high volume call point with keypad, constructed from marine grade stainless steel, powder coated aluminium hood and gloss black toughened acrylic faceplate trim.

— 603-AB



— 603-HF-AB



Stylish, modern curved profile call point with wall backlighting effect in neon blue. Constructed from 100% marine grade stainless steel and toughened acrylic face trim.

— 603-ABK



— 603-HF-ABK



Stylish, modern curved profile call point with wall backlighting effect and illuminated keypad, both in neon blue. Constructed from 100% marine grade stainless steel and toughened acrylic face trim.

603-AS



603-HF-AS



100% BS316 marine grade stainless steel, in modern curved profile with wall back lighting effect in cool white.

603-ASK




603-HF-ASK




100% BS316 marine grade stainless steel, in modern curved profile with wall back lighting effect in cool white and white illuminated keypad.

Call Panel Dimensions


603-IMP CALL PANEL




603-IMPK CALL PANEL




603-AB/AS CALL PANEL




603-ABK/ASK CALL PANEL




603-IMP-PED CALL PANEL



603-IMPK-PED CALL PANEL





603-EH




Additional handsets (up to total of 4 max per intercom, which can be a mix and match of both styles.)

603-HF-EH




Desktop Bracket



Wall Mount Bracket

Additional handsets (up to total of 4 max per intercom, which can be a mix and match of both styles.)


603-WIFIA



Range boosting antenna which can be added to transmitter at gate and also optionally to the handsfree monitor type. One antenna can boost range by 30%. Comes with 2 metre antenna cable (RG174 with SMA male connector).



Multi-call Station System



Call Panel Options



D.E.C.T 703


MULTI BUTTON



- Digital D.E.C.T wireless intercom system for flats, apartments or shared gate entrances.
- Up to 4 call buttons, each button calling a different handset.
- Working range of 100 metres through concrete (up to 500 metres open field).
- 1 handset per property or apartment.
- Simple setup and install.
- Keypad option for coded access.
- Built in voicemail feature for missed callers, user can listen to messages on handset.
- 2 year manufacturers warranty.

D.E.C.T 703

MULTI BUTTON



Technical Details			
Power Supply	12-24v ac/dc (24v dc adaptor included).	Cable Between Speech Unit & Transmitter	4 metre screened CAT5 included.
Current Draw	50mA standby, 1 amp peak.	Max Cable Length	8 metres max.
Relay Outputs	2	Cable Cores	2 x SPK, 2 x MIC, 2 x button, 2 x relay, 2 x power.
Relay Time	Adjustable, 1,3,5,9 secs.	Speech Unit IP Rating	IP55.
Relay Load	Max 2 amps, 24v ac.	Transmitter IP Rating	IP65.
Technology Type	Digital DECT.	Manufacturer Warranty	2 years* (RTB).
Handsets per System	4	Keypad Programming	On the keypad.
Range	Practical working range of 100 metres. 500 metres open field conditions.	Keypad Codes	1200 codes total.

— **703-HS2**



2 button kit with 2 handsets,
hooded panel.

— **703-HF-HS2**



2 button kit with 2 wall mount
monitors, hooded panel.

— **703-HS3**



4 button kit with 3 handsets (1
button spare), hooded panel.

— **703-HF-HS3**



4 button kit (1 button spare), with
3 wall mount monitors, hooded
panel.

— **703-HS4**



4 button kit with 4 handsets,
hooded panel.

— **703-HF-HS4**



4 button kit with 4 wall mount
monitors, hooded panel.

— **703-HSK2**



2 button kit with 2 handsets,
hooded panel with keypad.

— **703-HF-HSK2**



2 button kit with 2 wall mount
monitors, hooded panel with
keypad.

— **703-HSK3**



4 button kit with 3 handsets (1
button spare), hooded panel with
keypad.

— **703-HF-HSK3**



4 button kit (1 button spare) with
3 wall mount monitors , hooded
panel with keypad.

— **703-HSK4**




4 button kit with 4 handsets,
hooded panel with keypad.

— **703-HF-HSK4**





4 button kit with 4 wall mount
monitors, hooded panel with
keypad.

703-EH



Additional handsets (up to total of 4 max per intercom, can be a mix and match of both styles.)

703-HF-EH





Desktop Bracket

Wall Mount Bracket

Additional handsets (up to total of 4 max per intercom, can be a mix and match of both styles.)

703 Call Panel (Keypad/Non Keypad) and Transmitter Dimensions







Cellcom*Prime*

Advanced GSM Intercom

**Powered
by Vodafone**

- Calls your home phone and mobiles on roll-over when visitor presses call button.
- Never miss a visitor with mobile calling.
- Works with any standard contract or Pre-Pay GSM Micro SIM card.
- Comes with optional Vodafone™ 12 month contract SIM, unlimited calls and texts for £7.50/month + VAT* (terms and conditions apply, zone 1 Europe only).
- Free home owner app to trigger gates, set up auto opening and closing times, create new access codes, receive notifications on entry, etc.
- Free installer app for remote programming and diagnostics.

Cellcomprime

A d v a n c e d G S M I n t e r c o m

Hello to all our customers and readers, and welcome to 2018. This year we have brought a few enhancements to the award winning Cellcom Prime.

In 2017 you told us you loved the apps, the new time clock features and keypad integration to the main GSM board. This year we have added a few more tricks to keep you excited.

First off, we designed a card reader PCB which would slave off the keypad module. This means our panel can now have a keypad AND a card reader. Not just any old reader though, in classic AES style, our reader can also be programmed by App!

This required an update to the main board software, and both the keypad hardware and software.

Adding a slave card or tag reader got us thinking about adding slave devices. We then thought, well, why add one slave, when we could add more? Or how about up to 10? Yes, you guessed it. The latest range of AES Prime GSM intercoms hitting the streets in 2018 will have the ability to add up to a total of 10 keypads or card readers or a mix of both, all connected to the one modem. This move brings AES firmly into small building access control and was a move designed to save customers money on multiple SIM card connections when one will do.

"GSM-5XX" part numbers change to the next release "PRIME-6XX".

The second huge innovation being released in 2018 is 4G connectivity. We have seen some networks switch off 2G (At&T USA, Vodafone, Telstra and Optus Australia). We have also received more and more press releases from networks in Europe announcing a near future switch off of 2G networks, and in other cases, slightly covert re-forming of 2G spectrum to 4G service, meaning that it has been getting harder and harder to achieve good 2G connections in certain areas.

We hope you enjoy our imminent new releases and we thank you once again for your support in 2018. Thank you for reading.

**Managing Director, Advanced
Electronic Solutions Global Ltd**



Customers will see the established

Cellcomprime

Advanced GSM Intercom



Set automatic gate open & close times.



Do-not-disturb watershed time.



User history log to your phone.



Illuminated call button and keypad.



Add keypad codes by App.



Issue time restricted codes.




High gain antenna as standard!




2x Relays

Home Owner /User App Screens



Cellcomprime

Advanced GSM Intercom



Create a list of all your installs for later editing or diagnostics

Complete menu of all parameters for editing by app

Program auto opening and closing times



Program phone numbers easily!

Technical Details			
Dial Out Numbers	4	Relays	2
Permanent Codes	200	Relay Type	N/C and N/O
Time Restricted Codes	20	Relay Load	2 amps, 24v ac max
Temporary Codes	30	Power Consumption	300mA on dial out, 2amp peak demand
Automatic Trigger Events per Week	40	Modem Models	2G quad band, 3G EU, 3G USA, 4G Europe, 4G USA, 4G AUS/NZ
Caller ID Numbers	100		
Time Restricted Caller ID Numbers	20	Power Supply	12-24v dc (24v dc adaptor included)



Cellcomprime

Advanced GSM Intercom

Imperial Panel

			
Ultra stylish all black panel with textured powder coated aluminium hood and gloss black acrylic facia trim over a tough metal back plate. Complete with modern white illuminated push button.	GSM-5IMP	2G	Europe *limited connectivity
	GSM-5IMP/3GE	2G/3G	Europe
	PRIME6-IMP/4GE	2G/3G/4G	Europe
	PRIME6-IMP/4GA	3G+4G	USA
	PRIME6-IMP/4GSA	3G+4G	Australia & NZ






Imperial Panel with Keypad

			
Ultra stylish all black panel with textured powder coated aluminium hood and gloss black acrylic facia trim over a tough metal back plate. Complete with modern white illuminated buttons.	GSM-5IMPK	2G	Europe *limited connectivity
	GSM-5IMPK/3GE	2G/3G	Europe
	PRIME6-IMPK/4GE	2G/3G/4G	Europe
	PRIME6-IMPK/4GA	3G+4G	USA
	PRIME6-IMPK/4GSA	3G+4G	Australia & NZ



Cellcomprime

Advanced GSM Intercom

Architectural Panel

		
Stylish curved architectural model. Constructed from BS316 marine grade stainless steel and finished with gloss black acrylic trim. Modern blue backlighting.	GSM-5AB 2G	Europe *limited connectivity
	GSM-5AB/3GE 2G/3G	Europe
	PRIME6-AB/4GE 2G/3G/4G	Europe 
	PRIME6-AB/4GA 3G+4G	USA 
	PRIME6-AB/4GSA 3G+4G	Australia & NZ 



Architectural Panel with Keypad

																
<p>Stylish curved architectural model. Constructed from BS316 marine grade stainless steel and finished with gloss black acrylic trim. Modern blue backlighting with integrated keypad.</p>	<table><tr><td>GSM-5ABK</td><td>2G</td><td>Europe *limited connectivity</td></tr><tr><td>GSM-5ABK/3GE</td><td>2G/3G</td><td>Europe</td></tr><tr><td>PRIME6-ABK/4GE</td><td>2G/3G/4G</td><td>Europe</td></tr><tr><td>PRIME6-ABK/4GA</td><td>3G+4G</td><td>USA</td></tr><tr><td>PRIME6-ABK/4GSA</td><td>3G+4G</td><td>Australia & NZ</td></tr></table>	GSM-5ABK	2G	Europe *limited connectivity	GSM-5ABK/3GE	2G/3G	Europe	PRIME6-ABK/4GE	2G/3G/4G	Europe	PRIME6-ABK/4GA	3G+4G	USA	PRIME6-ABK/4GSA	3G+4G	Australia & NZ
	GSM-5ABK	2G	Europe *limited connectivity													
	GSM-5ABK/3GE	2G/3G	Europe													
	PRIME6-ABK/4GE	2G/3G/4G	Europe													
	PRIME6-ABK/4GA	3G+4G	USA													
PRIME6-ABK/4GSA	3G+4G	Australia & NZ														






Cellcomprime

Advanced GSM Intercom

Architectural Panel

		
Stylish curved architectural model in an attractive and rugged all brushed BS316 marine grade stainless steel with modern cool white back lighting illumination.	GSM-5AS 2G	Europe *limited connectivity
	GSM-5AS/3GE 2G/3G	Europe
	PRIME6-AS/4GE 2G/3G/4G	Europe
	PRIME6-AS/4GA 3G+4G	USA
	PRIME6-AS/4GSA 3G+4G	Australia & NZ



Architectural Panel with Keypad

			
Curved architectural model in an attractive and rugged all brushed BS316 marine grade stainless steel with modern cool white back lighting illumination and integrated keypad.	GSM-5ASK	2G	Europe *limited connectivity
	GSM-5ASK/3GE	2G/3G	Europe
	PRIME6-ASK/4GE	2G/3G/4G	Europe 
	PRIME6-ASK/4GA	3G+4G	USA 
	PRIME6-ASK/4GSA	3G+4G	Australia & NZ 






Cellcomprime

Advanced GSM Intercom

Industrial Panel

			
Industrial version for pedestal mount, vehicle entrances, trucks and loud industrial applications. BS316 marine grade stainless steel construction with gloss black face trim.	GSM-5IMP-PED	2G	Europe *limited connectivity
	GSM-5IMP-PED/3GE	2G/3G	Europe
	PRIME6-IMP-PED/4GE	2G/3G/4G	Europe
	PRIME6-IMP-PED/4GA	3G+4G	USA
	PRIME6-IMP-PED/4GSA	3G+4G	Australia & NZ

Industrial Panel with Keypad

		
Industrial version with keypad for pedestal mount, vehicle entrances, trucks and loud industrial applications. BS316 marine grade stainless steel construction with gloss black face trim.	GSM-5IMPK-PED 2G	Europe *limited connectivity
	GSM-5IMPK-PED/3GE 2G/3G	Europe
	PRME6-IMPK-PED/4GE 2G/3G/4G	Europe 
	PRIME6-IMPK-PED/4GA 3G+4G	USA 
	PRIME6-IMPK-PED/4GSA 3G+4G	Australia & NZ 



NEW

cellcomprox

Advanced GSM Intercom



Set automatic gate open & close times.



Do-not-disturb watershed time.



User history log to your phone.



Add up to 200 cards or tags to intercom remotely by SMS text or app!



Add up to 20 time restricted tags or cards by app!



Add keypad codes by app.



Issue time restricted codes.



High gain antenna as standard!



2x Relays.

Technical Details



Dial Out Numbers	4	Relays	2
Permanent Codes	200	Relay Type	N/C and N/O
Time Restricted Codes	20	Relay Load	2 amps 24v ac max
Temporary Codes	30	Power Consumption	300mA on dial out, 2amp peak demand
Automatic Trigger Events per Week	40	Modem Models	2G quad band, 3G EU, 3G USA, 4G Europe, 4G USA, 4G AUS/NZ
Caller ID Numbers	100	Tag/Card Type	125kHz fixed digit code card, passive type
Time Restricted Caller ID Numbers	20	Tag/Card Quantity	200 permanent, 20 time restricted, 30 temporary users
Power Supply	12-24v dc (24v dc adaptor included)		

NEW



cellcomprox

Advanced GSM Intercom



Prox Panel non Keypad

	PRIME6-PX-IMP	2G	Europe	
	PRIME6-PX-IMP/3GE	2G/3G	Europe	
	PRIME6-PX-IMP/4GE	2G/3G/4G	Europe	
	PRIME6-PX-IMP/4GA	3G+4G	USA	
	PRIME6-PX-IMP/4GSA	3G+4G	Australia /NZ	

Ultra stylish all black panel with textured powder coated aluminium hood and gloss black acrylic facia trim over a tough metal back plate. Complete with modern white illuminated push button and integrated Prox reader. Kits complete with 3 proximity cards with additional cards available to purchase.

	PRIME6-PX-AB	2G	Europe	
	PRIME6-PX-AB/3GE	2G/3G	Europe	
	PRIME6-PX-AB/4GE	2G/3G/4G	Europe	
	PRIME6-PX-AB/4GA	3G+4G	USA	
	PRIME6-PX-AB/4GSA	3G+4G	Australia /NZ	

Stylish curved architectural model. Constructed from BS316 marine grade stainless steel and finished with gloss black acrylic trim. Complete with modern blue illuminated push button and integrated Prox reader. Kits complete with 3 proximity cards with additional cards available to purchase.

	PRIME6-PX-AS	2G	Europe	
	PRIME6-PX-AS/3GE	2G/3G	Europe	
	PRIME6-PX-AS/4GE	2G/3G/4G	Europe	
	PRIME6-PX-AS/4GA	3G+4G	USA	
	PRIME6-PX-AS/4GSA	3G+4G	Australia /NZ	



Stylish curved architectural model. Constructed from BS316 marine grade stainless steel. Complete with white illuminated push button and integrated Prox reader. Kits complete with 3 proximity cards with additional cards available to purchase.

NEW



cellcomprox

Advanced GSM Intercom



Prox With Keypad Panel

	PRIME6-PX-IMPX	2G	Europe	
	PRIME6-PX-IMPX/3GE	2G/3G	Europe	
	PRIME6-PX-IMPX/4GE	2G/3G/4G	Europe	
	PRIME6-PX-IMPX/4GA	3G+4G	USA	
	PRIME6-PX-IMPX/4GSA	3G+4G	Australia /NZ	

Ultra stylish all black panel with textured powder coated aluminium hood and gloss black acrylic facia trim over a tough metal back plate. Complete with modern white illuminated push button, keypad and integrated Prox reader. Kits complete with 3 proximity cards with additional cards available to purchase.

	PRIME6-PX-ABK	2G	Europe	
	PRIME6-PX-ABK/3GE	2G/3G	Europe	
	PRIME6-PX-ABK/4GE	2G/3G/4G	Europe	
	PRIME6-PX-ABK/4GA	3G+4G	USA	
	PRIME6-PX-ABK/4GSA	3G+4G	Australia /NZ	

Stylish curved architectural model. Constructed from BS316 marine grade stainless steel and finished with gloss black acrylic trim. Complete with modern blue illuminated push button, keypad and integrated Prox reader. Kits complete with 3 proximity cards with additional cards available to purchase.

	PRIME6-PX-ASK	2G	Europe	
	PRIME6-PX-ASK/3GE	2G/3G	Europe	
	PRIME6-PX-ASK/4GE	2G/3G/4G	Europe	
	PRIME6-PX-ASK/4GA	3G+4G	USA	
	PRIME6-PX-ASK/4GSA	3G+4G	Australia /NZ	

Stylish curved architectural model. Constructed from BS316 marine grade stainless steel. Complete with white illuminated push button, keypad and integrated Prox reader. Kits complete with 3 proximity cards with additional cards available to purchase.


NEW

cellcomprox

Advanced GSM Intercom


Prox With Panel

— PROXCARD-125K-AES




Single Proximity Card
-125KHz fixed 10 digit code Card.
-Add to intercom remotely by SMS text or APP.

— PROXCARD-125K-AES-10PK



10 Pack Proximity Card
-125KHz fixed 10 digit code Card.
-Add to intercom remotely by SMS text or APP.

— PROXCARD-125K-AES-50PK



50 Pack Proximity Card
-125KHz fixed 10 digit code Card.
-Add to intercom remotely by SMS text or APP.



NEW

cellcomprime

Slave Devices



24V dc
PSU

Slave
Keypad



24V dc
PSU

Slave
Keypad



24V dc
PSU

CAT5
(up to 100m)


NEW

cellcomprime

Slave Devices


Imperial Slave Keypad

PRIME-SLV-KP-IMP




- Imperial Slave Keypad.
- Works with any "PRIME-6" product.

PRIME-SLV-PX-IMP




- Imperial Slave Prox Reader.
- Works with any "PRIME-6" product.

PRIME-SLV-KP-AB




- Architectural Slave Keypad.
- Works with any "PRIME-6" product.

PRIME-SLV-PX-AB






- Architectural Slave Prox Reader.
- Works with any "PRIME-6" product.



cellcomprime

Multi Button System







PRIME6-XX N / YYY

- | | | |
|---|-------------------------|---------------------------------|
| AS = Architectural Stainless | 2 = two button | Nothing = 2G model |
| ASK = Architectural Stainless & Keypad | 4 = four button | 3GE = Euro 2G/3G model |
| HS = Hooded Stainless | 6 = six button | 4GE = Euro 2G/4G model |
| HSK = Hooded Stainless & Keypad | 8 = eight button | 4GA = USA 3G/4G model |
| | 10 = ten button | 4GSA = AU/NZ 3G/4G model |

cellcomprime

Multi Button System



PRIME6-**XX** N / **YYY**

- | | | |
|---|-------------------------|---------------------------------|
| AS = Architectural Stainless | 2 = two button | Nothing = 2G model |
| ASK = Architectural Stainless & Keypad | 4 = four button | 3GE = Euro 2G/3G model |
| HS = Hooded Stainless | 6 = six button | 4GE = Euro 2G/4G model |
| HSK = Hooded Stainless & Keypad | 8 = eight button | 4GA = USA 3G/4G model |
| | 10 = ten button | 4GSA = AU/NZ 3G/4G model |



Multicom


Multi Family Intercom



- Multi apartment / multi resident wireless GSM intercom.
- Calls up to 3 numbers per apartment.
- Up to 500 apartments can be stored in the unit.
- 2 relay outputs.
- Programmable by SMS text, PC USB link or on-screen with keypad.
- All stainless steel construction.
- Toughened acrylic LCD protector screen.
- Portrait wall mount style and pedestal mount styles available.
- Both models with high security key access front door.
- Built in “puck” style antenna on pedestal version.

Multicom

Multi Apartment Intercom



- Digital directory and display, users can scroll names or dial by apartment number.
- Customisable welcome screen message and instructions.
- Users answer call from their telephone, press * to open gates!
- Keypad can also be used as 4-6 digit access control keypad.
- 2 year manufacturers warranty.


Multicom

GSM Apartment Intercom



Technical Details			
Power Supply	12-24v dc (24dc adaptor included)	GSM Modem	Quad band 850/900/1800/1900
Current Consumption	100mA standby, 1 amp dialling	Modem Approvals	CE & FCC
Relay Outputs	2	Programming Method	SMS & with keypad on screen
Relay Type	N/O & N/C contacts	Caller ID	Yes
Relay Time	Adjustable 1-9999 seconds	Relay Control	By phone
Relay Load	2A 24v AC max	Keypad Codes	1
IP Rating	IP55		


— **Multicom-500iS/3GA (US/Canada/Telstra)**
Multicom-500iS/3GE (EU)



Pedestal mountable version with industry standard 3" x 3" mounting hole arrangement.

Super high volume model with 4 watt speaker, perfect for car park barriers and industrial entrances.


— **Multicom-500hS/3GA (US/Canada/Telstra)**
Multicom-500hS/3GE (EU)



Wall mounted version for regular building door access or shared gate entrances.

BS316 marine grade stainless steel rain and sun hood.

— **Multicom-500FS/3GA (US/Canada/Telstra)**
Multicom-500FS/3GE (EU)



Wall mounted flush version for regular building door access or shared gate entrances.

BS316 marine grade stainless steel.



WiFi Predator²

Wi-Fi Video Intercom



Search:
WIFI PRO 2



OR Scan
QR Code



- Simple setup by mobile phone.
- Connect to the intercom directly through your phone's Wi-Fi, enter the pass code for the home hub Wi-Fi and the device is connected.
- View the gate/door and open any time with monitoring mode.
- Full duplex speech.
- 2 relay output.
- Latching outputs for hold open.
- CAT5 terminal port for easy hard wire option.
- Upgraded camera with IR cut filter for better colour by day and IR night vision by night.
- Stores images of the last 32 missed callers on your phone.
- Still works locally on Wi-Fi network even if broadband goes down.
- Can work with most market standard outdoor Wi-Fi repeaters for extended range.

WiFi Predator²

WiFi Video Intercom



NEW!
GoogleTM
PUSH alerts
on Apple
and Android
devices


Icon
based
layout



AmazonTM Cloud P2P
servers hosted in multiple
countries for the fastest
connection.



NEW! 2 relays



NEW! Full 2 way Duplex
and half Duplex sound
options!

NEW! Upgraded
camera with IR cut
filter for better colour
by day and IR night
vision by night



WiFi Predator²

Wi-Fi / LAN Video Intercom



— High gain Wi-Fi antenna

60 degree transmission to concentrate & extend range. Weatherproof for outdoor use.




— 2 metre RG174 cable with SMA male connector.

Technical Details

Power Supply	24v dc (adaptor included)	App Name	WIFI PRO 2
Current Consumption	80mA standby, 300mA calling	Audio	Full 2 way Duplex and half Duplex sound options
Relay Outputs	2	Keypad Option	Yes
Relay Type	N/O & N/C contacts	Keypad Relays	3
Relay Time	Adjustable 1-10 secs	Keypad Codes	1200
Relay Load	2A 24v AC max	Wi-Fi Standard	802.11b/g/n
IP Rating	IP55	Security	6 digit passcode protected
Camera	Colour, 110 degree, 640x480 pixel	Uplink Bandwidth	110K bits/sec
Night Vision	Yes, by infrared illumination (now with IR cut filter)		

— PRED2-WIFI-IMP

(Kit includes speech panel, antenna, power supply and install manual)



— PRED2-WIFI-IMP-MONITOR1

(Kit includes WIFI panel, antenna, 1x TAB10 Monitor and install manual)



Contemporary cool-white illuminated buttons.
Marine grade, brushed stainless steel construction with gloss acrylic trim and powder coated aluminium hood.

— PRED2-WIFI-AB

(Kit includes speech panel, antenna, power supply and install manual)



— PRED2-WIFI-AB-MONITOR1

(Kit includes WIFI panel, antenna, 1x TAB10 Monitor and install manual)



Modern blue back lighting effect.
Marine grade, brushed stainless steel construction with gloss acrylic trim.

— PRED2-WIFI-AS

(Kit includes speech panel, antenna, power supply and install manual)



— PRED2-WIFI-AS-MONITOR1

(Kit includes WIFI panel, antenna, 1x TAB10 Monitor and install manual)




Architectural model with contemporary cool-white illuminated buttons.
Marine grade, brushed stainless steel construction.

Flush Mount Options

— PRED2-WIFI-FS

(Kit includes speech panel, antenna, power supply and install manual)



— PRED2-WIFI-FS-MONITOR1


(Kit includes WIFI panel, antenna, 1x TAB10 Monitor and install manual)



Flush Mount marine grade, brushed stainless steel construction.
Contemporary cool-white illuminated buttons.

— PRED2-WIFI-FB

(Kit includes speech panel, antenna, power supply and install manual)



— PRED2-WIFI-FB-MONITOR1

(Kit includes WIFI panel, antenna, 1x TAB10 Monitor and install manual)



Flush mount marine grade, brushed stainless steel construction with gloss acrylic trim.
Modern blue back lighting effect.

— PRED2-WIFI-IMPK

(Kit includes speech panel, antenna, power supply and install manual)



— PRED2-WIFI-IMPK-MONITOR1

(Kit includes WIFI Panel, antenna, 1x TAB10 Monitor and install manual)



Keypad includes 3 relays, 1200 codes, with latching & momentary operation & more. Marine grade, brushed stainless steel construction with gloss acrylic trim and powder coated aluminium hood. Contemporary cool white illuminated buttons.

— PRED2-WIFI-ABK

(Kit includes speech panel, antenna, power supply and install manual)



— PRED2-WIFI-ABK-MONITOR1

(Kit includes WIFI Panel, antenna, 1x TAB10 Monitor and install manual)



Keypad includes 3 relays, 1200 codes, with latching & momentary operation & more. Modern blue back lighting effect. Marine grade, brushed stainless steel construction with gloss acrylic trim.

— PRED2-WIFI-ASK

(Kit includes speech panel, antenna, power supply and install manual)



— PRED2-WIFI-ASK-MONITOR1

(Kit includes WIFI Panel, antenna, 1x TAB10 Monitor and install manual)



Keypad includes 3 relays, 1200 codes, with latching & momentary operation & more. Architectural model with contemporary cool-white illuminated buttons. Marine grade, brushed stainless steel construction.

Flush Mount Options

— PRED2-WIFI-FSK

(Kit includes speech panel, antenna, power supply and install manual)



— PRED2-WIFI-FSK-MONITOR1

(Kit includes WIFI Panel, antenna, 1x TAB10 Monitor and install manual)



Keypad includes 3 relays, 1200 codes, with latching & momentary operation & more. Flush Model with contemporary cool-white illuminated buttons. Marine grade, brushed stainless steel construction.

— PRED2-WIFI-FBK

(Kit includes speech panel, antenna, power supply and install manual)



— PRED2-WIFI-FBK-MONITOR1


(Kit includes WIFI Panel, antenna, 1x TAB10 Monitor and install manual)



Keypad includes 3 relays, 1200 codes, with latching & momentary operation & more. Flush Model with Modern blue back lighting effect. Marine grade, brushed stainless steel construction with gloss acrylic trim.

NEW

TAB-10




- Wall mount touch screen monitor (1280x800 Resolution), compatible with the Predator system.
- 10.1 inch screen IPS LCD android screen with RJ-45 interface USB port.
- WiFi connectable.
- 12V dc or POE.
- Complete with both wall mount bracket and desk stand.
- Android OS (4.4.2) with Predator PRO app pre-loaded.
- A64 Quad Core 1.6 ghz.

Call Panel Dimensions

**PRED2-WiFi-IMK
Call Panel**



**PRED2-WiFi-ABK/ASK
Call Panel**




**PRED2-WiFi-FSK/FBK
Call Panel**




**PRED2-WiFi-IMP
Call Panel**



**PRED2-WiFi-AB/AS
Call Panel**




**PRED2-WiFi-FS/FB
Call Panel**




WiFi Range Extending Tips

Up to 60 metres

(Depending on home router type, router location and building materials)




Up to 100 metres



Up to 200 metres

With Homeplugs (depending on electrical circuits)



Up to 500 metres

With Point to Point WiFi Link



- Range can be extended up to 500 metres by using various open market devices, such as Homeplug Technology, WiFi repeaters and point to point links. Always conduct a site survey before quoting this system.

NEW

4G Predator 2

4G Video Intercom



- 4G version of the fastest growing AES product, the Predator Video Intercom.
- Connects to 4G network with 4G compatible SIM (not included).
- No need for Wi-Fi connectivity. Totally independent from home network.
- Easy plug and play setup with same app as Wi-Fi version.
- Simply connect both devices together via Ethernet cable (supplied), connect power and log on with provided credentials.
- Complete with 24V dc PSU (for intercom), and POE adaptor (for modem).
- 100 calls per ½ gb of data (based on 30 second calls).

NEW


4G Predator 2

4G Video Intercom



NEW!
Google™
PUSH alerts
on Apple
and Android
devices


Icon
based
layout



Amazon™ Cloud P2P
servers hosted in multiple
countries for the fastest
connection.



NEW! 2 relays




NEW! Full 2 way Duplex
and half Duplex sound
options!

NEW! Upgraded
camera with IR cut
filter for better colour
by day and IR night
vision by night




NEW

- **PRE2-4GE/AB** (Europe)
- PRE2-4GA/AB** (USA)
- PRE2-4GSA/AB** (Australia & NZ)




- Architectural panel, stylish toughened black acrylic trim over beautiful yet tough marine grade stainless steel.

- **PRE2-4GE/IMP** (Europe)
- PRE2-4GA/IMP** (USA)
- PRE2-4GSA/IMP** (Australia & NZ)



- A slightly more traditionally shaped panel in sleek gloss black faceplate, reinforced with stainless steel, textured powder coated corrosion resistant aluminium hood and stainless steel backplate.

- **PRE2-4GE/AS** (Europe)
- PRE2-4GA/AS** (USA)
- PRE2-4GSA/AS** (Australia & NZ)




- Architectural panel, 100% brushed beautiful yet tough marine grade stainless steel.

NEW


Flush Mount Options

- **PRE2-4GE/FS** (Europe)
- **PRE2-4GA/FS** (USA)
- **PRE2-4GSA/FS** (Australia & NZ)



- Flush Mount marine grade, brushed stainless steel construction.
- Contemporary cool-white illuminated buttons.

- **PRE2-4GE/FB** (Europe)
- **PRE2-4GA/FB** (USA)
- **PRE2-4GSA/FB** (Australia & NZ)



- Flush mount marine grade, brushed stainless steel construction with gloss acrylic trim.
- Modern blue back lighting effect.


NEW

- **PRE2-4GE/ABK** (Europe)
- PRE2-4GA/ABK** (USA)
- PRE2-4GSA/ABK** (Australia & NZ)




- Architectural panel, stylish toughened black acrylic trim over beautiful yet tough marine grade stainless steel.
- Keypad model.

- **PRE2-4GE/IMPK** (Europe)
- PRE2-4GA/IMPK** (USA)
- PRE2-4GSA/IMPK** (Australia & NZ)



- A slightly more traditionally shaped panel in sleek gloss black faceplate, reinforced with stainless steel, textured powder coated corrosion resistant aluminium hood and stainless steel backplate.
- Keypad model.

- **PRE2-4GE/ASK** (Europe)
- PRE2-4GA/ASK** (USA)
- PRE2-4GSA/ASK** (Australia & NZ)




- Architectural panel, 100% brushed beautiful yet tough marine grade stainless steel.
- Keypad model.

NEW

Flush Mount Options

- **PRE2-4GE/FSK** (Europe)
- PRE2-4GA/FSK** (USA)
- PRE2-4GSA/FSK** (Australia & NZ)



- Flush Mount marine grade, brushed stainless steel construction.
- Contemporary cool-white illuminated buttons.
- Keypad model.

- **PRE2-4GE/FBK** (Europe)
- PRE2-4GA/FBK** (USA)
- PRE2-4GSA/FBK** (Australia & NZ)



- Flush mount marine grade, brushed stainless steel construction with gloss acrylic trim.
- Modern blue back lighting effect.
- Keypad model.

4G Predator 2

4G Video Intercom

Network Compatibility

Version E		
	4G LTE Bands	3G
Ireland		
Vodafone	B3 (1800), B20 (800)	2100
Three	B3 (1800), B20 (800)	2100
Meteor/Eir	B3 (1800), B20 (800)	900 / 2100
UK		
Vodafone	B7 (2600), B20 (800)	900 / 2100
O2	B3 (1800), B20 (800)	900 / 2100
EE	B3 (1800), B7 (2600), B20 (800)	2100
Three	B3 (1800), B20 (800)	2100
France		
Orange	B7 (2600), B20 (800)	900 / 2100
Free	B7 (2600)	900 / 2100
SFR	B7 (2600), B20 (800)	900 / 2100
Bouygues	B3 (1800), B7 (2600), B20 (800)	900 / 2100
Netherlands		
KPN	B3 (1800), B7 (2600), B20 (800)	2100
T-Mobile	B3 (1800), B7 (2600), B8 (900)	900 / 2100
Tele2	B7 (2600)	None
Vodafone	B3 (1800), B7 (2600), B20 (800)	2100
Ziggo	B7 (2600)	None
Belgium		
Base	B3 (1800)	2100
Mobistar	B3 (1800), B20 (800)	900 / 2100
Proximus	B3 (1800)	900 / 2100
Germany		
E-Plus	B3 (1800)	2100
O2	B20 (800)	2100
T-Mobile	B3 (1800), B7 (2600), B20 (800)	2100
Vodafone	B7 (2600), B20 (800)	2100

4G Predator 2

4G Video Intercom

Network Compatibility

Version E Continued

	4G LTE Bands	3G
A1 Telekom	B7 (2600), B20 (800)	2100
T-Mobile	B3 (1800), B7 (2600)	2100
Switzerland		
Salt	B3 (1800), B7 (2600), B20 (800)	900 / 2100
Sunrise	B3 (1800), B7 (2600), B20 (800)	900 / 2100
Swisscom	B3 (1800), B7 (2600), B20 (800)	900 / 2100
Norway		
Telenor	B3 (1800), B7 (2600), B20 (800)	2100
Telia	B3 (1800), B7 (2600), B20 (800)	2100
Sweden		
3 (Tre)	B7 (2600), B20 (800), B38 (2600)	900 / 2100
Comviq	B3 (1800), B7 (2600), B8 (900), B20 (800)	2100
Tele2	B3 (1800), B7 (2600), B8 (900), B20 (800)	2100
Telenor	B3 (1800), B7 (2600), B8 (900), B20 (800)	2100
Telia	B3 (1800), B7 (2600), B20 (800)	2100

Version SA

	4G LTE Bands	3G
Australia		
Optus	B1 (2100), B3 (1800), B7 (2600), B28 (700), B40 (2300)	2100 / 900
Telstra	B1 (2100), B3 (1800), B28 (700)	2100 / 850
Virgin	B1 (2100), B3 (1800), B7 (2600), B28 (700), B40 (2300)	2100 / 900
Vodafone	B3 (1800), B5 (850)	2100 / 850 / 900
New Zealand		
2degree	B3 (1800)	2100 / 900
Spark	B3 (1800), B28 (700)	2100 / 850
Vodafone	B3 (1800), B28 (700)	2100 / 900



NEW

D.E.C.T 705

Wireless Video Intercom

FCC APPROVED

Handsfree wall/desk mount option

Cordless handset option

Antenna


High quality speech panel options

- Wireless video intercom system for gates.
- Longest range Rf video intercom in the world, working range 200 metres (450m open field).
- Unique technology combining 2.4GHz digital & DECT 1.88GHz digital signals.
- Colour camera with infrared night vision capability.
- Long range antenna as standard.
- Gate / Door release relay built in.
- Optional keypad for access control.

NEW

D.E.C.T 705

Wireless Video Intercom



- Dual technology using 2.4GHz digital spread spectrum for one way video and two way DECT digital 1.88GHz for voice, giving world leading range capability.
- Add up to a total of 3 audio handsets to compliment the main video handset.
- Voicemail feature built in.

NEW

D.E.C.T 705

Wireless Video Intercom



Technical Details

Power Supply	24v dc (adaptor included)	Handset Battery	Lithium Ion mobile phone battery
Current Consumption	50mA standby, 1Amp calling	Night Vision	Yes, by infrared illumination
Relay Outputs	1	Battery Life	24 hours between charges
Relay Type	N/O & N/C contacts	Charging Voltage	5v adaptor included
Relay Time	Fixed 4 seconds	Keypad Option	Yes
Relay Load	2A 24v AC max	Keypad Relays	3
IP Rating	IP55	Keypad Codes	1200
Camera	Colour, 80 degree viewing angle		

NEW

D.E.C.T 705

Kits & Part Numbers

— 705-HF-AB (Standard Architectural Model)



— 705-AB (Standard Architectural Model)



- Stylish curved architectural model.
- Modern blue back lighting effect.
- BS316 marine grade, brushed stainless steel construction with gloss acrylic trim.
- Kit includes speech panel, antenna, power supply, desktop/wall mounted monitor OR Portable Handset and install manual.

— 705-HF-ABK (Architectural Model with Keypad)




— 705-ABK (Architectural Model with Keypad)



- Stylish curved architectural model.
- Modern blue back lighting effect.
- BS316 marine grade, brushed stainless steel construction with gloss acrylic trim.
- Kit includes speech panel, antenna, power supply, desktop/wall mounted monitor OR Portable handset and install manual.


(Kits & Part Numbers)

705-EH (Extra Handset)




- Add up to 3 additional audio handsets to any 705 video kit as additional slave handsets.
(Note: this is same handset used for 603 kits).

705-AC5 (Antenna Cable)



- Antenna extension cable kit.
- Complete with SMA male – female couplings.
- 2x5 metres long to extend antenna height or location to achieve better results.


Call Panel Dimensions






PRIME 6E

Multi-call Station System



Call Panel Options



PRIME 6E


2 Part GSM Intercom

PRIME 6E MULTIBUTTON

GSM PRIME module in enclosure (Up to 10 way)



PRIME-6E-10B	2G	Europe
PRIME-6E-10B/3GE	2G/3G	Europe
PRIME-6E-10B-3GA	2G/3G	USA
PRIME-6E-10B-4GE	2G/3G/4G	Europe
PRIME-6E-10B-4GA	3G+4G	USA
PRIME-6E-10B-4GSA	3G+4G	Australia /NZ




Multiplexor

Recommended to improve speech quality and volume when using more than 1 speech panel on a single GSM unit.




Multi-Plex-24V





Stand Alone Keypad



Night illumination


- Stand alone keypad for access control.
- Architectural style to match and compliment the architectural range of intercoms.
- Useful to add as a pedestrian gate access or exit keypad.
- Stainless steel construction.
- 3 relays.
- 1200 codes.
- Power supply included.

Technical Details	
Power	12-24v dc
Current	34mA standby, 110mA latched relay
Weather Rating	IP55
Wiegand Output	26 and 34 bit
Egress Input	Yes
Relay Type	N/C and N/O. Latching and momentary

Stand Alone Keypad


(Kits & Part Numbers)

— AESKP




Architectural keypad, stylish toughened black acrylic trim over beautiful yet tough marine grade stainless steel.

— ASKP




Architectural keypad, 100% brushed marine grade stainless steel, tough yet stylish.

— AESKP-IMP



A slightly more traditionally shaped keypad in sleek gloss black faceplate, reinforced with stainless steel, textured powder coated corrosion resistant aluminium hood and stainless steel backplate.

GSM Keypad





— Up to 10 devices



- Remotely programmable keypad.
- Add up to 10 devices.
- Mix and Match Keypads.
- Add Card/Tag Readers.



Technical Details*	
Power	24v d.c
Current	300mA/2A Peak 200mA Per Slave Device
Weather Rating	IP55
Relay Type	2X N/C & N/O Contacts
Keypad Codes	200
Time Restricted Codes	20
Temporary Codes	30
*Codes are universal to all devices	

GSM Keypad

(Kits & Part Numbers)

	PRIME6-KP-AB	2G	Europe	
	PRIME6-KP-AB-3GE	2G/3G	Europe	
	PRIME6-KP-AB-4GA	2G/3G/4G	USA	
	PRIME6-KP-AB-4GE	3G/4G	Europe	
	PRIME6-KP-AB-4GSA	3G+4G	Australia /NZ	
Architectural keypad, stylish toughened black acrylic trim over beautiful yet tough marine grade stainless steel.				

	PRIME6-KP-AS	2G	Europe	
	PRIME6-KP-AS-3GE	2G/3G	Europe	
	PRIME6-KP-AS-4GA	2G/3G/4G	USA	
	PRIME6-KP-AS-4GE	3G/4G	Europe	
	PRIME6-KP-AS-4GSA	3G+4G	Australia /NZ	
Architectural keypad, 100% brushed marine grade stainless steel, tough yet stylish.				

	PRIME6-KP-IMP	2G	Europe	
	PRIME6-KP-IMP-3GE	2G/3G	Europe	
	PRIME6-KP-IMP-4GA	2G/3G/4G	USA	
	PRIME6-KP-IMP-4GE	3G/4G	Europe	
	PRIME6-KP-IMP-4GSA	3G+4G	Australia /NZ	
A slightly more traditionally shaped keypad in sleek gloss black faceplate, reinforced with stainless steel, textured powder coated corrosion resistant aluminium hood and stainless steel backplate.				



i-GATE PRIME

Advanced GSM Gate Opener

Now includes
7 day time
clock



Activity log
feature added



igate-PRIME	2G only
igate-PRIME/3GE	Dual 3G/2G capability (Europe)
igate-PRIME/4GA	4G capability (USA) 3G/4G
igate-PRIME/4GE	4G capability (Europe) 3G/4G
igate-PRIME/4GSA	4G capability (Australia/NZ) 3G/4G

- GSM gate opener with IOS & Android apps.
- Stores up to 100 numbers for caller ID access (ring gates to open).
- Trigger, latch and unlatch gates by SMS text or with app.
- 2 x Volt free momentary relay outputs.
- Simple programming by SMS text or app.
- Check if gates are opened or closed!
- Can also ring 4 phones when alarm or gates are triggered.
- Check stored numbers by SMS.
- Auto call feature to schedule outgoing call (prevents SIM card being deactivated).

Technical Details	
Power	12-24v ac/dc
Current	45mA standby, 200mA when called
Weather Rating	IP67
Relay Load	24v ac, 2 amps max
Relay Type	N/C and N/O. Latching & momentary



NEW

SLIM

Wired Intercom System




- Wired audio intercom system.
- Up to 4 handsets per system.
- Curved profile stylish handset available in black or white.
- 150m typical cabled range using twisted pair cables.
- Standard 12V dc powered system.

Technical Details	
Power	24v dc
Working Distance	150m on 24AWG CAT5 cable
Weather Rating	IP55
Wiring	3 Wire or 5 wire option
Max Handsets	4
Relay Type	N/O momentary 4 second pulse

Indoor Speech Unit

Outdoor Speech Unit



NEW

SLIM

Kits & Part Numbers

— SLIM-CL-AB (Architectural Model)



— SLIM-HF-AB (Architectural Model)



- Stylish curved architectural model, featuring modern blue back lighting effect, constructed from BS316 marine grade, brushed stainless steel with gloss acrylic trim.
- Kit includes speech panel, **black** handset, power supply and manual.

— SLIM-CL-AS (Architectural Model)



— SLIM-HF-AS (Architectural Model)



- Stylish curved architectural model, featuring contemporary white back lighting effect, constructed from BS316 marine grade, brushed stainless steel.
- Kit includes speech panel, **black** handset, power supply and manual.

NEW

SLIM

Kits & Part Numbers

— SLIM-CL-IMP (Imperial Model)



— SLIM-HF-IMP (Imperial Model)



- Ultra stylish hooded model. All black panel with textured powder coated aluminium hood and gloss black acrylic facia trim over a tough metal back plate, with white illuminated push button.
- Kit includes speech panel, **black** handset, power supply and manual.

— SLIM-CL-iMP-PED (Industrial Model)



— SLIM-HF-iMP-PED (Industrial Model)



- Industrial model for high volume applications on pedestals, vehicle entrances, etc., featuring super loud 4 watt speaker and sensitive microphone.
- Brushed stainless steel construction with gloss acrylic trim.
- Kit includes speech panel, **black** handset, power supply and manual.

NEW

SLIM

Kits & Part Numbers

— **SLIM-CL-AB-W (Architectural Model)**



— **SLIM-HF-AB-W (Architectural Model)**



- Stylish curved architectural model, featuring modern blue back lighting effect, constructed from BS316 marine grade, brushed stainless steel with gloss acrylic trim.
- Kit includes speech panel, **white** handset, power supply and manual.

— **SLIM-CL-AS-W (Architectural Model)**



— **SLIM-HF-AS-W (Architectural Model)**



- Stylish curved architectural model, featuring contemporary white back lighting effect, constructed from BS316 marine grade, brushed stainless steel.
- Kit includes speech panel, **white** handset, power supply and manual.

NEW

SLIM

Kits & Part Numbers

— SLIM-CL-IMP-W (Imperial Model)



— SLIM-HF-IMP-W (Imperial Model)



- Ultra stylish hooded model. All black panel with textured powder coated aluminium hood and gloss black acrylic facia trim over a tough metal back plate, with white illuminated push button.
- Kit includes speech panel, **white** handset, power supply and manual.

— SLIM-CL-iMP-PED-W (Industrial Model)



— SLIM-HF-iMP-PED-W (Industrial Model)



- Industrial model for high volume applications on pedestals, vehicle entrances, etc., featuring super loud 4 watt speaker and sensitive microphone.
- Brushed stainless steel construction with gloss acrylic trim.
- Kit includes speech panel, **white** handset, power supply and manual.

NEW

SLIM

Kits & Part Numbers

— SLIM-CL-ABK (Architectural Keypad Model)



— SLIM-HF-ABK (Architectural Keypad Model)



- Stylish curved architectural model, with built in illuminated code-lock keypad for access control.
- Keypad includes 3 relays with latching and momentary operation and many more features.
- BS316 marine grade, brushed stainless steel construction with gloss acrylic trim and blue back lighting effect.
- Kit includes speech panel, **black** handset, power supply and manual.

— SLIM-CL-ASK (Architectural Keypad Model)



— SLIM-HF-ASK (Architectural Keypad Model)



- Stylish curved architectural model with built in, illuminated code-lock keypad for access control.
- Keypad includes 3 relays, with latching and momentary operation and many more features.
- 100% BS316 marine grade stainless steel construction with contemporary cool-white back lighting.
- Kit includes speech panel, **black** handset, power supply and manual.

NEW

SLIM

Kits & Part Numbers

— SLIM-CL-IMPK (Imperial Model with Keypad)



— SLIM-HF-IMPK (Imperial Model with Keypad)



- Hooded model with built in illuminated code-lock keypad for access control.
- Keypad includes 3 relays, 1200 codes with latching and momentary operation and more.
- Stylish all black panel with textured powder coated aluminium hood and gloss black acrylic fascia trim over a tough metal back plate.
- Kit includes speech panel, **black** handset, power supply and manual.

— SLIM-CL-iMPK-PED (Industrial Model with Keypad)



— SLIM-HF-iMPK-PED (Industrial Model with Keypad)



- Industrial model for high volume applications on pedestals, vehicle entrances, etc.
- Super loud 4 watt speaker and sensitive microphone, with illuminated push button.
- Keypad includes 3 relays, 1200 codes with latching and momentary operation and more.
- Brushed stainless steel construction with gloss acrylic trim.
- Kit includes speech panel, **black** handset, power supply and manual.

NEW

SLIM

Kits & Part Numbers

— SLIM-CL-ABK-W (Architectural Keypad Model)



— SLIM-HF-ABK-W (Architectural Keypad Model)



- Stylish curved architectural model, with built in illuminated code-lock keypad for access control.
- Keypad includes 3 relays with latching and momentary operation and many more features.
- BS316 marine grade, brushed stainless steel construction with gloss acrylic trim and blue back lighting effect.
- Kit includes speech panel, **white** handset, power supply and manual.

— SLIM-CL-ASK-W (Architectural Keypad Model)



— SLIM-HF-ASK-W (Architectural Keypad Model)



- Stylish curved architectural model with built in, illuminated code-lock keypad for access control.
- Keypad includes 3 relays, with latching and momentary operation and many more features.
- 100% BS316 marine grade stainless steel construction with contemporary cool-white back lighting.
- Kit includes speech panel, **white** handset, power supply and manual.

NEW

SLIM

Kits & Part Numbers

— SLIM-CL-IMP-K-W (Imperial Model with Keypad)



— SLIM-HF-IMP-K-W (Imperial Model with Keypad)



- Hooded model with built in illuminated code-lock keypad for access control.
- Keypad includes 3 relays, 1200 codes with latching and momentary operation and more.
- Stylish all black panel with textured powder coated aluminium hood and gloss black acrylic facia trim over a tough metal back plate.
- Kit includes speech panel, **white** handset, power supply and manual.

— SLIM-CL-iMP-K-PED-W (Industrial Model with Keypad)



— SLIM-HF-iMP-K-PED-W (Industrial Model with Keypad)




- Industrial model for high volume applications on pedestals, vehicle entrances, etc.
- Super loud 4 watt speaker and sensitive microphone, with illuminated push button.
- Keypad includes 3 relays, 1200 codes with latching and momentary operation and more.
- Brushed stainless steel construction with gloss acrylic trim.
- Kit includes speech panel, **white** handset, power supply and manual.

NEW

SLIM


Kits & Part Numbers

— SLIM-CL-EH-B



- Black corded handset.
- Add up to 3 extra handsets to any kit (total 4 per system) for larger homes or premises.

— SLIM-HF-EH-B




- Black Handsfree handset.
- Add up to 3 extra handsets to any kit (total 4 per system) for larger homes or premises.

NEW

SLIM


Kits & Part Numbers

— SLIM-CL-EH-W




- White corded handset.
- Add up to 3 extra handsets to any kit (total 4 per system) for larger homes or premises.

— SLIM-HF-EH-W



- White Handsfree handset.
- Add up to 3 extra handsets to any kit (total 4 per system) for larger homes or premises.


— PSU-12V




- Additional 12V, 1 amp power supply for longer cable runs, especially required when call point has a keypad and the original PSU is located in the house or where there are multiple handsets.

Call Panel Dimensions


AB/AS PANEL




ABK/ASK PANEL




IMP PANEL




IMPK PANEL



iMP-PED PANEL



iMPK-PED PANEL





StylusCom

Smart Intercom System



- Combines access control and CCTV in one system.
- Up to 2 gates and 2 CCTV cameras connected to a maximum of 4 monitors.
- Super long range over CAT 5 (300 metres).
- SD card records stills of visitors/missed callers.
- Option to connect external camera to speech panel for certain applications.
- Easy to wire monitor with wall mounted connection panel.
- 15V dc adaptor included.


StylusCom

Smart Intercom System



Coming soon
Winter 2018!


Sleek gloss white
monitor featuring a
4.3 inch screen!



StylusCom


Kits & Part Numbers

— Styluscom-AB (Architectural Model)



- Stylish curved architectural model.
- BS316 marine grade, brushed stainless steel construction with gloss acrylic trim.
- Kit includes 1 stylus monitor, 1 speech panel and 2 power supplies.

— Styluscom-ABK (Architectural Keypad Model)




- Stylish curved architectural model.
- BS316 marine grade, brushed stainless steel construction with gloss acrylic trim.
- Kit includes 1 stylus monitor, 1 speech panel and 2 power supplies.

StylusCom


Kits & Part Numbers

— Styluscom-AB-CP (Architectural Model)



— Additional architectural door/gate panel.

— Styluscom-ABK-CP (Architectural Keypad Model)




— Additional architectural door/gate panel with keypad.

StylusCom


Kits & Part Numbers

— Stylus-4




- Additional monitor for larger homes.
- Sleek design, featuring a brushed metal effect finish with a gloss black screen trim.
- Wall mountable hands free design.
- Touch sensitive buttons.
- Volume control.
- 4 inch screen.
- Power supply included.

— Stylus-Dome



- Black Dome camera.
- Day/Night Vision with a 10 metre night range.
- 700 TVL.
- 4mm fixed lens.
- Power supply not included.

— Stylus-Bullet



- Black Bullet camera.
- Day/Night Vision with a 10 metre night range.
- 700 TVL.
- 4mm fixed lens.
- Power supply not included.

Terms and Conditions

Marketing Support

We have a range of marketing items including demonstration cases with working product, wall displays, catalogues and other items. These can be purchased at a reduced and subsidised rate, but can also be given to distributors for free in the event of placement of a large stock order. We have a range of programmes, including credit for display equipment after set quantities of sales are achieved. Contact your area sales representative for more information on the support we can offer.

Pricing Policies

Advanced Electronic Solutions Global Ltd reserve the right to suggest sell pricing policies for customers. Any customer pricing our products in such a way that we feel does harm to our brand or our market may be given written notice of removal of supply. Price fixing is illegal in some countries and the company does not have a policy of enforcing particular selling prices or price fixing. We merely advise a sensible policy which ensures the distributor has sufficient margins to properly and professionally support our products and promote our brand in a positive way. We take many factors into consideration when choosing market partners and we reserve the right to choose who we distribute through.

Credit Terms

We only offer credit to UK and Republic of Ireland companies. We do not offer credit to other territories. We reserve the right to remove credit from customers without notice, should payment terms be broken by the customer. Overseas customers pay at time of order placement. An order will not be scheduled for production until payment is received. Lead times will be given on receipt of payment.

Lead Times

Generally we have most items available for dispatch within 1-2 working days. Medium orders of up to 10 items may attract a lead time of up to 5 working days. Larger orders can attract a lead time of up to 4 weeks. It is the responsibility of the distributor to hold adequate stock to support the market. However, we will endeavour to support customers where possible should they run out of stock unexpectedly or have an order for an item which they do not normally stock.

Currencies

We reserve the right to adjust our overseas pricing due to currency fluctuations. We will give customers 60 days' notice of any price changes.

Warranty

Our company policy is a 2 year return to base warranty. Customers return suspect parts for either repair or replacement, depending on which is most efficient.

Returns

No item may be returned without a returns authorisation number.

Terms and Conditions Continued

Complete System Returns

We manufacture products which are modular. Therefore any suspect defective product can have parts swapped rather than replacing entire systems. Complete installed products which are returned cannot be credited as they cannot be sold again as new. Only un-installed and as new products can be credited. Complete returned items will normally be repaired and returned to the distributor, for return to the installer again, or, the distributor can be quoted costs for re-working the system to make it "as new".

Re-stocking Fees

Items can be returned if ordered in error or are not suitable for the application. These will attract a 10% administrative re-stocking fee. It is not the responsibility of Advanced Electronic Solutions Global Ltd to ensure that the product selected is completely suitable for the application. We are happy to advise customers to the best of our ability, however, ultimate responsibility for security or access system design lies with the installer or dealer. Items which have been installed and not in brand new condition with all accessories, manuals and packaging, can in cases be credited but will attract a re-stocking fee of 30%.

Field Faults

We encourage all distributors to have the installer contact us in the event of a problem on site. No items will be accepted for return unless we have spoken to the installer and are confident that returning the item is the best course of action.

No Fault Found

We issue a standard £25 re-test fee for any items returned which are no fault found status, except where we have expressly agreed to have the item back for analysis.

Technical Support

We offer technical support on all our products as a free service.

Call Logs

We log all technical calls on a database for future reference and training purposes. We also record calls from time to time for training and quality purposes.

Diagnostics

Should we feel a unit in the field needs a replacement part, we will contact the distributor, advise them of the situation and make arrangements for a part to be sent to the installer from the distributor or from us on behalf of the distributor. Order numbers are required for all parts, and all parts will be invoiced for, or credited on return of the original item. We do not accept holding of payment on account for items not yet returned to us.

General

Advanced Electronic Solutions Global Ltd reserve the right to change prices, specifications and terms without notice.

Full Terms and Conditions can be requested upon.

GLOBAL SALES

sales@aesglobalonline.com

Tel: +44(0)288 639 0 693

UK NORTH & MIDLANDS SALES

north@aesglobalonline.com

Tel: 01296 821 844

Mobile: 07387 315 540

UK SOUTH & LONDON SALES

south@aesglobalonline.com

Tel: 01296 821 844

Mobile: 07841 021 936

IRELAND & SCOTLAND SALES

ireland@aesglobalonline.com

scotland@aesglobalonline.com

Tel: +44(0)288 639 0693

+353(0) 15 267 472

Mobile: 0759 0848 002

HEAD OFFICE

Unit 4c Kilcronagh Business Park

Cookstown, Co. Tyrone

BT80 9HJ, Northern Ireland

United Kingdom

AYLESBURY OFFICE

The Vale Industrial Centre

Southern Road,

Aylesbury

HP19 9EW



WWW.AESGLOBALONLINE.COM