



Department of Health

ANDREW M. CUOMO
Governor

HOWARD A. ZUCKER, M.D., J.D.
Commissioner

SALLY DRESLIN, M.S., R.N.
Executive Deputy Commissioner

LAB ID: 12082

April 01, 2019

DR. ALICE DELIA
ENTHALPY ANALYTICAL, LLC
2625 DENISON DRIVE
SUITE D
MT. PLEASANT, MI 48858

Certificate Expiration Date:
April 01, 2020

Dear Dr. Delia,

Enclosed are certificate(s) of approval issued to your environmental laboratory for the current permit year. The certificate(s) supersede(s) any previously issued one(s) and is(are) in effect through the expiration date listed. Please carefully examine the certificate(s) to insure that the categories, subcategories, analytes, and methods for which your laboratory is approved are correct. In addition, verify that your laboratory's name, address, lead technical director, and identification number are accurate.

Pursuant to NYCRR Subpart 55-2.2, original certificates must be posted conspicuously in the laboratory and copies shall be made available to any client of the laboratory upon request.

Pursuant to NYCRR Subpart 55-2.6, any misrepresentation of the fields of accreditation (category - method - analyte) for which your laboratory is approved may result in denial, suspension, or revocation of your certification. Any use of the Environmental Laboratory Approval Program (ELAP) or National Environmental Laboratory Accreditation Program (NELAP) name, reference to the laboratory's approval status, and/or using the NELAP logo in any catalogs, advertising, business solicitations, proposals, quotations, laboratory analytical reports, or other materials must include the laboratory's ELAP identification number and distinguish between testing for which the laboratory is approved and testing for which the laboratory is not approved.

If you have any questions, please contact ELAP at the New York State Department of Health (NYS DOH), Wadsworth Center, PO Box 509, Albany NY, 12201-0509; by phone at (518) 485-5570; by facsimile at (518) 485-5568; and by email at elap@health.ny.gov.

Sincerely,

Victoria Pretti
Director and QA Officer
Environmental Laboratory Approval Program

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2020
Issued April 01, 2019

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE
Issued in accordance with and pursuant to section 502 Public Health Law of New York State

DR. ALICE DELIA
ENTHALPY ANALYTICAL, LLC
2625 DENISON DRIVE SUITE D
MT. PLEASANT, MI 48858

NY Lab Id No: 12082

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2003) for the category
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS
All approved analytes are listed below:*

Acrylates

| | |
|---------------------|-----------|
| Acetonitrile | EPA TO-17 |
| Acrylonitrile | EPA TO-17 |
| Methyl methacrylate | EPA TO-17 |

Chlorinated Hydrocarbons

| | |
|------------------------|-----------|
| 1,2,4-Trichlorobenzene | EPA TO-17 |
| Hexachlorobutadiene | EPA TO-17 |

Purgeable Aromatics

| | |
|------------------------|-----------|
| 1,2,4-Trimethylbenzene | EPA TO-17 |
| 1,2-Dichlorobenzene | EPA TO-17 |
| 1,3,5-Trimethylbenzene | EPA TO-17 |
| 1,3-Dichlorobenzene | EPA TO-17 |
| 1,4-Dichlorobenzene | EPA TO-17 |
| Benzene | EPA TO-17 |
| Chlorobenzene | EPA TO-17 |
| Ethyl benzene | EPA TO-17 |
| Isopropylbenzene | EPA TO-17 |
| m/p-Xylenes | EPA TO-17 |
| o-Xylene | EPA TO-17 |
| Styrene | EPA TO-17 |
| Toluene | EPA TO-17 |

Purgeable Halocarbons

| | |
|-----------------------------|-----------|
| 1,1,1-Trichloroethane | EPA TO-17 |
| 1,1,1,2,2-Tetrachloroethane | EPA TO-17 |
| 1,1,2-Trichloroethane | EPA TO-17 |

Purgeable Halocarbons

| | |
|-----------------------------|-----------|
| 1,1-Dichloroethane | EPA TO-17 |
| 1,1-Dichloroethene | EPA TO-17 |
| 1,2-Dibromo-3-chloropropane | EPA TO-17 |
| 1,2-Dibromoethane | EPA TO-17 |
| 1,2-Dichloroethane | EPA TO-17 |
| 1,2-Dichloropropane | EPA TO-17 |
| Bromoform | EPA TO-17 |
| Carbon tetrachloride | EPA TO-17 |
| Chloroform | EPA TO-17 |
| cis-1,2-Dichloroethene | EPA TO-17 |
| cis-1,3-Dichloropropene | EPA TO-17 |
| Methylene chloride | EPA TO-17 |
| Tetrachloroethene | EPA TO-17 |
| trans-1,3-Dichloropropene | EPA TO-17 |
| Trichloroethene | EPA TO-17 |

Volatile Organics

| | |
|---------------------------------|-----------|
| 1,3-Butadiene | EPA TO-17 |
| 1,4-Dioxane | EPA TO-17 |
| 2,2,4-Trimethylpentane | EPA TO-17 |
| 2-Butanone (Methylethyl ketone) | EPA TO-17 |
| 4-Methyl-2-Pentanone | EPA TO-17 |
| Acetaldehyde | EPA TO-17 |
| Acetone | EPA TO-17 |
| Carbon Disulfide | EPA TO-17 |
| Hexane | EPA TO-17 |

Serial No.: 60064

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2020
Issued April 01, 2019

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

DR. ALICE DELIA
ENTHALPY ANALYTICAL, LLC
2625 DENISON DRIVE SUITE D
MT. PLEASANT, MI 48858

NY Lab Id No: 12082

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2003) for the category
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS
All approved analytes are listed below:*

Volatile Organics

Methyl tert-butyl ether

EPA TO-17



Serial No.: 60064

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

