

1. [Factors Associated With Revision Surgery After Internal Fixation of Hip Fractures.](#)
Sprague S, Schemitsch EH, Swiontkowski M, Della Rocca GJ, Jeray KJ, Liew S, Slobogean GP, Bzovsky S, Heels-Ansdell D, Zhou Q, Bhandari M; FAITH Investigators.
J Orthop Trauma. 2018 May;32(5):223-230. doi: 10.1097/BOT.0000000000001162. PMID: 29677091
 2. [Factors associated with health-related quality of life, hip function, and health utility after operative management of femoral neck fractures.](#)
Sprague S, Bhandari M, Heetveld MJ, Liew S, Scott T, Bzovsky S, Heels-Ansdell D, Zhou Q, Swiontkowski M, Schemitsch EH; FAITH Investigators.
Bone Joint J. 2018 Mar 1;100-B(3):361-369. doi: 10.1302/0301-620X.100B3.BJJ-2017-0853.R1. PMID: 29589490
 3. [Vitamin D Use and Health Outcomes After Surgery for Hip Fracture.](#)
Sprague S, Slobogean GP, Bogoch E, Petrisor B, Garibaldi A, O'Hara N, Bhandari M; FAITH Investigators.
Orthopedics. 2017 Oct 1;40(5):e868-e875. doi: 10.3928/01477447-20170907-01. PMID: 29039872
 4. [Fracture fixation in the operative management of hip fractures \(FAITH\): an international, multicentre, randomised controlled trial.](#)
Fixation using Alternative Implants for the Treatment of Hip fractures (FAITH) Investigators.
Lancet. 2017 Apr 15;389(10078):1519-1527. doi: 10.1016/S0140-6736(17)30066-1. Epub 2017 Mar 3.
PMID: 28262269
 5. [Implant Removal After Internal Fixation of a Femoral Neck Fracture: Effects on Physical Functioning.](#)
Zielinski SM, Heetveld MJ, Bhandari M, Patka P, Van Lieshout EM; FAITH Trial Investigators.
J Orthop Trauma. 2015 Sep;29(9):e285-92. doi: 10.1097/BOT.0000000000000358. PMID: 26165264
 6. [Reliability, validity, and responsiveness of the Western Ontario and McMaster Universities Osteoarthritis Index for elderly patients with a femoral neck fracture.](#)
Burgers PT, Poolman RW, Van Bakel TM, Tuinebreijer WE, Zielinski SM, Bhandari M, Patka P, Van Lieshout EM; HEALTH and FAITH Trial Investigators.
J Bone Joint Surg Am. 2015 May 6;97(9):751-7. doi: 10.2106/JBJS.N.00542. PMID: 25948522
 7. [Fixation using alternative implants for the treatment of hip fractures \(FAITH\): design and rationale for a multi-centre randomized trial comparing sliding hip screws and cancellous screws on revision surgery rates and quality of life in the treatment of femoral neck fractures.](#)
FAITH Investigators.
BMC Musculoskelet Disord. 2014 Jun 26;15:219. doi: 10.1186/1471-2474-15-219. PMID: 24965132
 8. [Functional outcome after successful internal fixation versus salvage arthroplasty of patients with a femoral neck fracture.](#)
Zielinski SM, Keijsers NL, Praet SF, Heetveld MJ, Bhandari M, Wilssens JP, Patka P, Van Lieshout EM; FAITH Trial Investigators.
J Orthop Trauma. 2014 Dec;28(12):e273-80. doi: 10.1097/BOT.0000000000000123. PMID: 24835623
 9. [Radiographic prevalence of CAM-type femoroacetabular impingement after open reduction and internal fixation of femoral neck fractures.](#)
Mathew G, Kowalczyk M, Hetaimish B, Bedi A, Philippon MJ, Bhandari M, Simunovic N, Crouch S, Ayeni OR; FAITH Investigators.
Knee Surg Sports Traumatol Arthrosc. 2014 Apr;22(4):793-800. doi: 10.1007/s00167-014-2835-6. Epub 2014 Feb
PMID: 24488220
- [The societal costs of femoral neck fracture patients treated with internal fixation.](#)

10. Zielinski SM, Bouwmans CA, Heetveld MJ, Bhandari M, Patka P, Van Lieshout EM; FAITH trial investigators.
Osteoporos Int. 2014 Mar;25(3):875-85. doi: 10.1007/s00198-013-2487-2. Epub 2013 Sep 27. PMID: 24072404