



KETCHAM
MEDICINE CABINETS
& ACCESSORIES

By Fred Silver
& Co., Inc.



Contact Information

Customer Service Hours

Monday thru Friday: 9:00am to 5:00pm EST

Sales Office

3505 Veterans Memorial Hwy.
Suite L
Ronkonkoma, NY 11779

Phone: 631-615-6151 or 877-695-3824

Fax: 631-615-6155

Email: sales@ketchamcabinets.com

Website: www.ketchamcabinets.com

Accounting & Logistics

8180 Granville Road
Mt. Vernon, OH 43050

Phone: 740-392-4003 or 800-322-5929

Fax: 740-397-1198

Quote Requests

If you require a formal quotation, please email us at sales@ketchamcabinets.com or contact your sales representative. We request the quantity, part number, destination information as well as a job name to generate the quotation.

Orders

When you decide to place an order, Ketcham will accept a faxed or emailed purchase order. The purchase order should include contact name, company name, shipping address, billing address, payment terms, email address, and phone number. Please email your orders to cs@ketchamcabinets.com or to your Sales Representative. You may also fax it to 631-615-6155

The Table of **CONTENTS**

■ **MEDICINE CABINETS**

Accessible Series.....	4
Builders Grade Series.....	5
Corner Series.....	6
Deluxe Series.....	7
Deluxe with Top Light Series.....	8
Deluxe Stainless Steel Series.....	9
Dual Door Series.....	10
Euroline Series.....	11
Euroline II Series.....	12
Lockable Series.....	13
Premier Series.....	14-15
Round Corner Series.....	16
Sliding Door Series.....	17
Stainless Steel Series.....	18-21
Triview Series.....	22
Triview with Light Series.....	23

■ **WASHROOM MIRRORS**

Fixed Tilt Accesible Mirror - Stainless Steel.....	24
Fixed Tilt Accesible Mirror - White Enamel.....	24
Wall Mount Stainless Steel Mirrors.....	25
Adjustable Tilt Stainless Steel Accessible Mirror.....	25
Theft Proof Washroom Mirror.....	26
Shatter Resistant Theft Proof Washroom Mirrors.....	26

Accessible Medicine Cabinet With Tilting Mirror

Features: Stainless steel framed tilting mirrored door.

Specifications: Accessible Medicine Cabinets are fabricated with 20 gauge white baked enamel steel bodies and doors.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on a full length piano hinge equipped with a magnetic door catch. Tilt mirror operates on two heavy duty elbow hinges and is secured with a bullet type latch.

Shelves: 1/4" adjustable glass shelves mounting on locking adjustable aluminum shelf clips.



Model: 174-HCSM Mirror Tilted shown above



Recessed Mounted

Stainless Steel Framed	Overall Size w x h	Wall Opening w x h x d	Glass Shelves
172-HC	16" x 22"	14" x 20" x 3"	2
173-HC	16" x 30"	14" x 28" x 3"	3
174-HC	18" x 24"	16" x 22" x 3"	3
175-HC	16" x 26"	14" x 24" x 3"	3

Surface Mounted

Stainless Steel Framed	Overall Size w x h x d	Glass Shelves
172-HCSM	16" x 22" x 5-3/4"	2
173-HCSM	16" x 30" x 5-3/4"	3
174-HCSM	18" x 24" x 5-3/4"	3
175-HCSM	16" x 26" x 5-3/4"	3

Builders Grade

Features: Stainless steel framed, beveled or polished edge mirrored doors, adjustable glass shelves mounted on aluminum shelf clips, high gloss whitebaked enamel body. Cabinets can be inverted for right or left hand installation.

Specifications: Builders Grade Cabinets are fabricated with 26 gauge white baked enamel steel bodies and doors.

Mirrors/Doors: 1/8" first quality plate glass. Doors are mounted on a full length piano hinge equipped with a magnetic door catch.

Shelves: 1/4" adjustable tempered glass shelves mounting on locking adjustable aluminum shelf clips.



Surface Mounted

Stainless Steel Framed	Polished Edge Mirror	Beveled Mirror	Overall Size w x h x d	Glass Shelves
1622-SM	1622PE-SM	1622BV-SM	16" x 22" x 4"	2
1626-SM	1626PE-SM	1626BV-SM	16" x 26" x 4"	3
1636-SM	N/A	N/A	16" x 36" x 4"	3

Recessed Mounted

Stainless Steel Framed	Polished Edge Mirror	Beveled Mirror	Overall Size w x h	Wall Opening w x h x d	Glass Shelves
1622	1622PE	1622BV	16" x 22"	14" x 18" x 3-1/2"	2
1626	1622PE	1626BV	16" x 26"	14" x 24" x 3-1/2"	3
1636	N/A	N/A	16" x 36"	14" x 34" x 3-1/2"	3

Corner Cabinet

Features: Corner Series are ideal for saving space. Cabinets can be inverted in the field for right or left door swing.

Specifications: Corner Medicine Cabinets are fabricated with 20 gauge white baked enamel steel bodies and doors.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on a full length piano hinge equipped with a magnetic door catch.

Shelves: Removable 1/4" rounded edge glass shelves mounting on fixed shelf brackets.



Model: CMC-1430PE shown above



Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h x d	Glass Shelves
CMC-1430PE	CMC-1430BV	14" x 30" x 9"	2
CMC-1436PE	CMC-1436BV	14" x 36" x 9"	3


Deluxe

Features: Doors mounted on a continuous full-length piano hinge in a wide array of sizes. Ideal design to meet HUD housing and federal specifications. Cabinets can be inverted for right or left swing installation.

Specifications: Deluxe Medicine Cabinets are fabricated with 20 gauge white baked enamel steel bodies and doors.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on a full length piano hinge equipped with a magnetic door catch.

Shelves: 1/4" adjustable glass shelves mounting on locking adjustable aluminum shelf clips.



Model: 184-SM shown above



Surface Mounted

Stainless Steel Framed	Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h x d	Glass Shelves
160-SM	160PE-SM	160BV-SM	14" x 20" x 4-5/8"	2
170-SM	170PE-SM	170BV-SM	12" x 36" x 4-5/8"	4
172-SM	172PE-SM	172BV-SM	16" x 22" x 4-5/8"	2
173-SM	173PE-SM	173BV-SM	16" x 30" x 4-5/8"	3
174-SM	174PE-SM	174BV-SM	18" x 24" x 4-5/8"	3
175-SM	175PE-SM	175BV-SM	16" x 26" x 4-5/8"	3
176-SM	176PE-SM	176BV-SM	20" x 26" x 4-5/8"	3
177-SM	177PE-SM	177BV-SM	16" x 36" x 4-5/8"	4
178-SM	178PE-SM	178BV-SM	18" x 36" x 4-5/8"	4
179-SM	179PE-SM	179BV-SM	18" x 42" x 4-5/8"	4
180-SM	180PE-SM	180BV-SM	18" x 60" x 4-5/8"	5
181-SM	181PE-SM	181BV-SM	18" x 30" x 4-5/8"	3
182-SM	182PE-SM	182BV-SM	20" x 30" x 4-5/8"	3
184-SM	184PE-SM	184BV-SM	24" x 24" x 4-5/8"	3
190-SM	190PE-SM	190BV-SM	24" x 30" x 4-5/8"	4
192-SM	192PE-SM	192BV-SM	24" x 36" x 4-5/8"	4

Recessed Mounted

Stainless Steel Framed	Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h	Glass Shelves	Wall Opening w x h x d
160	160PE	160BV	14" x 20"	2	12" x 18" x 3"
170	170PE	170BV	12" x 36"	4	10" x 34" x 3"
171	171PE	171BV	16" x 22"	2	14" x 18" x 3"
172	172PE	172BV	16" x 22"	2	14" x 20" x 3"
173	173PE	173BV	16" x 30"	3	14" x 28" x 3"
174	174PE	174BV	18" x 24"	3	16" x 22" x 3"
175	175PE	175BV	16" x 26"	3	14" x 24" x 3"
176	176PE	176BV	20" x 26"	3	18" x 24" x 3"
177	177PE	177BV	16" x 36"	4	14" x 34" x 3"
178	178PE	178BV	18" x 36"	4	16" x 34" x 3"
179	179PE	179BV	18" x 42"	4	16" x 40" x 3"
180	180PE	180BV	18" x 60"	5	16" x 58" x 3"
181	181PE	181BV	18" x 30"	3	16" x 28" x 3"
182	182PE	182BV	20" x 30"	3	18" x 28" x 3"
184	184PE	184BV	24" x 24"	3	22" x 22" x 3"
190	190PE	190BV	24" x 30"	4	22" x 28" x 3"
192	192PE	192BV	24" x 36"	4	22" x 34" x 3"

DELUXE Series

Deluxe with Top Light

Features: Traditional style for urban housing and multi-residential housing projects. Ideal design to meet HUD housing and federal specifications.

Specifications: Deluxe Medicine Cabinets are fabricated with 20 gauge white baked enamel steel bodies and doors.

Mirrors and Doors: 3/16" first quality plate glass. Doors are mounted on a full length piano hinge equipped with a magnetic door catch and polished stainless steel frame.

Shelves: 1/4" adjustable glass shelves mounted on locking adjustable aluminum shelf clips.

Standard Lighting: Hard wire integral tip light features two light sockets. G25 Base required.

LED Lighting: Features integral hardwired LED lighting included.

*For incandescent lighting do not exceed 40 watts.
Light fixture with diffuser projects 7-3/8".*

Standard Top Light

Stainless Steel Framed	Overall Size w x h x d	Door Size w x h	Glass Shelves
171-TL	16" x 23-5/8" x 4-5/8"	16" x 20"	2
173-TL	16" x 33-5/8" x 4-5/8"	16" x 30"	3

LED Top Light

Stainless Steel Framed	Overall Size w x h x d	Door Size w x h	Glass Shelves
171-TL-LED	16" x 23-5/8" x 4-5/8"	16" x 20"	2
173-TL-LED	16" x 33-5/8" x 4-5/8"	16" x 30"	3

Model: 171-TL
shown right



Deluxe Stainless Steel Cabinet

Features: Heavy duty stainless steel construction ideal for public housing, dormitories and multi-residential housing projects.

Specifications: Fabricated with 22 gauge 18-8 type 304 satin stainless steel. Cabinets have a 1" flange and a door thickness of 1/4" for an overall depth of 4-1/4". Cabinets can be inverted in the field for right or left door swing.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on a full length piano hinge equipped with magnetic door catches.

Shelves: Stainless steel shelves mounting on locking adjustable aluminum shelf clips.



Model: 174SS-SM shown above (open)

Surface Mounted

Stainless Steel Framed	Overall Size w x h x d	Stainless Steel Shelves
174SS-SM	18" x 24" x 4-5/8"	3
175SS-SM	16" x 26" x 4-5/8"	3

Recessed Mounted

Stainless Steel Framed	Overall Size w x h	Wall Opening w x h x d	Stainless Steel Shelves
174SS	18" x 24"	16" x 22" x 3"	3
175SS	16" x 26"	14" x 24" x 3"	3

Dual Door Surface Mounted Cabinet

Features: A pan door construction for inset european hinge design. Door operates without the use of magnetic closure, this hinging arrangement allows for six way door adjustment. The cabinets are equipped with rubber door silencer pads. Fixed metal shelves are provided with the same gauge and finish as the cabinet body. All Cabinets are 4-3/4" deep from face of door to wall.

Specifications: Dual Door Series Cabinets are fabricated of 20 gauge white baked enamel steel bodies, doors and shelves.

Mirrors/Doors: 3/16" first quality plate glass. Pan doors are equipped with cabinet style hinges to allow six way adjustment. Door thickness is 3/4" on all models.



Model: DD-2424PE shown above



Polished Edge



Stainless Steel Trim

Polished Stainless Steel Trim	Polished Edge Frameless Mirror	Overall Size w x h x d	Metal Shelves
DD-2424	DD-2424PE	24" x 24" x 4-3/4"	2
DD-2430	DD-2430PE	24" x 30" x 4-3/4"	3
DD-2436	DD-2436PE	24" x 36" x 4-3/4"	4

DUAL DOOR Series

Euroline

Features: A contemporary design for a clean sleek look. European style door hinges allow the door to pivot over the body of the cabinet to provide the option for tandem installation of multiple cabinets or a combination of cabinets and wall mirrors. The mirror door operates with a touch latch magnet to open and close the door. Cabinets can be inverted in the field for right or left door swing. Surface mounted cabinets can be ordered with optional mirrored sides as listed.

Specifications: Euroline Medicine Cabinets are fabricated with 20 gauge white baked enamel steel bodies and doors.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on European-style cabinet hinges.

Shelves: 1/4" adjustable glass shelves mounting on locking adjustable aluminum shelf clips.


Options: Mirrored side kits are fabricated of 1/8" polished edge mirror for surface mounted units only.



Model: 123BV-SM shown above



Model: 123BV shown above (open)



Surface Mounted

Stainless Steel Framed	Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h x d	Glass Shelves	Add for Optional Mirrored Sides
121-SM	121PE-SM	121BV-SM	13-1/2" x 36" x 3-1/2"	3	MS-336
123-SM	123PE-SM	123BV-SM	16" x 22" x 3-1/2"	2	MS-322
125-SM	125PE-SM	125BV-SM	16" x 26" x 3-1/2"	3	MS-326
126-SM	126PE-SM	126BV-SM	16" x 30" x 3-1/2"	3	MS-330
127-SM	127PE-SM	127BV-SM	18" x 24" x 3-1/2"	3	MS-324
129-SM	129PE-SM	129BV-SM	16" x 36" x 3-1/2"	4	MS-336
131-SM	131PE-SM	131BV-SM	18" x 36" x 3-1/2"	4	MS-336
133-SM	133PE-SM	133BV-SM	18" x 42" x 3-1/2"	5	MS-342
135-SM	135PE-SM	135BV-SM	18" x 52" x 3-1/2"	7	MS-352

Flush Mounted

Stainless Steel Framed	Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h	Glass Shelves	Wall Opening w x h x d
121	121PE	121BV	13-1/2" x 36"	3	12-3/8" x 34-1/4" x 3-1/4"
123	123PE	123BV	16" x 22"	2	14-7/8" x 20-1/4" x 3-1/4"
125	125PE	125BV	16" x 26"	3	14-7/8" x 24-1/4" x 3-1/4"
126	126PE	126BV	16" x 30"	3	14-7/8" x 28-1/4" x 3-1/4"
127	127PE	127BV	18" x 24"	3	16-7/8" x 22-1/4" x 3-1/4"
129	129PE	129BV	16" x 36"	4	14-7/8" x 34-1/4" x 3-1/4"
131	131PE	131BV	18" x 36"	4	16-7/8" x 34-1/4" x 3-1/4"
133	133PE	133BV	18" x 42"	5	16-7/8" x 40-1/4" x 3-1/4"
135	135PE	135BV	18" x 52"	7	16-7/8" x 50-1/4" x 3-1/4"

Partially Recessed

Stainless Steel Framed	Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h x d	Glass Shelves	Wall Opening w x h x d
121-PR	121PE-PR	121BV-PR	13-1/2" x 36" x 1-1/8"	3	12-3/8" x 34-1/4" x 2"
123-PR	123PE-PR	123BV-PR	16" x 22" x 1-1/8"	2	14-7/8" x 20-1/4" x 2"
125-PR	125PE-PR	125BV-PR	16" x 26" x 1-1/8"	3	14-7/8" x 24-1/4" x 2"
126-PR	126PE-PR	126BV-PR	16" x 30" x 1-1/8"	3	14-7/8" x 28-1/4" x 2"
127-PR	127PE-PR	127BV-PR	18" x 24" x 1-1/8"	3	16-7/8" x 22-1/4" x 2"
129-PR	129PE-PR	129BV-PR	16" x 36" x 1-1/8"	4	14-7/8" x 34-1/4" x 2"
131-PR	131PE-PR	131BV-PR	18" x 36" x 1-1/8"	4	16-7/8" x 34-1/4" x 2"
133-PR	133PE-PR	133BV-PR	18" x 42" x 1-1/8"	5	16-7/8" x 40-1/4" x 2"
135-PR	135PE-PR	135BV-PR	18" x 52" x 1-1/8"	7	16-7/8" x 50-1/4" x 2"

Euroline II

Features: A contemporary design for a clean sleek look. This series features a mirror mounted in the interior of the cabinet. European style door hinges allow the door to pivot over the body of the cabinet to provide the option for tandem installation of multiple cabinets or a combination of cabinets and wall mirrors. The mirror door operates with a touch latch magnet to open and close the door. Cabinets can be inverted in the field for right or left door swing. Surface mounted cabinets can be ordered with optional mirrored sides as listed.

Specifications: Euroline Medicine Cabinets are fabricated with 20 gauge white baked enamel steel bodies and doors.

Mirrors/Doors: Polished edge 3/16" first quality plate glass mirror. Doors are mounted on european style cabinet hinges.

Shelves: 1/4" adjustable glass shelves mounting on locking adjustable aluminum shelf clips.

Options: Mirrored side kits are fabricated of 1/8" polished edge mirror for surface mounted units only.



Model: 126PE-MI shown above

Surface Mounted Polished Edge Mirror – Mirror Interior

Model Number	Overall Size w x h x d	Glass Shelves	Add for Optional Mirrored Sides
126PE-MI-SM	16" x 30" x 3-1/2"	3	MS-330
131PE-MI-SM	18" x 36" x 3-1/2"	4	MS-336


Flush Mounted Polished Edge Mirror – Mirror Interior

Model Number	Overall Size w x h	Glass Shelves	Wall Opening w x h x d
126PE-MI	16" x 30"	3	14-7/8" x 28-1/4" x 3-1/4"
131PE-MI	18" x 36"	4	16-7/8" x 34-1/4" x 3-1/4"

Mirror Kits

Features: 1/8" Polished Edge Mirror Kit for side wall application. Installs with vinyl glazing tape. For use on Euroline & Triview Series.

Model Number	Overall Size w x h	Application
MS-322	3" x 22"	Euroline Surface Mounted
MS-324	3" x 24"	Euroline Surface Mounted
MS-326	3" x 26"	Euroline Surface Mounted
MS-336	3" x 36"	Euroline Surface Mounted
MS-342	3" x 42"	Euroline Surface Mounted
MS-352	3" x 52"	Euroline Surface Mounted
MS-430	4" x 30"	Surface Mounted Tri View
MS-436	4" x 36"	Surface Mounted Tri View



Stainless Steel Medicine Cabinet with Lock

Features: A pin hinge door construction. Door operates with a keyed lock. Fixed metal shelves are provided with the same gauge and finish as the cabinet body.

Specifications: Stainless Steel Medicine Cabinets are fabricated of 22 gauge stainless steel, type SUS430 in a satin stainless steel finish.

Mirrors/Doors: Frosted safety glass - 915K.
Mirrored front with Stainless Steel Frame - 715SK/715K.

Shelves: Fixed stainless steel shelf.



Model: 715SK shown left



Model: 715K shown above



Model: 915K shown above


Model Number	Overall Size w x h x d	Stainless Shelves
915K	9-7/8" x 15-3/4" x 4-5/16"	1
715SK	9-7/8" x 15-3/4" x 4-5/16"	1
715K	9-7/8" x 15-3/4" x 4-5/16"	1

Lockable Medicine/Storage Cabinet


Features: For use alone or inserted in a medicine cabinet, this box is designed for security purposes. Ideal for use in assisted living facilities, nursing homes, hospitals or homes to secure medication. Keyed alike or differently, specify when ordering.

Specifications: Fabricated of heavy-duty 20 gauge steel with a rust resistant white baked enamel finish. Door mounted on a full length piano hinge with a stainless steel cam and lock assembly.

Model Number	Overall Size w x h x d	Options
LB-3	13" x 5" x 3-1/2"	Keyed alike
LB-3D	13" x 5" x 3-1/2"	Keyed different



LB-3 Freestanding (Open)



LB-3 Freestanding (Closed)

LOCKABLE Series

Premier LED

Features: Brushed Aluminum Medicine Cabinet, mirror behind door and interior. Adjustable glass shelves. Superior aluminum inner door core. Door features polished edge mirror with slotted finger pull on the underside.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted heavy duty cabinet hinges

Shelves: Adjustable glass shelves on locking shelf secure locking shelf clips

Mounting: Can be surface mounted with the addition of mirror kits included

Lighting: Integral hardwired LED Lighting



Model AL-2026PE-LED shown above



Model ALD-2625PE-LED shown above



Model ALTV-3128PE-LED shown above

Aluminum Single Door - LED- Surface Mounted & Recessed

Model	Overall Size w x h x d	Shelves	Wall Opening w x h x d
AL-2026PE-LED	19-45/64" x 25-39/64" x 5-1/4"	2	19-19/64" x 24-47/64" x 4-7/64"

Aluminum Dual Door - LED- Surface Mounted & Recessed

Model	Overall Size w x h x d	Shelves	Wall Opening w x h x d
ALD-2625PE-LED	26" x 25-39/64" x 5-1/4"	2	25-19/32" x 24-47/64" x 4-7/64"

Aluminum Tri-View - LED- Surface Mounted & Recessed

Model	Overall Size w x h x d	Shelves	Wall Opening w x h x d
ALTV-3128PE-LED	31-1/2" x 27-9/16" x 5-1/4"	2	31-7/64" x 26-45/64" x 4-7/64"

Hardware provided for both Recessed and Surface Mounted installation

Premier Aluminum

Features: Brushed Aluminum Medicine Cabinet, mirror behind door and interior. Adjustable glass shelves. Mirrored interior behind shelves for a modern look. Door features slotted finger pull on the underside. Cabinets can be inverted in the field for right or left door swing.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted heavy duty cabinet hinges.

Shelves: Adjustable glass shelves on locking shelf secure locking shelf clips.

Mounting: Can be surface mounted with the addition of mirror kits included.

Model AL-1630PE shown right

Aluminum Single Door


Model	Overall Size w x h x d	Shelves	Wall Opening w x h x d	Mirror Options
AL-1630PE	16" x 30" x 5-1/4"	3	15-11/16" x 29-1/4" x 4-1/4"	Polished Edge
AL-2026PE	20" x 26" x 5-1/4"	3	19-11/16" x 25-1/4" x 4-1/4"	Polished Edge
AL-2436PE	24" x 36" x 5-1/4"	4	23-11/16" x 35-1/4" x 4-1/4"	Polished Edge
AL-1630BV	16" x 30" x 5-1/4"	3	15-11/16" x 29-1/4" x 4-1/4"	Beveled Edge
AL-2026BV	20" x 26" x 5-1/4"	3	19-11/16" x 25-1/4" x 4-1/4"	Beveled Edge
AL-2436BV	24" x 36" x 5-1/4"	4	23-11/16" x 35-1/4" x 4-1/4"	Beveled Edge



Model AL-1630PE shown above (Open)



Model ALD-2625PE shown above (Open)



Model ALD-2625PE shown above

Aluminum Polished Edge Dual Door

Model	Overall Size w x h x d	Shelves	Wall Opening w x h x d
ALD-2625PE	26" x 25-19/32" x 5-1/4"	2	25-19/32" x 24-47/64" x 4-1/8"
ALD-3128PE	31-1/2" x 27-9/16" x 5-1/4"	2	31-1/8" x 26-45/64" x 4-1/8"

Model ALTV-2625PE
shown right



Model ALTV-2625PE
shown left (Open)

Aluminum Polished Edge Tri View

Model	Overall Size w x h x d	Shelves	Wall Opening w x h x d
ALTV - 2625PE	26" x 25-39/64" x 5-1/4"	2	25-19/32" x 24-47/64" x 4-7/64"
ALTV - 3128PE	31-1/2" x 27-9/16" x 5-1/4"	3	31-7/64" x 26-45/64" x 4-7/64"
ALTV - 3625PE	35-7/16" x 25-39/64" x 5-1/4"	2	35" x 24-45/64" x 4-7/64"

Hardware provided for both Recessed and Surface Mounted installation

Round Corner

Features: Doors mounted on a continuous full-length piano hinge in a rounded corner frame, with a bar door stop. Specify right or left swing when ordering. Ideal design to meet HUD housing and federal specifications.



Model: 105RSWT shown above closed view

Specifications: Rounded Corner Series Medicine Cabinets are fabricated with 20 gauge white baked enamel steel bodies and doors.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on a full length piano hinge equipped with a magnetic door hatch.

Shelves: Adjustable acrylic shelves mounting on locking adjustable aluminum shelf clips.

Round Corner Stainless Steel Frame	Overall Size w x h x d	Acrylic Shelves	Wall Opening w x h x d
105RSWT	16" x 22" x 5"	3	N/A
105RSWT-HC	16" x 28" x 5"	3	N/A
105RSWT-REC	16" x 22"	3	14" x 18" x 3"

Specify RH for right hand swing

Specify LH for left hand swing

*Note: 105RSWT-REC is reversible



Model: 105RSWT-RH shown right open view

Sliding Door Medicine Cabinets

Specifications: Sliding polished edge mirror doors on an integral track system.

Body: Fabricated of heavy-duty 26 gauge galvanized steel in a white baked enamel finish, cabinet is trimmed in a high polished stainless.

Mirrors/Doors: Two electro copper plated 1/8" polished edge plate sliding mirror doors with handles, set on an integral track system for easy sliding.

Lighting Features - SDL-2419: Features a light fixture with acrylic light diffuser. Cabinet body tapers from 7 1/4" at the top to 4 3/4" for this model only. Features a hardwired standard G25 base. (Bulbs not included)

Lighting Features - SDL-2419-LED: Features integral hardwired LED lighting included.



Model: SDL-2419 shown above

Sliding Door

Model Number	Overall Size w x h x d	Shelves	Wall Opening w x h x d
SD-2420	24" x 20" x 4"	1	N/A
SD-2420R	24" x 20"	1	23" x 18" x 3-1/2"

Sliding Door with Light

Model Number	Overall Size w x h x d	Shelves	Wall Opening w x h x d
SDL-2419	24" x 19-3/8" x 7-1/4"	1	N/A
SDL-2419-LED	24" x 19-3/8" x 7-1/4"	1	N/A

SLIDING DOOR Series

Stainless Steel Cabinet/Mirror Combo With Shelf & Light

Features: Pan door construction for inset european hinge design. Door operates without the use of magnetic closure, this hinging arrangement allows for six way door adjustment. The cabinets are equipped with rubber door silencer pads. Fixed interior metal shelves are provided with the same gauge and finish as the cabinet body. LED light fixture and accessory shelf provided.

Specifications: Stainless steel medicine cabinets are fabricated of 22 gauge stainless steel, type SUS430 in a high polished mirror finish.

Mirrors/Doors: 1/8" polished edge first quality mirror. Pan doors are 3/4" thick and equipped with rubber door silencers, and european style hinges to allow six way adjustment.

Shelves: Two interior Fixed stainless steel shelves per cabinet.

Lighting: Features hardwired LED integral lighting.



Model 3528L shown above



Model 3928L shown above



Model 2328L shown above

Model Number	Overall Size w x h x d	Cabinet Size w x h x d	Mirror Size w x h
2328L	23-5/8" x 28-3/4" x 5-1/8"	9-7/8" x 26-7/16" x 4-3/4"	13-3/4" x 26-7/16"
3528L	35-7/16" x 28-3/4" x 5-1/8"	11-13/16" x 26-7/16" x 4-3/4"	23-5/8" x 26-7/16"
3928L	39-7/16" x 28-3/4" x 5-1/8"	9-7/8" x 26-7/16" x 4-3/4"	19-7/16" x 26-7/16"

Stainless Steel Surface Mounted Single Door

Features: Pan door construction for inset european hinge design. The cabinets are equipped with rubber door silencer pads. Fixed metal shelves are provided with the same gauge and finish as the cabinet body.

Specifications: Stainless Steel Medicine Cabinets are fabricated of 22 gauge stainless steel, available in polished or satin finish.

Mirrors/Doors: 1/8" polished edge first quality mirror. Pan doors are 3/4" thick and equipped with rubber door silencers, and european style hinges to allow six way adjustment. Doors are hinged on the left.

Interior Shelves: Fixed stainless steel shelves

Exterior Shelf: Suspended exterior tempered glass shelf with a polished edge.

Polished Edge Mirror	Overall Size w x h x d	Stainless Steel Shelves	Finish
1526	15" x 26-7/16" x 4-3/4"	2	Polished
1526-S	15" x 26-7/16" x 4-3/4"	2	Satin

Stainless Steel Single Door with Glass Shelf

Polished Edge Mirror	Overall Size w x h x d	Stainless Steel Shelves	Finish
1526-SH	15" x 26-7/16" x 4-3/4"	2	Satin



Model: 1526 shown above



Model: 1526 -SH shown above

Stainless Steel Corner Cabinet



Model: CMC-1333 shown above



Model: CMC-1333 (open) shown above

Features: Pan door construction for inset european hinge design. Door operates without the use of magnetic closure, this hinging arrangement allows for six way door adjustment. The cabinets are equipped with rubber door silencer pads. Fixed metal shelves are provided with the same gauge and finish as the cabinet body.

Specifications: Stainless steel medicine cabinets are fabricated of 22 gauge stainless steel, available in either polished or satin finish.

Mirrors/Doors: 1/8" polished edge first quality mirror. Pan doors are 3/4" thick and equipped with rubber door silencers, and european style hinges to allow six way adjustment. Doors are hinged on the left.

Interior Shelves: Fixed stainless steel shelves.

Polished Edge Mirror	Overall Size w x h x d	Stainless Steel Shelves	Stainless Steel Finish
CMC-1333	13-13/16" x 33-1/2" x 5-1/2"	2	Polished
CMC-1333-S	13-13/16" x 33-1/2" x 5-1/2"	2	Satin

Stainless Steel Dual Door

Features: Pan door construction for inset european hinge design. Door operates without the use of magnetic closure, this hinging arrangement allows for six way door adjustment. The cabinets are equipped with rubber door silencer pads. Fixed metal shelves are provided with the same gauge and finish as the cabinet body.

Specifications: Stainless Steel Medicine Cabinets are fabricated of 22 gauge stainless steel, available in polished or satin finish.

Mirrors/Doors: 1/8" polished edge first quality mirror. Pan doors are 3/4" thick and equipped with rubber door silencers, and european style hinges to allow six way adjustment.

Interior Shelves: Fixed stainless steel shelves.



Model: DD-2326 (open) shown above

Polished Edge Mirror	Overall Size w x h x d	Stainless Steel Shelves	Finish
DD-1926	19-11/16" x 26-7/16" x 4-3/4"	2	Polished
DD-1926-S	19-11/16" x 26-7/16" x 4-3/4"	2	Satin
DD-2326	23-5/8" x 26-7/16" x 4-3/4"	2	Polished
DD-2326-S	23-5/8" x 26-7/16" x 4-3/4"	2	Satin

Stainless Steel Dual Door with Shelf

Features: Pan door construction for inset european hinge design. Door operates without the use of magnetic closure, this hinging arrangement allows for six way door adjustment. The cabinets are equipped with rubber door silencer pads. Fixed metal shelves are provided with the same gauge and finish as the cabinet body.

Specifications: Stainless Steel Medicine Cabinets are fabricated of 22 gauge stainless steel, available in polished or satin finish.

Mirrors/Doors: 1/8" polished edge first quality mirror. Pan doors are 3/4" thick and equipped with rubber door silencers, and european style hinges to allow six way adjustment.

Interior Shelves: Fixed stainless steel shelves.

Exterior Shelf: Suspended exterior tempered glass shelf with a polished edge



Model: DD-1926-SH shown above

Polished Edge Mirror	Overall Size w x h x d	Stainless Steel Shelves
DD-1926-SH-S	19-11/16" x 26-7/16" x 4-3/4"	2

Stainless Steel Tri-View



Model: 3722 shown above

Polished Edge Mirror	Overall Size w x h x d	Stainless Steel Shelves	Finish
3722	37-7/16" x 22-7/8" x 4-3/4"	2	Polished
3722-S	37-7/16" x 22-7/8" x 4-3/4"	2	Satin

Stainless Steel Tri-View with Shelf

Features: Pan door construction for inset european hinge design. Door operates without the use of magnetic closure, this hinging arrangement allows for six way door adjustment. The cabinets are equipped with rubber door silencer pads. Fixed metal shelves are provided with the same gauge and finish as the cabinet body.

Specifications: Stainless Steel Medicine Cabinets are fabricated of 22 gauge stainless steel, available in polished or satin finish.

Mirrors/Doors: 1/8" polished edge first quality mirror. Pan doors are 3/4" thick and equipped with rubber door silencers, and european style hinges to allow six way adjustment.

Interior Shelves: Fixed stainless steel shelves.

Exterior Shelf: Suspended exterior tempered glass shelf with a polished edge



Model: 3722-SH shown above

Polished Edge Mirror	Overall Size w x h x d	Stainless Steel Shelves	Finish
3722-SH	37-7/16" x 22-7/8" x 4-3/4"	2	Polished
3722-SH-S	37-7/16" x 22-7/8" x 4-3/4"	2	Satin

Features: Pan door construction for inset european hinge design. Door operates without the use of magnetic closure, this hinging arrangement allows for six way door adjustment. The cabinets are equipped with rubber door silencer pads. Fixed metal shelves are provided with the same gauge and finish as the cabinet body.

Specifications: Stainless Steel Medicine Cabinets are fabricated of 22 gauge stainless steel, available in polished or satin finish.

Mirrors/Doors: 1/8" polished edge first quality mirror. Pan doors are 3/4" thick and equipped with rubber door silencers, and european style hinges to allow six way adjustment.

Interior Shelves: Fixed stainless steel shelves.



Model: SM-3630 shown above



Model: SM-3630 (open)
shown right

Tri-View

Features: A pan door construction for inset European hinge design. Door operates without the use of magnetic closure, this hinging arrangement allows for six way door adjustment. The cabinets are equipped with rubber door silencer pads. Fixed metal shelves are provided with the same gauge and finish as the cabinet body.

Specifications: Tri-View Cabinets are fabricated with 20 gauge white baked enamel steel bodies, doors and shelves.

Mirrors/Doors: 3/16" first quality plate glass. Pan doors are equipped with cabinet style hinges to allow six way adjustment. Door thickness is 3/4" on all models.



Polished Edge



Stainless Steel Trim



Beveled Edge

Surface Mounted

Surface mounted cabinets are 5-1/4" deep from face of mirror to the wall

Stainless Steel Trim	Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h x d	Fixed Metal Shelves	Optional Mirrored Sides
SM-2430	SM-2430PE	SM-2430BV	24" x 30" x 5-1/4"	3	MS-430
SM-3030	SM-3030PE	SM-3030BV	30" x 30" x 5-1/4"	3	MS-430
SM-3036	SM-3036PE	SM-3036BV	30" x 36" x 5-1/4"	3	MS-436
SM-3630	SM-3630PE	SM-3630BV	36" x 30" x 5-1/4"	4	MS-430
SM-3636	SM-3636PE	SM-3636BV	36" x 36" x 5-1/4"	4	MS-436
SM-4830	SM-4830PE	SM-4830BV	48" x 30" x 5-1/4"	3	MS-430
SM-4836	SM-4836PE	SM-4836BV	48" x 36" x 5-1/4"	4	MS-436
SM-6036	SM-6036PE	SM-6036BV	60" x 36" x 5-1/4"	4	MS-436

Fully Recessed

Fully recessed cabinets have a 3/4" projection from face of mirror to the wall

Stainless Steel Trim	Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h	Fixed Metal Shelves	Wall Opening w x h x d
R-2430	R-2430PE	R-2430BV	24" x 30"	3	21-3/4" x 28" x 3-1/4"
R-3030	R-3030PE	R-3030BV	30" x 30"	3	27-3/4" x 28" x 3-1/4"
R-3036	R-3036PE	R-3036BV	30" x 36"	3	27-3/4" x 34" x 3-1/4"
R-3630	R-3630PE	R-3630BV	36" x 30"	4	33-3/4" x 28" x 3-1/4"
R-3636	R-3636PE	R-3636BV	36" x 36"	4	33-3/4" x 34" x 3-1/4"
R-4830	R-4830PE	R-4830BV	48" x 30"	3	45-3/4" x 28" x 3-1/4"
R-4836	R-4836PE	R-4836BV	48" x 36"	4	45-3/4" x 34" x 3-1/4"
R-6036	R-6036PE	R-6036BV	60" x 36"	4	57-3/4" x 34" x 3-1/4"

Semi-Recessed*

Semi-recessed cabinets have a 1-3/4" projection from face of mirror to the wall

Stainless Steel Trim	Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h x d	Fixed Metal Shelves	Wall Opening w x h x d
SR-2430	SR-2430PE	SR-2430BV	24" x 30" x 1-3/4"	3	23-3/4" x 29-1/2" x 3"
SR-3030	SR-3030PE	SR-3030BV	30" x 30" x 1-3/4"	3	29-3/4" x 29-1/2" x 3"
SR-3036	SR-3036PE	SR-3036BV	30" x 36" x 1-3/4"	3	28-3/4" x 34-1/2" x 3"
SR-3630	SR-3630PE	SR-3630BV	36" x 30" x 1-3/4"	4	35-3/4" x 29-1/2" x 3"
SR-3636	SR-3636PE	SR-3636BV	36" x 36" x 1-3/4"	4	35-3/4" x 35-1/2" x 3"
SR-4830	SR-4830PE	SR-4830BV	48" x 30" x 1-3/4"	3	47-3/4" x 29-1/2" x 3"
SR-4836	SR-4836PE	SR-4836BV	48" x 36" x 1-3/4"	4	47-3/4" x 35-1/2" x 3"
SR-6036	SR-6036PE	SR-6036BV	60" x 36" x 1-3/4"	4	59-3/4" x 35-1/2" x 3"

Available through special order only

Tri-View with Light

Features: A pan door construction for inset european hinge design. Door operates without the use of magnetic closure, this hinging arrangement allows for six way door adjustment. The cabinets are equipped with rubber door silencer pads. Fixed metal shelves are provided with the same gauge and finish. Overall 5-1/4" deep from face of mirror to wall.

Specifications: Tri-View Cabinets are fabricated with 20 gauge white baked enamel steel bodies, doors and shelves.

Mirrors/Doors: 3/16" first quality plate glass. Pan doors are equipped with cabinet style hinges to allow six way adjustment. Door thickness is 3/4" on all models.

Lighting Features: Light strip is fabricated of 20 gauge steel and chrome plated to a high mirror finish. Fixtures are U.L. listed and hardwired directly into the wall. G25 bulbs are recommended but not included.

Additional size available for large quantities.



Model: SM-L-3630 PE shown above

Surface Mounted

Polished Edge Mirror	Overall Size with light w x h x d	Mirrored Door Size w x h	Metal Shelves	Number of Bulbs
SM-L-2430PE	24" x 34" x 5-1/4"	24" x 30"	3	4
SM-L-3030PE	30" x 34" x 5-1/4"	30" x 30"	3	5
SM-L-3630PE	36" x 34" x 5-1/4"	36" x 30"	3	5
SM-L-4830PE	48" x 34" x 5-1/4"	48" x 30"	3	6

Fixed Tilt Accessible Mirror

Stainless Steel

Features: Heavy duty satin stainless steel mirror for use in accessible applications. Ideal for commercial or public restrooms.

Specifications: 20 gauge type 304 heavy gauge stainless steel with satin finish. 3/16" number one quality electrocopper plated plate glass mirror. Galvanized steel backplate, fully welded and smooth edges for a seamless finish. Four slotted mounting holes complete with hardware with integral screw head lock. Mirror frame tapers from 4" tilt on top of mirror to 1".

Satin Finish Steel Framed	Overall Size w x h
FTM-1630	16" x 30"
FTM-1824	18" x 24"
FTM-1836	18" x 36"
FTM-2430	24" x 30"
FTM-2436	24" x 36"



Model: FTM-2430 shown above
(stainless steel finish)

White Enamel

Features: A white baked enamel frame mirror for use in accessible restrooms. Perfect for nursing homes, assisted living facilities or private residences.

Specifications: 20 gauge steel finished in a white baked enamel finish. 3/16" number one quality electrocopper plated plate glass mirror. Galvanized steel backplate, fully welded and smooth edges for a seamless finish. Four slotted mounting holes complete with hardware with integral screw head lock. Mirror frame tapers from 4" tilt on top of mirror to 1".

White Painted Steel Framed	Overall Size w x h
WTM-1630	16" x 30"
WTM-1830	18" x 30"



Model: WTM-1630 shown above
(white enamel finish)


Wall Mount Stainless Steel Mirror

Features: High polished stainless steel for a reflective mirror surface, ideal for institutional, penal or highly vandalized areas.

Specifications: Type 430, 20 gauge stainless steel with bright annealed finish for use in high traffic areas.

Note: Stainless Steel Mirrors reflect images in different quality than glass mirror. A slight distortion is an inherent characteristic of stainless steel.

Model Number	Overall Size w x h
SSF-1014	10" x 14"
SSF-1620	16" x 20"
SSF-1630	16" x 30"
SSF-1824	18" x 24"
SSF-1836	18" x 36"
SSF-2430	24" x 30"
SSF-2436	24" x 36"



Model: SSF-1014 shown above

Adjustable Tilt Stainless Steel Accessible Mirror

Features: Stainless steel channel framed mirror with adjustable tilt for accessibility.

Specifications: 20 gauge type 304 heavy gauge stainless steel with satin finish. 3/16" number one quality electrocopper plated plate glass mirror. Galvanized steel backplate, fully welded and smooth edges for a seamless finish. Mounted on a full length piano hinge across the bottom edge of unit, with two heavy duty self locking support brackets.

Model Number	Overall Size w x h
ATM-1630	16" x 30"
ATM-1824	18" x 24"
ATM-1836	18" x 36"
ATM-2430	24" x 30"
ATM-2436	24" x 36"



Model: ATM-1630 (tilted down)
shown right



Model: ATM-1630 shown above

MIRROR Series




Model: TPM-1622 shown above

Theft Proof Washroom Mirrors

Features: Theft resistant channel framed mirror. Ideal for schools, hospitals or any other restroom.

Specifications: Stainless Steel Channel Framed Mirror 1/2" rolled formed channel frame with mitered corners. 3/16" thick electrolytic copper plated mirror, galvanized pre-plated sheet steel with slotted hole mounting.

Model Number	Overall Size w x h
TPM-1622	16" x 22"
TPM-1824	18" x 24"
TPM-1830	18" x 30"
TPM-1836	18" x 36"
TPM-2436	24" x 36"



Model: TPMA-1622 shown above

Shatter Resistant Theft Proof Washroom Mirrors

Features: Shatter resistant acrylic mirror mounted in a theft resistant channel frame. Ideal for schools, public restrooms and high use restrooms.

Specifications: Stainless Steel Channel Framed Mirror 1/2" rolled formed channel frame with mitered corners. 1/8" thick shatter resistant acrylic mirror. Heavy duty galvanized steel backplate welded in place, four slotted locking mounting holes for theft proof mounting.

Model Number	Overall Size w x h
TPMA-1622	16" x 22"
TPMA-1824	18" x 24"
TPMA-1830	18" x 30"



Product Care

At Ketcham we want your medicine cabinet to maintain the same beauty and functionality as the day it was installed. Following these cleaning instructions and using the approved cleaning solutions will keep your Ketcham Medicine Cabinet bright and beautiful throughout its lifetime

The following cleaning solutions are recommended to clean your medicine cabinet mirror. Apply the solution to a soft, clean microfiber cloth first this will prevent spillover onto the mirror edges or back of the mirror. This will prevent premature mirror corrosion.

Acceptable Cleaning Solutions:

- Vinegar-water solutions (less than 5% vinegar).
- Ammonia-water solutions (less than 5% ammonia based). This solution is only to be used if they do not contain ANY alkali, as this will cause mirror spoilage.
- Alcohol based solutions (less than 5% ethyl, methyl or rubbing alcohol solution).

DO NOT clean your medicine cabinet mirror with any knives, scrapers, emery cloth, scouring sponges or any abrasive materials. DO NOT use alkali or acid cleaning solutions, as this will severely damage the medicine cabinet mirror.

Ketcham Quality Guarantee

At Ketcham we produce quality products, as such we stand behind our entire line. Please read below for our Ketcham Quality Guarantee.

Ketcham products are guaranteed to be free of manufacturing defects from one year after date of purchase. Any products returned under this guarantee will be repaired or replaced at no charge. Ketcham does not assume any liability for labor to remove or replace any products.

This warranty DOES NOT cover any products that have been subject to misuse, accident, negligence, improper repair/maintenance, or faulty installation.

Mirrors are guaranteed against silver spoilage for a period of 5 years after purchase date providing the product care instructions have been implemented.



Toll Free: **877-MY-KETCHAM** (877-695-3824)

Phone: **631-615-6151** • Fax: **631-615-6155**

www.mirrorsandcabinets.com