


The name of stainless steel products

2018 GENERAL PRODUCT GUIDE



Shower Channels Towelrails Floor Drains
Balcony Drain WallLine SlimLine
Finishing Profile Decorative Profiles

A photograph of a modern shower stall. The shower floor is covered in a black grid drain. A tall, white, textured vase with green grass is placed on the floor outside the shower. The shower walls are made of dark, reflective panels. A semi-transparent dark grey box with white text is overlaid on the left side of the image.

High standards in the shower

HIGHLINE HDK




Different expectations, professional
solutions

HIGHLINE PDK

Evimetal shower channels

Zero-surface shower solutions

Evimetal shower solutions for floor-drain systems are not only elegant and pure in design but also functional in use. Solid bodies with steel tanks that are compatible with 9 different cover plates and 7 different colour alternatives offer you more than 100 options for shower channels.



Designed for maximum hygiene

Zero-surface shower channels include spiral hair&dirt traps that are easily removed and cleaned for reuse. Highly satisfying the expectations of hygiene-oriented users.



Highly durable

Steel-tank constructions having solid bodies serve for long-lasting usage.



Desired height

Thanks to the 'gradual height adjustment set' patented by Evimetal; no more alignment problems of height and elevation differences occur during installation.



Details in design

Optionally offered 'Linearis inclination system' prevents pondings in the shower areas. Fouling of ceramic joints caused by elevation differences is avoided resulting in perfect finish and clean look.



Perfect match for new constructions and renovation projects

Evimetal shower drains with highly qualified features satisfy variety of needs. With its different dimension, colour and trap options; Evimetal offers more than what's expected for new constructions, renovation projects and even with limited spaces. You may also choose among many cover plate alternatives compatible with your own tiles and create harmony in your bathrooms.

30



40




50




60



70



80



90




Cover options on how they look:




MASSIVE Framed Cover

Cover with 3 mm thickness offer solid, wide, unique and perfect appearance.




NOMINA Hidden Cover (unframed)


NATURA cover can be used with each of your desired covering materials. This provides harmony in the showering areas. Drain bodies are nearly invisible as if never existed.



CDK NOVA Metal Cover (unframed)

NOVA cover is practical in use with its plain, elegant look and easy installation.







PDK NOVA / NATURA

Framed Cover

NOVA



NOVA cover with its metallic look can be flipped horizontally and turned into NATURA cover plate. You may apply your choice of covering material inside and continue to maintain integrity as well as elegance in your bathroom.

NATURA



ZETA

PERFORATED COVER

Perforated covers are manufactured based on Special Projects. If requested, please contact us and submit your Project's technical information.



GREKA

AQUA

QUADRA

Evimetal offers innovative ideas for shower channels

Individual architectural touch

Solid body with steel housing is compatible with 9 different cover plates, 5 different trap choices and therefore offers more than 100 options for you. The best solutions for your high end bathrooms can be selected from various options well-thought for every single detail by individual architectural approach based on your needs.




Massive



PDK Nova



CDK Nova



Greka



Nomina



PDK Natura



Zeta



Aqua



Quadra



Steel housing



Styrofoam height
adjustment set



Cover Options

Drain Body

Can be produced as compatible
with double trap drains based
on Project.



Side outlet H:60 mm



Odourless S type
trap 42 l/min

Side outlet H:80 mm



Odourless S type
trap 60 l/min

Vertical outlet H:50 mm



Odourless S type
trap 48 l/min

Trap Options

Vertical outlet H:50 mm



66 l/min


Side outlet H:60 mm



66 l/min

Technical Information


Application Details




- Coating material
- Levelling concrete
- Isolation segment
- Concrete-in-tiling
- Adhesive

Assembly scheme

Steel housing




- Protective cover styrofoam Y.STR.6.30
- Spiral hair holder Y.8084
- Steel body H.8025.8080
- Styrofoam height adjustment set Y.8029




L : 300mm | 400mm | 500mm | 600mm | 700mm | 800mm | 900mm


CDK COVER PLATE



PDK COVER



HDK COVER



Technical Details

Traps


Side outlet
H:80 mm

Odourless S type
trap 60 l/min



SS. 8081

50 mm
water seal




Side outlet
H:60 mm

Odourless S type
trap 42 l/min



SS. 8082

30 mm
water seal




Vertical outlet
H:50 mm

Odourless S type
trap 48 l/min



SS. 8086

32 mm
water seal




Vertical outlet
H: 50 mm

No S type
66 l/min



SS. 8130




Side outlet
H:60 mm

No S type
66 l/min



SS. 8135



Product Information

Covers

HDK MASSIVE



30	HDK.2000.30.1.S.I	0,95 KG	3x10x30 cm
40	HDK.2000.40.1.S.I	1.30 KG	3x10x40 cm
50	HDK.2000.50.1.S.I	1.65 KG	3x10x50 cm
60	HDK.2000.60.1.S.I	1.90 KG	3x10x60 cm
70	HDK.2000.70.1.S.I	2.20 KG	3x10x70 cm
80	HDK.2000.80.1.S.I	2.50 KG	3x10x80 cm
90	HDK.2000.90.1.S.I	2.75 KG	3x10x90 cm

CDK NOVA



30	CDK.1050.30.1.S.I	0.27 KG	3x7x30 cm
40	CDK.1050.40.1.S.I	0.35 KG	3x7x40 cm
50	CDK.1050.50.1.S.I	0.44 KG	3x7x50 cm
60	CDK.1050.60.1.S.I	0.53 KG	3x7x60 cm
70	CDK.1050.70.1.S.I	0.61 KG	3x7x70 cm
80	CDK.1050.80.1.S.I	0.70 KG	3x7x80 cm
90	CDK.1050.90.1.S.I	0.78 KG	3x7x90 cm

GREKA

Manufactured only for projects.



30	PDK.1060.30.1.S.I	0.46 KG	3x7x30 cm
40	PDK.1060.40.1.S.I	0.67 KG	3x7x40 cm
50	PDK.1060.50.1.S.I	0.83 KG	3x7x50 cm
60	PDK.1060.60.1.S.I	1.00 KG	3x7x60 cm
70	PDK.1060.70.1.S.I	1.17 KG	3x7x70 cm
80	PDK.1060.80.1.S.I	1.37 KG	3x7x80 cm
90	PDK.1060.90.1.S.I	1.50 KG	3x7x90 cm

PDK NOVA / NATURA

Cover can be used for both sides.



30	PDK.1050.30.1.S.I	0.46 KG	3x7x30 cm
40	PDK.1050.40.1.S.I	0.61 KG	3x7x40 cm
50	PDK.1050.50.1.S.I	0.76 KG	3x7x50 cm
60	PDK.1050.60.1.S.I	0.92 KG	3x7x60 cm
70	PDK.1050.70.1.S.I	1.07 KG	3x7x70 cm
80	PDK.1050.80.1.S.I	1.22 KG	3x7x80 cm
90	PDK.1050.90.1.S.I	1.38 KG	3x7x90 cm

NOMINA



30	CDK.1053.30.1.S.I	0.23 KG	3x7x30 cm
40	CDK.1053.40.1.S.I	0.33 KG	3x7x40 cm
50	CDK.1053.50.1.S.I	0.42 KG	3x7x50 cm
60	CDK.1053.60.1.S.I	0.52 KG	3x7x60 cm
70	CDK.1053.70.1.S.I	0.61 KG	3x7x70 cm
80	CDK.1053.80.1.S.I	0.71 KG	3x7x80 cm
90	CDK.1053.90.1.S.I	0.80 KG	3x7x90 cm

ZETA

Manufactured only for projects.



30	PDK.1020.30.1.S.I	0.46 KG	3x7x30 cm
40	PDK.1020.40.1.S.I	0.61 KG	3x7x40 cm
50	PDK.1020.50.1.S.I	0.76 KG	3x7x50 cm
60	PDK.1020.60.1.S.I	0.90 KG	3x7x60 cm
70	PDK.1020.70.1.S.I	1.05 KG	3x7x70 cm
80	PDK.1020.80.1.S.I	1.20 KG	3x7x80 cm
90	PDK.1020.90.1.S.I	1.33 KG	3x7x90 cm

Product Information

Covers

AQUA

Manufactured only for projects.



30	PDK.1080.30.1.S.I	0.46 KG	3x7x30 cm
40	PDK.1080.40.1.S.I	0.61 KG	3x7x40 cm
50	PDK.1080.50.1.S.I	0.76 KG	3x7x50 cm
60	PDK.1080.60.1.S.I	0.92 KG	3x7x60 cm
70	PDK.1080.70.1.S.I	1.07 KG	3x7x70 cm
80	PDK.1080.80.1.S.I	1.22 KG	3x7x80 cm
90	PDK.1080.90.1.S.I	1.38 KG	3x7x90 cm

QUADRA

Manufactured only for projects.



30	PDK.1081.30.1.S.I	0.39 KG	3x7x30 cm
40	PDK.1081.40.1.S.I	0.59 KG	3x7x40 cm
50	PDK.1081.50.1.S.I	0.75 KG	3x7x50 cm
60	PDK.1081.60.1.S.I	0.89 KG	3x7x60 cm
70	PDK.1081.70.1.S.I	1.04 KG	3x7x70 cm
80	PDK.1081.80.1.S.I	1.19 KG	3x7x80 cm
90	PDK.1081.90.1.S.I	1.34 KG	3x7x90 cm

Color Options



Satine 1 . S . I

Color Options for Projects



Super Mirror 2.S.M



Anthracite 9.S.A



Satine gold 4.S.G



Mirror gold 3.M.G



Satine bronze 7.S.B

Steel Drain Body



30	HS.8080.30	0.80 KG	7X15X43 cm
40	HS.8080.40	1.02 KG	7X15X53 cm
50	HS.8080.50	1.20 KG	7X15X63 cm
60	HS.8080.60	1.40 KG	7X15X73 cm
70	HS.8080.70	1.60 KG	7X15X83 cm
80	HS.8080.80	1.80 KG	7X15X93 cm
90	HS.8080.90	2.00 KG	7X15X103 cm

Trap Options



SS. 8081	0.38 KG	9x16x36 cm
----------	---------	------------



SS. 8082	0.24 KG	7x13x31 cm
----------	---------	------------



SS. 8086	0.23 KG	13x13x20 cm
----------	---------	-------------



SS. 8130	0.9 KG	10x10x12 cm
----------	--------	-------------



SS. 8135	0.14 KG	7x13x20 cm
----------	---------	------------

SALES CONDITIONS

General Conditions

1-Sales Conditions

General sales conditions here are valid for all offers and sales agreements that are made by Evimetal Inox Yapı Ürünleri (hereinafter referred to as Evimetal). Customer's different purchase conditions shall be effective after the written consent of Evimetal.

2-Payments and Prices

If it is necessary, Evimetal may demand payment for all or a part of the cost along with the order. VAT is not included in prices and prices may be changed without any notice. Evimetal has the right to demand delay interest for delinquent bills. Delay interest to be demanded shall not be above legal rates. As a result of increases in items such as raw materials, labor force and energy, Evimetal has the right to change prices in its price offer. Exchange rate is calculated according to the selling rate of central bank in the date of the bill. Prices in the sales offer and discounts, if any, are valid for the specified date and right of change is reserved.

3-Changes in Orders and Amounts

Orders must be given via fax or in written with e-mail. Product code, amendment request, shipment address and information of person who will receive the product must be precisely written. In special productions, as a result of the structure of manufacturing process, +/- differences may occur in production amounts. Evimetal and its customer accept these differences that may arise at reasonable levels in advance. Evimetal may demand additional operation cost for orders under the amounts in price lists.

4-Shipments, Risks and Cancels

Shipment date of order, specified by Evimetal, shall not be seen as guarantee and must be considered an approximate and estimated date. Evimetal shall not be responsible for risks that may arise from delays as a result of strikes-shut outs, commercial disputes, machine faults, government interventions, natural disasters and other force majeure that is not listed here; and if Evimetal is forced to cancel it, customer shall be liable to pay the cost of the above mentioned product. Customer may cancel the order as a result of delays in delivery date arising from Evimetal however customer shall not demand compensation. All prices of the Evimetal, which are listed, are Evimetal ex-works and shipment costs belong to the buyer. Even if shipment of products, which are sent to the customer from Evimetal's warehouse, belongs to Evimetal, shipment risk belongs to the buyer. Customer shall check the product before accepting it and if there is any damage resulting from shipment (faults in the box, opening vs.), customer shall not accept the product and demand product cost from transport company.

5-Quality, Conformity and Responsibility Exceptions

Customer shall always control if the products he provides from Evimetal are conforms to the intended use. Evimetal guarantees that the products it provides are free of damage. Besides, customer accepts in advance that there may be slight differences in colors, appearance and sizes. All possible defects, damages or feature deficiencies must be reported to Evimetal before the assembly, within 7 days after the product is delivered. After this period Evimetal's responsibility shall only be for unseen defects. Evimetal's decision against proven defects is certain and unchangeable. In case there is a defect in products provided by Evimetal, Evimetal shall have the responsibility to change its products with their new or return the product price to its customer. This responsibility shall not be above the payment that is made by the customer for the order. Even if it is mentioned in current laws directly or indirectly; Evimetal shall not be held responsible for damages, personal injuries or deaths that may occur during the usage of the products provided by Evimetal.

6-Returns

Evimetal shall not accept the return of any product that is sold without written approval. Evimetal is free to accept or reject the return. Return of products with special sizes and content, which are produced according to the demand of the customer, is not possible. Shipment risks of products, whose return is approved by Evimetal, belong to the customer who returned the product. Only intact and unused products are within the scope of returns. When the product you returned is received by us, it is checked by the related department whether it is suitable to return conditions, or not. You must send the product with its invoice and its original package so that it is not damaged. Otherwise no product return shall be made. In case the product to be returned is defective, get information from your sales representative and send with the transport company that Evimetal has an agreement. Excluding Evimetal's faults, in all other causes of return transport cost belongs to the customer.

7-Operation Cost

In the shipments with original package, product may be damaged since courier company may stick their label or parcel tape on it and even if the product is delivered with all accessories and its invoice, operation cost is collected because the product will lose its sale ability and can not be sold again. Against operation cost, which will arise when products that are returned in direction of Evimetal's approval need to be stored again, Evimetal shall make out an invoice in the amount of 10%+VAT of the product cost.

8-Usage and Application

Evimetal has made necessary efforts and researches so that the information in the catalogue is correct regarding assembly, usage and technical aspects. Evimetal particularly indicates that it shall not be responsible for losses, damages and harms arising from the usage of explanations and technical information provided. User shall know that information in the catalogue are guiding and shall make the applications in this direction. Faults that may arise from the usage such as environmental conditions during the application and additional materials used shall not be acceptable.

9-Ownership of Products

Risk of the products shall be transferred to the customer with the delivery. Besides, even if the cost of products delivered to the customer is paid with check or bond, Evimetal shall maintain official ownership of the products until the entire price is collected. When customer receives the products, he accepts in advance that he is only the bailee of the products until he pays the all price and obtains ownership of the products. In case it is necessary, customer shall store these types of products apart from other products that are in his ownership.

10-Patent and Industrial Property Rights

All product designs, branding, packing and literature developed in line with these aspects are under patent and property of Evimetal, aforesaid rights shall not be transferred to the buyer as a result of the sale of the products.

11-Turkish Commercial Code applications

General Sales Conditions listed here are subject to general applications of Turkish Commercial Code.

This catalog is subject to copyrights. Evimetal has all the rights regarding the usage of pictures, statements and details. No part of this publication can be copied without permission of Evimetal. Breaches shall be subjected to legal actions.

