

## PROPER GUIDES IN USING THIS PRODUCT

### DEWART CREAM (wart control)

Natural Cauterizing Cream

DEWART CREAM is a natural cream preparation from herbal and fruit extracts. It effectively treats warts in the affected area. The cream penetrates and dissolves the skin growth with minimal discomfort.

#### Active Ingredients

*Anacardium occidentale*, L.

Aloe barbadensis

*Citrus Limon*

#### Purposes

Helps treat warts

Helps treat the affected area

Relieves burning pain

Also Contains: Glycyrine, Sodium Hydroxide, Talcum powder, Distilled water

#### CLINICAL PHARMACOLOGY:

The oil of cashew nut is a natural and effective remedy that safely treats skin growths. It also fights the harmful human Papilloma virus (HPV) that causes different types of warts including genital warts. The cashew nut oil rapidly penetrates and cauterizes the affected skin without the need for surgery or use of medical machineries. The *Natural Cauterizing Agent* seeks to treat and remove abnormal skin growth. If applied properly, it is effective in removing skin growths in single treatment application. A second application may be needed for skin growths greater than 10mm in circumference.

#### INDICATION:

##### **Uses:**

For the treatment of Warts, Common Warts, Plantar Warts, and Flat Warts.

##### **CONTRAINDICATION:**

Treatment of malignant or pre-malignant lesions. Hypersensitivity to any component in the formulation.

##### **WARNING:**

- **FOR EXTERNAL USE ONLY.** Use as directed. If you do not use DEWART CREAM exactly as these directions say to use it, it may cause serious burns, permanent scarring of the skin, or blindness.
- **This product is a powerful keratolytic and cauterant.** Restrict the use to affected skin areas, and may cause severe burning, inflammation or tenderness of the skin.
- **Avoid contact with eyes.** Contact with eyes may cause blindness. Do not rub or touch eyes with hands. If product gets into eyes, flush with water for 15 minutes and get medical help right away.
- **Keep out of reach of children.** Children cannot understand the instructions to properly use this product.
- **Do not swallow or deliberately inhale.** Contents are toxic and may cause serious internal damage. Use only in well ventilated areas.

#### **WARNING SPECIAL RISK:**

- Do not use if you cannot read clearly the information and direction.
- Use only as directed. If you do not use DEWART CREAM exactly as these directions say to use it, or you use it not in warts, it may cause serious burns, permanent scarring of the skin, or even blindness. It may cause keloid formation for keloid-former individuals.
- Do not use if you cannot see clearly the warts you are treating. If you mistakenly apply DEWART CREAM directly to the skin, wash the cream using wet cotton. If you do not remove the cream in normal skin it may cause serious burns and permanent scarring of the skin.
- Do not use on children under 4 years because it is uncertain how DEWART CREAM may affect the child's skin. Use on a child under 4 years of age may cause permanent scarring of the child's skin. Safety and efficacy have not been established for children.
- Do not use if you have diabetes or poor blood circulation.
- Do not use on pregnant women or women who are breast-feeding. It is uncertain how DEWART CREAM may affect people under these conditions. No adequate studies for pregnant women.
- Don't use in areas with thin skin such as eye areas, breast, bottom, or genitals. Use on these areas may cause burns and permanent scarring of the skin.
- Do not use on irritated skin, on any area that is infected, reddened or showing a sign of inflammation such as itching or swelling. Treating these areas with DEWART CREAM will result in worsening of the condition and possible further infection. These conditions may not be warts and should be examined by a doctor. If you treat a skin condition with DEWART CREAM and it is not a wart, you delay a proper treatment. This delay may lead to serious skin condition or disease.
- Do not use on birthmarks, moles, warts with hair growing from them, genital (on penis or vaginal areas) warts, or warts on the face or mucous membranes (such as inside mouth, nose, anus, genital, lips, ears or near eyes.) Use on these areas may cause burns and permanent scarring of the skin or blindness.
- When using this product, changes in skin pigmentation may occur at the treated site. If you have any concerns, ask a doctor before using the product.
- In most cases, only one treatment is needed for each wart. Plantar warts may need more than one treatment. Warts are usually gone in two weeks after the treatment of DEWART CREAM. If a wart or part of it is still there two weeks after treatment, you may then safely treat it again. Do not treat each wart with DEWART CREAM more than 4 times in total. If in 4 treatments doesn't remove the warts, ask a doctor.

#### **STOP. WARNING.**

1. If you are a first user of this product read the instructions carefully before you open the bottle. Visit [www.rccamazingtouch.com](http://www.rccamazingtouch.com) for product information and instructions.
2. When bottle is opened, you will see a watery liquid inside. Stir thoroughly with supplied sterile stick, stirring slowly and constantly up to the bottom of the bottle until you get the consistency of a cream. Cream should not be runny. Cream should not be thick.
3. If the product is still thin or liquid after thorough stirring. DO NOT USE THE PRODUCT AND RETURN FOR REPLACEMENT.
4. If the product is DRY. DO NOT USE THE PRODUCT AND RETURN FOR REPLACEMENT.
5. If the product is THICK or DENSE in consistency BUT NOT DRY, add a tiny drop of Distilled Water and mix thoroughly to get the consistency of a cream.

6. **NO DOUBLE DIPPING.** Use a different stick for stirring, and use a separate stick for application on affected area. Dispose the stirring and applicator stick every after use.
7. **Important:** Do not open DEWART cream bottle until ready to use. Stir thoroughly and use immediately!

#### **PRECAUTIONS:**

RCC Amazing Touch cream is for external use only. People with significant immune deficiencies or healing disorders such as keloid scars must consult a physician before using this product. Whenever to make an attempt to control or change the dermis of the skin, one should expect that a blemish or scar may result. In most circumstances the use of the product will result in a minor and temporary blemish that normally fades away within 90 days.

We do not guarantee that the product will not scar or cause a blemish. If unusual discomfort arises, consult a physician. Please note: You must be 18 years or older to purchase and use this product. For children over 4 years old, adult supervision is required.

#### **DIRECTIONS FOR USE:**

1. Clean the affected area with cotton or cotton buds soaked in cleansing solution.  
(70% Isopropyl Alcohol is recommended)
2. Gently scratch or abrade the skin growth with supplied sterile stick. Scratching is the most important part, but do not scratch so hard as to make the skin bleed. When DEWART cream is applied it will penetrate the DEWART surface. If bleeding occurs while scratching, WAIT as long as it takes to stop the bleeding completely before applying cream.
3. Apply a thin layer of the *DEWART Natural Cauterizing Cream* over the skin growth using the sterile stick until surface of wart is fully covered. Use only enough cream to cover the affected area and **do not apply to the surrounding skin.**
4. Leave the cream over the affected area for 10 to 15 minutes.
  - There should be a moderate to strong stinging sensation lasting 5-10 minutes.
  - If stinging sensation is not felt, it means DEWART cream has not penetrated the affected skin growth and the application will fail or provide only a partial result. Scratch deeper and reapply.
  - Affected skin growth should turn brown, dark brown or black.
  - Swelling and or redness around the affected area is normal.
5. Avoid contact with normal skin. If contact occurs, wipe out the excess cream using the tip of the toothpick and wipe with distilled water using the cotton buds.

**Wipe out the cream with distilled water using the cotton buds when any of the following is observed:**

- **The cream is on the affected area for 10 to 15 minutes**
- **The cream has dried up and cracked**
- **Redness and swelling occurred surrounding the affected area.** Redness and swelling on skin around treated acne is a natural occurrence, indicates healing is progressing and quickly disappears.

6. Apply thin layer of the topical skin antibiotic on the affected area two times a day for 1 week. (OTC/Over the Counter Triple Skin Antibiotic is recommended to speed up healing process of the cauterized skin) the use of an antibacterial cream/ointment to prevent infection may also reduce the risk of scarring and promote faster healing. A SCAB should form within 24-48 hours. Be careful not to remove scab prematurely! You can wash and bathe normally 3 hours after application of the DEWART cream.
- Pink or red tissue is normal after scab falls off. Normally, the pinkness will fade as the tissue becomes environmentally conditioned. Skin tones normally balance out within 30 days although some people may require several months for skin tones to return to normal.
  - Avoid sunlight exposure. If exposure to sunlight is cannot be avoided, apply sun block cream over the affected area.
  - Small skin growths peel off completely after 7 to 14 days but larger skin growth may need re-application.
  - Wait 1-3 weeks (up to 5 weeks is normal for large mole) for scab to fall off naturally.
  - Be Patient! Under no circumstances disturb or remove the scab. It should loosen and fall off naturally.

**USE WITH CHILDREN:**

RCC Amazing Touch Cream can be used with children over 4 years old as long as they can sit patiently while undergoing the application procedure. The stinging sensation can be significant for sensitive children. Caution is advised. Contact our hotline number about the use with children.

**Important:** DEWART Natural Cauterizing Cream is not recommended for re-use if preparation cream has dried-up.

**EACH PACK CONTAINS THE FOLLOWING:**

1 - DEWART CREAM *Natural Cauterizing Agent (.05g Disc saucer)*

1 - Triple Antibiotic Ointment 0.5g packet

Alcohol Swabs

Applicator Sterile Stick/toothpick (for scratching or abrading small skin growth)

Cotton buds

Pointed needle (for scratching or abrading only, for stubborn or tough skin growth)

Instruction leaflet

**STORAGE:**

Store at room temperature and away from heat or direct sunlight.

**MANUFACTURED BY:**

Alto Credo Corporation  
007 Mc Adams Rd., Sumulong,  
Antipolo City 1870 Philippines

**EXCLUSIVELY DISTRIBUTED BY:**

RCC Amazing Touch Int'l. Inc.  
Quezon City, Philippines

**Question or Comments**

E-mail: [info@rccamazingtouch.com](mailto:info@rccamazingtouch.com) ; [www.rccamazingtouch.com](http://www.rccamazingtouch.com)

Please call (+63) 922 8843130, (632) 442-0373

Product of the Philippines

Philippine Patent Registration No: 2-2012-000147

Registered Trademark Copyrighted 2012

### **RCC Amazing Touch Full Legal Notice / Disclaimer**

**Warning:** Statements expressed within this site have not been evaluated by the Food and Drug Administration. Any and all information and/or statements found within this site are for educational purposes only and are NOT intended to diagnose, treat, cure, prevent disease or replace the advice of a licensed healthcare practitioner.

Note also, this website may contain links to other websites operated by other parties. These links are provided for your convenience and reference only. RCC Amazing Touch is not responsible for the content or products of any linked site or the links contained therein. RCC Amazing Touch does not dispense medical advice, prescribe, or diagnose illness. Any views and ideas expressed by RCC Amazing Touch are not intended to be a substitute for conventional medical advice or service. You agree that no responsibility or liability will be incurred to any person or entity with respect to any loss, damage, or injury caused or alleged to be caused directly or indirectly by the information contained within this site. If you have a severe medical condition, please see a licensed healthcare practitioner.