

# SAFETY DATA SHEET

Prepared according to USA OSHA Hazcom 2012 / Canada WHMIS 2015



Date Prepared : 06/29/2018  
MSDS No : Premium Gun Wash\_ENG

## Premium Gun Wash

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name** : Premium Gun Wash  
**Product Description:** Spray Paint Gun Cleaner, 205 L / 55 gal, 18.9 L / 5 gal , 3.78 L / 1 gal  
**General Use** : Paint Gun Cleaner  
**Product Stock/Code** : RX590266  
**Chemical Family** : Solvent-based / à base de solvant  
**Molecular Formula** : Mixture / Mélange

#### Manufacturer / Supplier:

Rexall Laboratories and Chemicals  
401-10518 113 ST NW  
EDMONTON AB T5H 0C6

#### Emergency Telephone Numbers (24 hour)

CANUTEC : (613) 996-6666  
CHEMTREC : (800) 424-9300

**Customer Service:** +1 844-500-2436

### 2. HAZARDS IDENTIFICATION

#### GHS CLASSIFICATIONS

##### Health:

Acute Toxicity (Dermal and Inhalation), Category 4  
Specific Target Organ Toxicity - Single Exposure, Category 2 and Category 3 (Narcotic Effects)  
Eye Irritation, Category 2  
Skin Irritation, Category 2  
Specific Target Organ Toxicity - Repeated Exposure, Category 2  
Reproductive Toxicity, Category 2  
Carcinogenicity, Category 2  
Aspiration Hazard, Category 1

##### Physical:

Flammable Liquids, Category 2

#### GHS LABEL

Hazardous components for labelling:

**Toluene, Xylene (mixed isomers), Methyl ethyl ketone, Ethyl Acetate, Acetone, n-Butyl acetate, Isopropyl alcohol, Methanol, Heptane and Ethylbenzene**



Exclamation  
mark



Flame



Health  
hazard

**SIGNAL WORD:** DANGER

### HAZARD STATEMENTS

H225: Highly flammable liquid and vapour.

H312 + H332: Harmful in contact with skin or if inhaled.

H371: May cause blindness if swallowed.

H319: Causes serious eye irritation.

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness.

H373: May cause damage to hearing organs and central nervous system through prolonged or repeated exposure.

H361: Suspected of damaging fertility or the unborn child.

H351: Suspected of causing cancer.

H304: May be fatal if swallowed and enters airways.

### PRECAUTIONARY STATEMENT(S)

#### Prevention:

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240: Ground and bond container and receiving equipment.

P241: Use explosion-proof electrical / ventilating / lighting equipment.

P242: Use non-sparking tools.

P243: Take action to prevent static discharges.

P270: Do not eat, drink or smoke when using this product.

P264: Wash hands thoroughly after handling.

P260: Do not breathe mist, vapours or spray.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves, protective clothing and eye protection.

#### Response:

P308+P311: IF exposed or concerned: Call a POISON CENTER or doctor/physician.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P332+P313: If skin irritation occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P331: Do NOT induce vomiting.

P370+P378: In case of fire: Use dry chemical or foam to extinguish.

#### Storage:

P403+P235: Store in a well-ventilated place. Keep cool.

P233: Keep container tightly closed.

P405: Store locked up.

#### Disposal:

P501: Dispose of contents/container in accordance with applicable local, regional and/or national regulations.

### Emergency Overview

#### Immediate Concerns:

Flammable liquid and vapor. Aspiration hazard. This material may be harmful or fatal if swallowed. Harmful in

## Premium Gun Wash

contact with skin or if inhaled. May cause blindness if swallowed. Vapor inhalation and/or skin absorption can cause central nervous system effects and blindness. Prolonged or repeated exposure may cause damage to lungs, central nervous system and blood circulatory system. May cause cancer. May irritate the eyes, skin and respiratory system. Possible risk of harm to the unborn child. Vapours may cause drowsiness and dizziness.

### Hazards Not Otherwise Classified:

No data available.

### Comments:

< 5 % of the mixture consists of an ingredient or ingredients of unknown acute toxicity.  
See sections 9 and 10 for more detailed information on physicochemical effects.  
See section 11 for more detailed information on health effects.  
See sections 12 for more detailed information on environmental effects.

This product is a consumer product and is labeled in accordance with the Canadian Consumer Chemicals and Containers Regulations and US Consumer Product Safety Commission regulations which take precedence over Canadian WHMIS 2015 and OSHA Hazcom 2012 Hazard Communication labeling. The actual container label will not include the above label elements. The labeling above applies to products used solely for industrial / professional use.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %	CAS No.
Toluene	10 - 30	108-88-3
Xylene (mixed isomers)	10 - 30	1330-20-7
Methyl ethyl ketone	10 - 30	78-93-3
Ethyl Acetate	10 - 30	141-78-6
Acetone	5 - 15	67-64-1
n-Butyl acetate	1 - 15	123-86-4
Isopropyl alcohol	1 - 15	67-63-0
Heptane	1 - 15	142-82-5
Methanol	1 - 9	67-56-1
Ethylbenzene	1 - 5	100-41-4

**Comments:** There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the product and hence require reporting in this section.

## 4. FIRST AID MEASURES

### Eye Contact:

In case of contact, immediately flush eyes, keeping eyelids open, with plenty of water for at least 15 minutes. Get medical attention, if irritation persists.

### Skin Contact:

Wash with soap and water. Get medical attention if irritation develops or persists. Remove contaminated clothing and wash before reuse.

### Ingestion:

If swallowed, do NOT induce vomiting. Give victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs have victim lean forward with head down to prevent aspiration of fluid into the lungs.

### Inhalation:

## Premium Gun Wash

---

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

### Signs and Symptoms of Overexposure

#### Eye Contact:

Contact causes serious eye irritation. Symptoms may include pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes.

#### Skin Contact:

Contact causes skin irritation. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

#### Ingestion:

Symptoms of ingestion may include abdominal pain, nausea, vomiting and diarrhea. Poison, May be fatal or cause blindness if swallowed. May cause aspiration and lung damage.

#### Inhalation:

High vapor or spray mist concentrations may be harmful if inhaled. May cause headaches and dizziness. High vapor concentrations may cause drowsiness.

### Notes to Physician:

Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

### Additional Information:

No data available.

## 5. FIRE FIGHTING MEASURES

### Flammable Properties:

Flammable Liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Product can be ignited by static discharge.

### Extinguishing Media:

Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

### Hazardous Combustion Products:

During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

### Fire Fighting Procedures:

Containers can build up pressure if exposed to heat (fire).

### Fire Fighting Equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

### Sensitivity to Static Discharge:

Product is sensitive to static discharge.

### Sensitivity to Mechanical Impact:

Product is not sensitive to mechanical impact.

## 6. ACCIDENTAL RELEASE MEASURES

### Small Spill:

Eliminate all ignition sources. Contain spilled liquid with sand or earth. DO NOT use combustible materials such as sawdust. Sweep up material being careful not to raise dust. Place in an appropriate disposal container and seal tightly.

### Environmental Precautions

#### Water Spill:

Do not flush to sewer.

## Premium Gun Wash

### Land Spill:

Avoid runoff into storm sewers and ditches which lead to waterways.

### Special Protective Equipment:

Clean up spills immediately, observing precautions in Protective Equipment section 8.

## 7. HANDLING AND STORAGE

### General Procedures:

Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids. Ensure thorough ventilation of stores and work areas.

### Handling:

Do not use in the presence of open flame or spark. Use only in a well ventilated area. Wear recommended personal protective equipment. Keep container closed when not in use. Avoid breathing vapours or mist. Avoid contact with eyes, skin, and clothing. After handling, always wash hands thoroughly with soap and water.

### Storage:

Store away from heat, sparks, open flames, strong oxidizing agents and direct sunlight. Protect from physical damage. Keep container tightly closed and in a well-ventilated place. Store in a cool place.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Guidelines

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		Occupational Exposure Limits					
		OSHA PEL		ACGIH TLV		NIOSH REL	
Chemical Name		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Toluene	TWA	200	--	50	188	100	375
	STEL	300	--	--	--	150	560
Xylene (mixed isomers)	TWA	100	435	100	434	100	435
	STEL	[1]	[1]	150	651	150	655
Ethyl Acetate	TWA	400	1400	400	1440	400	1400
Acetone	TWA	1000	2400	500	--	250	590
	STEL	[1]	[1]	750	--	[1]	[1]
n-Butyl acetate	TWA	150	710	150	713	150	710
	STEL	[1]	[1]	200	950	200	950
Isopropyl alcohol	TWA	400	980	200	490	400	980
	STEL	[1]	[1]	400	960	500	1225
Heptane	TWA	500	2000	400	--	[1]	[1]
	STEL	[1]	[1]	500	--	[1]	[1]
Methanol	TWA	200	260	200	262	200	260
	STEL	[1]	[1]	250	328	250	325
Ethylbenzene	TWA	100	435	20	--	100	435
	STEL	[1]	[1]	[1]	[1]	125	545

### Footnotes:

1. NL: This material does not have established exposure limits.

### Engineering Controls:

Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

### Personal Protective Equipment

#### Eyes and Face:

Wear safety glasses with side shields (or goggles). Contact lenses should not be worn when working with this product. Eye wash fountains should be readily available to areas of use and handling.

#### Skin Contact:

Wear chemical resistant gloves.

#### Respiratory:

If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

#### Protective Clothing:

Wear protective clothing as necessary to prevent contact.

### Work Hygienic Practices:

Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Promptly remove soiled clothing/wash thoroughly before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State</b>	: Liquid
<b>Odor</b>	: Ketone
<b>Odor Threshold</b>	: No data available.
<b>Appearance</b>	: Clear
<b>Color</b>	: Colourless
<b>pH</b>	: No data available.
<b>% Volatiles</b>	: 100 % w/w
<b>Flash Point and Method</b>	: -18 °C Setaflash Closed Cup (Acetone)
<b>Flammable Limits</b>	: 1.0 to 12.8
<b>Notes:</b>	Based on data for acetone.
<b>Autoignition Temperature</b>	: 480°C
<b>Notes:</b>	Based on data for acetone.
<b>Vapor Pressure</b>	: 24 kPa (184 mm Hg) [Acetone] at 20°C
<b>Vapor Density</b>	: > 1 (air = 1)
<b>Boiling Point</b>	: 56 °C (Acetone)
<b>Freezing Point</b>	: No data available.
<b>Melting Point</b>	: No data available.
<b>Solubility in Water</b>	: Partial
<b>Evaporation Rate</b>	

## Premium Gun Wash

---

<b>(n-butyl acetate = 1)</b>	: > 1
<b>Density</b>	: 0.85±0.03g/ml at 20°C
<b>Viscosity</b>	: < 10 cps at 25°C
<b>VOC Content</b>	: 85 - 95% w/w
<b>Oxidizing Properties</b>	: None

### 10. STABILITY AND REACTIVITY

**Reactive Hazard** : No

**Hazardous Polymerization:**

Not expected to occur.

**Stability:**

Stable.

**Conditions to Avoid:**

Keep away from flames and any object that sparks.

**Possibility of Hazardous Reactions:**

Not Available

**Hazardous Decomposition Products:**

Carbon Monoxide and other toxic vapors.

**Incompatible Materials:**

Oxidizing materials.

### 11. TOXICOLOGICAL INFORMATION

**Product Acute Toxicity**

## Premium Gun Wash

Chemical Name	ORAL LD <sub>50</sub> mg/kg (rat)	DERMAL LD <sub>50</sub> mg/kg (rabbit)	INHALATION LC <sub>50</sub> mg/l
Toluene	7000, 6400, 5500	12,270	49.0(rat;4h) 30.0(mouse;2h) 19.9(mouse;7h)
Xylene (mixed isomers)	5400 5251(mouse) 5627(mouse)	12,180	6350 ppm (rat;4h) 6700 ppm (rat;4h)
Methyl ethyl ketone	3400(rat) 2900(rat) 5520(rat) 3140(mouse)	>8000	34.5(rat;4h) [11,700 ppm] >5000 ppm (rat;6h)
Ethyl Acetate	5620(rat) 6100(rat) 10,170(rat) 4100(mouse) 4935(rbt)	>18,000	200.0(rat;1h) >29.3(rat;4h) 45.0(mouse;2h) 44.0(mouse;3h) 33.5(mouse;2h)
Acetone	8400 5250(mouse) 5300(rabbit)	>15,700	50.1(rat;8h) 44.0(mouse;4h)
n-Butyl acetate	13,100(rat) 11,000(rat)	>14,400	>45.0(rat;4h)
Isopropyl alcohol	4710-5840 4475(mouse) 5030(rabbit)	12,870	51.0(rat;8h) 72.6(rat;4h)
Heptane	No data available.	No data available.	103(rat;4h)
Methanol	6200(rat) 5630(rat) 7300(mouse)	15,800	83.9(rat;4h)
Ethylbenzene	5460 3500 5627(mouse)	17,800 15,354	17.2(rat;4h) 13,367 ppm (rat;2h)

**Acute Toxicity - Dermal LD<sub>50</sub>:** The calculated ATE is > 1000 and ≤ 2000 mg/kg

**Notes:**

Based on available ingredient data, the mixture is classified as: Acute Dermal Toxicity, Category 4. May be harmful in contact with skin. May be absorbed through the skin in harmful amounts.

**Acute Toxicity - Oral LD<sub>50</sub>:** The calculated ATE is >2000 mg/kg.

**Notes:**

Based on available data, the classification criteria for Acute Oral Toxicity are not met for this mixture.

**Acute Toxicity - Inhalation LC<sub>50</sub>:** The calculated ATE is >10 and ≤ 20 mg/l/4h (vapours). The calculated ATE is >5 mg/l/4h (mists).

**Notes:**

Based on available ingredient data, the mixture is classified as: Acute Inhalation Toxicity, category 4. High vapor concentrations may be harmful if inhaled. Excessive vapor concentrations are attainable. Saturated vapors can be encountered in confined spaces and/or under conditions of poor ventilation.



## Premium Gun Wash

### Toxicological Data:

< 5% of the mixture consists of an ingredient or ingredients of unknown acute toxicity.

No additional toxicology information is available for this product itself. (See Component Toxicity Information).

### Eye Irritation / Serious Eye Damage:

Contains: Methyl ethyl ketone, Acetone, Isopropyl alcohol and Ethyl Acetate. Contact causes serious eye irritation. The mixture is classified as: Eye Irritant, category 2, based on summation of ingredient data (>10% ingredients classified as eye irritant, category 2). Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes.

### Skin Irritation / Corrosion:

Contains: Toluene, Xylene (mixed isomers) and Heptane. Causes skin irritation. The mixture is classified as: Skin Irritant, category 2, based on summation of ingredient data (>10% ingredients classified as skin irritant, category 2). Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

### Carcinogenicity

Chemical Name	NTP Status	IARC Status	OSHA Status	Other
Toluene	--	3	--	--
Xylene (mixed isomers)	--	3	--	--
Methyl ethyl ketone	--	--	--	--
Ethyl Acetate	--	--	--	--
Acetone	--	--	--	--
n-Butyl acetate	--	--	--	--
Isopropyl alcohol	--	3	--	--
Heptane	--	--	--	--
Methanol	--	--	--	--
Ethylbenzene	--	2B	--	A3 (ACGIH)

### Notes:

Contains: Ethylbenzene. Ethylbenzene has been classified as being possibly carcinogenic to humans (Group 2B). The mixture is classified as: Carcinogenicity, category 2 based on ingredient data using the applicable cut-off/concentration limits ( $\geq 0.1\%$  ingredients classified as a Carcinogen, category 2).

### Specific Target Organ Toxicity - Repeated Exposure:

Contains: Toluene and Xylene (mixed isomers). The mixture is classified as: Specific Target Organ Toxicity - Repeated Exposure, category 2, based on ingredient data using the applicable cut-off/concentration limits ( $\geq 1.0\%$  ingredients classified as Specific Target Organ Toxicity - Repeated Exposure, category 2). Prolonged inhalation may be harmful. Chronic exposure to organic solvents such as Toluene have been associated with various neurotoxic effects including permanent brain and nervous system damage. Symptoms include: loss of memory, loss of intellectual ability, and loss of coordination. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

### Respiratory / Skin Sensitizer.:

Based on available data, the classification criteria for skin/respiratory sensitization are not met for this mixture (< 0.1% ingredients classified as a skin sensitizer, category 1 or sub-category 1A and < 1.0% ingredients classified as a skin/respiratory sensitizer, sub-category 1B).

### Reproductive Toxicity:

The mixture is classified as: Reproductive Toxicity, category 2 based on ingredient data using the applicable cut-off/concentration limits ( $\geq 0.1\%$  ingredients classified as Reproductive Toxicity, category 2).

## Premium Gun Wash

May cause adverse reproductive effects. Possible risk of harm to the unborn child (Toluene).

### Specific Target Organ Toxicity - Single Exposure:

Contains: Methanol. The mixture is classified as: Specific Target Organ Toxicity - Single Exposure, category 2, based on ingredient data using the applicable cut-off/concentration limits ( $\geq 1.0\%$  ingredients classified as Specific Target Organ Toxicity - Single Exposure, category 2). Causes damage to eyes and optic nerve.

Contains: Toluene, Acetone, Methyl ethyl ketone, Ethyl Acetate, n-Butyl acetate and Isopropyl alcohol. The mixture is classified as: Specific Target Organ Toxicity - Single Exposure, category 3, based on summation of ingredient data using the applicable cut-off/concentration limits ( $\geq 20\%$  summation of all ingredients classified as Specific Target Organ Toxicity - Single Exposure, category 3). Can cause central nervous system depression (including unconsciousness). High vapor concentrations may cause drowsiness. May cause headaches and dizziness.

### Germ Cell Mutagenicity:

Based on available data, the classification criteria for Germ Cell Mutagenicity are not met for this mixture ( $< 0.1\%$  ingredients classified as Germ Cell Mutagen, category 1A or 1B and  $< 1.0\%$  ingredients classified as Germ Cell Mutagen, category 2).

### Aspiration Hazard:

The mixture is classified as: Aspiration Hazard, category 1 based on ingredient data and viscosity data ( $\geq 10\%$  ingredients classified as an Aspiration Hazard, category 1 and mixture viscosity  $\leq 20.5 \text{ mm}^2/\text{s}$  at  $40 \text{ }^\circ\text{C}$ ). If swallowed, may be aspirated and cause lung damage.

## 12. ECOLOGICAL INFORMATION

### Environmental Data:

No data available.

### Ecotoxicological Information:

No data available.

### Bioaccumulation/Accumulation:

No data available.

### Distribution:

No data available.

### Aquatic Toxicity (Acute):

No data available.

### Chemical Fate Information:

No data available.

## 13. DISPOSAL CONSIDERATIONS

### Disposal Method:

Comply with applicable local, state or international regulations concerning solid or hazardous waste disposal and/or container disposal. Do not discharge substance/product into sewer system.

### Product Disposal:

Empty containers retain product residue; observe all precautions for product. Decontaminate containers prior to disposal.

## 14. TRANSPORT INFORMATION

### DOT (Department of Transportation)

**Proper Shipping Name** : PAINT RELATED MATERIAL

**Primary Hazard Class/Division:** 3

**UN/NA Number** : 1263

## Premium Gun Wash

**Packing Group** : II

**Other Shipping Information:**

For products with an inner packaging < 5.0 L, this product may be shipped as a Limited Quantity.

**Vessel (IMO/IMDG)**

**Shipping Name** : PAINT RELATED MATERIAL

**UN/NA Number** : 1263

**Primary Hazard Class/Division:** 3

**Packing Group** : II

**Marine Pollutant** : None

**Note:** For products with an inner packaging < 5.0 L, this product may be shipped as a Limited Quantity.

**Canadian Transportation of Dangerous Goods Regulations**

**Shipping Name** : PAINT RELATED MATERIAL

**UN/NA Number** : 1263

**Primary Hazard Class/Division:** 3

**Packing Group** : II

**TDG Note:**

For products with an inner packaging < 5.0 L, this component may be shipped as a Limited Quantity as per TDG Section 1.17.

## 15. REGULATORY INFORMATION

### UNITED STATES

**SARA Section 311/312 Hazard Categories**

**Fire Hazard** : Yes

**Sudden Release of Pressure** : No

**Reactive Hazard** : No

**Product Acute Toxicity** : Yes

**Product Chronic Toxicity** : Yes

**EPCRA Section 313 Toxic Chemicals**

Chemical Name	Wt. %	CAS No.
Toluene	10 - 30	108-88-3
Xylene (mixed isomers)	10 - 30	1330-20-7
Isopropyl alcohol	1 - 15	67-63-0
Methanol	1 - 9	67-56-1
Ethylbenzene	1 - 5	100-41-4

**EPCRA Section 302 Extremely Hazardous Substances**

**EPCRA Status:**

This product contains no listed extremely hazardous substances that are subject to the reporting requirements of SARA Title III, Section 302.

**CERCLA Hazardous Substances and Reportable Quantities (RQ)**

## Premium Gun Wash

Chemical Name	Wt.%	RQ
Toluene	10 - 30	1,000
Xylene (mixed isomers)	10 - 30	100
Methyl ethyl ketone	10 - 30	5,000
Ethyl Acetate	10 - 30	5,000
Acetone	5 - 15	5,000
n-Butyl acetate	1 - 15	5,000
Methanol	1 - 9	5,000
Ethylbenzene	1 - 5	1,000

### TSCA (The Toxic Substances Control Act)

#### TSCA Status:

All components are included or are otherwise exempt from inclusion on this inventory.

### CAA 112(b) - Hazardous Air Pollutants

Chemical Name	Wt.%	CAS No.
Toluene	10 - 30	108-88-3
Xylene (mixed isomers)	10 - 30	1330-20-7
Methyl ethyl ketone	10 - 30	78-93-3
Ethylbenzene	1 - 5	100-41-4

### CAA 112(r) - List of Substances for Accidental Release Prevention:

This product contains no chemicals subject to CAA 112(r).

### California Proposition 65

Chemical Name	Wt.%	Listed
Toluene	10 - 30	<ul style="list-style-type: none"><li>• Developmental Toxicity</li><li>• Female Reproductive</li></ul>
Methanol	1 - 9	<ul style="list-style-type: none"><li>• Developmental Toxicity</li></ul>
Ethylbenzene	1 - 5	Cancer

### OSHA Hazard Communication Standard (29 CFR 1910.1200):

OSHA Status: Hazardous Product (See Section 2 for details).

This product has been classified in accordance with the hazard criteria of the USA OSHA Hazard Communication Standard (29CFR 1910.1200) and the Safety Data Sheet contains all the information required by the OSHA Hazard Communication Standard (HazCom 2012).

## CANADA

### WHMIS Hazard Symbol and Classification

See Section 2 for details.

### WHMIS Regulatory Status:

This product has been classified in accordance with the hazard criteria of the Canadian Hazardous Products Regulations and the Safety Data Sheet contains all the information required by the Hazardous Products Regulations (WHMIS 2015).

## Premium Gun Wash

### WHMIS Classification:

WHMIS 2015 (Canada) Status: Hazardous Product (See Section 2 for details).

### CEPA - National Pollutant Release Inventory (NPRI):

Name	CAS No.	NPRI Part No.
Toluene	108-88-3	1A, 5 (VOC)
Xylene (mixed isomers)	1330-20-7	1A, 5 (VOC)
Methyl Ethyl Ketone	78-93-3	1A, 5 (VOC)
Isopropyl alcohol	67-63-0	1A, 5 (VOC)
Methanol	67-56-1	1A, 5 (VOC)
Ethylbenzene	100-41-4	1A, 5 (VOC)

### Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL):

All components are included or are otherwise exempt from inclusion on this inventory.

### Comments

VOC Content -- See section 9.

## 16. OTHER INFORMATION

**Reason for Issue:** NEW

**Approved By:** Rayan Rahbar **Title:** President


**Prepared By :** Regulatory Compliance / Conformité réglementaire **Date Prepared:** 06/29/2017

**Information Contact:** +1 855-500-2436

### HMIS RATING

<b>HEALTH</b>	*	<b>2</b>
<b>FLAMMABILITY</b>		<b>3</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>
<b>PERSONAL PROTECTION</b>		<b>G</b>

### NFPA CODES



**NFPA 30 / 30B Storage Classification:** Flammable Liquid IB

### Manufacturer Supplemental Notes:

None

### Data Sources:

Not Available

### Additional MSDS Information:

N/AV Not Available

N/AP Not Applicable

ND Not yet determined

CAA The Clean Air Act

CCCR The Consumer Chemicals and Containers Regulations

CEPA The Canadian Environmental Protection Act

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EPCRA The Emergency Planning and Community Right-To-Know Act

IARC International Agency for Research on Cancer

## **Premium Gun Wash**

---

MSHA Mine Safety and Health Administration  
NIOSH National Institute for Occupational Safety and Health  
NTP National Toxicology Program  
OSHA The Occupational Safety and Health Act  
SARA The Superfund Amendments and Reauthorization Act  
WHMIS Workplace Hazardous Materials Information System

### **General Statements:**

None

### **Comments:**

None

### **Manufacturer Disclaimer:**

The information contained herein is based on data considered accurate. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. No responsibility is assumed for personal injury or property damage to vendees or users or third parties, caused by the material. Such vendees or users assume all risks with the use of this material.