

Catalogue April 2018

High Quality Brass Type



Brass Type Options
Pages 7-39

Emojis
Page 3

Brass Dies
Page 40

PLEASE NOTE

Brass Type is made to order with a lead time of about 2-3 weeks from receipt of full payment. As brass type is made to order, no refunds can be made for 'change of mind'.

Brass Type is sold as either a 100 piece or 150 piece set. A set is sold either as Capital & Figures or Lowercase. We can supply smaller sets than 100 pieces, but they will incur a surcharge as follows: 1-25 pieces + 100%, 25-60 pieces +50%, 51-75 pieces +20%. For odd amounts above 100 pieces, prices are taken at the above pro-rata 100 piece rate.

Larger point sizes may be available in some faces, please enquire.

Prices quoted in the catalogue are for standard fonts. A 25% surcharge will be applied to the following typefaces as they are more time consuming to engrave: Old English, Fraktur, Ungar Fraktur, American Script, Mercury Light, Winchester Old Style, Chichester Italic, Arabic Naskhi, Engravers Roman, and accented letters as used in foreign languages.

Please refer to Page 2 to see how many of each letters you will receive in a 100 or 150 piece set. For European Charcaters/Accents, please refer to Page 39 and for Brass Dies, please refer to Page 40.

Important!

The manufacturing time of 2-3 weeks should be seen a guide only, depending on our workload. Therefore, we cannot accept responsibility for any delays, however caused. Please plan well ahead if you have an upcoming project.



Creative Printers of London

Tel: 01708-731294

www.hotfoilstampingmachines.co.uk

email: cplsales@print1.co.uk

Index

General

Price List	Page 2
Emojis	Page 3
Slip Cases	Page 4
Prop Up Bars	Page 5
Type Size	Page 6

Fonts

Adonis Extended	Page 7
Gill Sans	Page 7
Coronation	Page 8
Devon	Page 8
Helvetica Light	Page 9
Helvetica Medium	Page 9
Univers 65	Page 10
Univers 49	Page 10
Univers 57	Page 11
Univers 59	Page 11
Grandby Condensed	Page 12
Grotesque No.9	Page 12
News Gothic Condensed	Page 13
Rutland	Page 13
Frutiger	Page 14
Pascal	Page 14
Optima	Page 15
Optima Medium	Page 15
Camberwell	Page 16
Centaur	Page 16
Fournier	Page 17
Gloucester	Page 17
Chichester Regular	Page 18
Chichester Light Condensed	Page 18
Chichester Italic	Page 19
Winchester Old Style Italic	Page 19
Cheltenham Old Style	Page 20
Trajan Roman	Page 20
York	Page 21
Kent	Page 21
Edinburgh	Page 22
Elizabethan	Page 22
Times New Roman Condensed	Page 23
Times New Roman	Page 23
Goudy Old Style	Page 24
Baskerville	Page 24
Caslon Bold	Page 25
Caslon Bold Condensed	Page 25
Windsor Elongated	Page 26
Playbill	Page 26
Plantin Bold	Page 27
Plantin Bold Condensed	Page 27
Americana Extra Bold	Page 28
Pretorian	Page 28
Tiffany Extended Bold	Page 29
Tiffany Extended Light	Page 29
Engravers Roman	Page 30
Engravers Roman Outline	Page 30
American Script	Page 31
Mercury Light Script	Page 31
Celtic Script	Page 32
American Uncial	Page 32
Victoriana	Page 33
Art Nouvau	Page 33
Old English	Page 34
Fraktur	Page 34
Hebrw S'tam	Page 35
Arabic Naskhi	Page 35
Russian	Page 35
Greek	Page 35
Caslon Regular	Page 36
Academy Condensed	Page 36
18 th Century	Page 37
17 th Century	Page 37
Ungar Fraktur	Page 38
Academy Condensed Russian	Page 38
Blagovest	Page 38
Gloucester Russian	Page 38
European Accents	Page 39

Brass Dies & Lock-A-Block	Page 40
---------------------------	---------

*Manufacturing time 2-3 weeks from receipt of order/payment**

Price List April 2018

Size	Description	Style	£ (GBP)	EUROS	USD	AUD
10 PT	100 Pieces	Standard	215.00	245.00	300.00	394.00
10 PT	150 Pieces	Standard	330.00	376.00	462.00	604.00
12 PT	100 Pieces	Standard	220.00	251.00	308.00	403.00
12 PT	150 Pieces	Standard	327.00	373.00	458.00	598.00
14 PT	100 Pieces	Standard	230.00	262.00	322.00	421.00
14 PT	150 Pieces	Standard	345.00	393.00	483.00	631.00
16 PT	100 Pieces	Standard	245.00	279.00	343.00	448.00
16 PT	150 Pieces	Standard	367.00	418.00	514.00	672.00
18 PT	100 Pieces	Standard	255.00	291.00	357.00	467.00
18 PT	150 Pieces	Standard	383.00	437.00	536.00	700.00
20 PT	100 Pieces	Standard	274.00	312.00	384.00	502.00
20 PT	150 Pieces	Standard	410.00	467.00	574.00	750.00
22 PT	100 Pieces	Standard	280.00	319.00	392.00	512.00
22 PT	150 Pieces	Standard	420.00	478.00	588.00	769.00
24 PT	100 Pieces	Standard	298.00	340.00	417.00	545.00
24 PT	150 Pieces	Standard	432.00	493.00	605.00	791.00
26 PT	100 Pieces	Standard	310.00	353.00	434.00	567.00
26 PT	150 Pieces	Standard	465.00	530.00	651.00	851.00
28 PT	100 Pieces	Standard	315.00	359.00	441.00	577.00
28 PT	150 Pieces	Standard	473.00	539.00	662.00	866.00
30 PT	100 Pieces	Standard	320.00	365.00	448.00	586.00
30 PT	150 Pieces	Standard	480.00	547.00	672.00	874.00
32 PT	100 Pieces	Standard	325.00	371.00	455.00	595.00
32 PT	150 Pieces	Standard	488.00	566.00	683.00	893.00
34 PT	100 Pieces	Standard	338.00	385.00	473.00	619.00
34 PT	150 Pieces	Standard	510.00	582.00	714.00	933.00
36 PT	100 Pieces	Standard	345.00	393.00	483.00	631.00
36 PT	150 Pieces	Standard	518.00	591.00	752.00	948.00
48 PT	100 Pieces	Standard	380.00	433.00	532.00	696.00
48 PT	150 Pieces	Standard	570.00	650.00	798.00	1043.00

How many of each characters you will receive in a 100 or 150 piece set

100 Piece upper case font (Capitals & Numbers)

[illegible]

150 Piece upper case font (Capitals & Numbers)

[illegible]

100 Piece lower case font

a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z
6	4	4	4	6	3	3	4	6	3	4	4	4	4	6	3	2	5	5	5	5	2	2	2	2	2

We export Worldwide

Emojis

Apart from making brass type, we can also make special type-high emojis for you from your black and white artwork.

As these are made 'type high', you can use them together with your type as shown in the middle image below. For a quotation, please email us your artwork.



We can make type high emojis from your black and white artwork



The image on the right hand side shows 'Type high dies'. There are similar to the above emojis but only larger. As such, they may not fit inside a Slip Case as such but will lock into the Chase. This thus also makes them suitable to be used with our brass type.

PLEASE NOTE

Prices shown in EUROS, USD & AUD are shown as guide prices only. The actual prices will be charged in British Pounds (£) as shown on Page 2. All prices +VAT. No VAT is charged if we are exporting outside the EU or those in the EU who have a valid VAT Number. UK residents must pay VAT.

Price of Lowercase letter are the same as Capital letters.

Currently, we only supply 'Slip Cases' in the following sizes: 10pt, 12pt, 14pt, 18pt, 24pt, 30pt, and 36pt (Please refer to Page 4)

Prices are liable to change without any prior notice.

* The time required to custom make brass type is about 2-3 weeks from receipt of payment. As these are special orders, we cannot accept returns under 'Change of mind' etc.

Slip Cases for Metal or BrassType





Image 1 shows a range of Slip Cases in various point (pt) sizes which we supply to hold metal or brass type. Internal measurements are about 4" (100mm).

Image 2 shows brass letters held securely within a Slip Case. Quads & Spacers are used to fill in excess space within a slip case and also to leave greater character spacing between individual letters, if required.




The example on the left shows us using two Slip Cases/lines of type.

In the top line, we are using an emoji and the second line, we using text.

The machine which we are using here is the Foilcraft 4x3 where the excess spacing is filled in long pieces of aluminium bars known as 'Spacing Furniture'. These are supplied with the machine at no extra cost (free of charge).

Prop up Bar for Foilcraft Junior and Foilcraft 4x3

Prop up bar is a useful tool which helps to lift type and slip case away from the surrounding spacing furniture. This helps to avoid any misprints which can sometimes be caused by spacing furniture, especially when pressing onto soft surfaces. Prop up tools are an optional extra and are available in 18, 24, 30 and 36pt.



STEP 1


When printing, it is always good practice to locate your type towards the centre of the chase (in all directions).

Fill bottom section of chase with spacing furniture and then place your pro up bar as shown in image.



STEP 2


Next, place your slip case/type on top of the prop up bar



STEP 3

Fill the remaining part of the chase with spacing furniture and secure by locking the two screws at the top of the chase.

Please make sure that letters, slip cases etc are all flush before you switch the machine on.




STEP 4

Bring handle down gently onto your product and square up the print head by carefully adjusting the four press screws if required.

The chase should now be ideally parallel to your product and you should be able to create a 'blind impression' onto a piece of card by applying pressure onto the handle. Once you are happy with everything, switch on the machine and when ready, create a test print before printing onto your products.

Brass Type



A = Type Height.

British Type High = 0.9195" (23.35mm)

B = Body (Point Size). 72pt = 1 inch for example

C = Height of Face - shown in mm on style sheets.

D = Beard (see notes below)

E = Nick - denotes bottom of letter

NOTE: The majority of faces of a height that will accommodate lower case descenders on the beard thus doing away with the need for stepped bodies.

All type is supplied as British Printers Type High. Other heights are available to order. Our type is normally engraved flush top as shown (centrally engraved type can be supplied if required). 6pt type is engraved on an 8pt body.

QUADS & SPACERS

Quads & Spacers are supplied as a set of 12 various width quads and 50 hair spacers, in all standard point sizes.

COMBINATION OF STANDARD FONTS

Our standard font combinations are shown below. although any desired combination can be supplied on request. Additional punctuation, fraction, foreign accents etc can be supplied as extras, price on application.

How many of each characters you will receive in a 100 or 150 piece set

100 Piece upper case font (Capitals & Numbers)

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	&	-	.	,	'	AE	OE	0	1	2	3	4	5	6	7	8	9	
4	3	3	3	4	2	2	3	4	2	2	3	3	3	4	2	2	4	4	4	3	2	2	2	2	1	1	1	3	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2

150 Piece upper case font (Capitals & Numbers)

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	&	-	.	,	'	AE	OE	0	1	2	3	4	5	6	7	8	9
6	4	4	4	6	3	2	4	6	3	3	5	5	6	5	3	2	6	7	6	4	3	3	3	3	2	1	1	4	2	2	1	1	3	3	3	3	3	3	3	2	2	2

100 Piece lower case font

a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z
6	4	4	4	6	3	3	4	6	3	4	4	4	4	6	3	2	5	5	5	5	2	2	2	2	2

ADONIS EXTENDED

ABCDEFGHIJKLMNOPQRSTUVWXYZ &
012345678.,'- abcdefghijklmnopqrstuvw

ABCbc12

36PT 9.3MM

ABCde23

30PT 7.4MM

ABCefg12

26PT 6.5MM

ABCefg34

24PT 6.1MM

ABCefg56

22PT 5.6MM

ABCefg23

18PT 4.5MM

ABCefg45

16PT 4.1MM

ABCefg67

14PT 3.6MM

ABCefg78

12PT 3MM

ABCefg45

10PT 2.5MM

ABCDefg 89

8PT 1.8MM

GILL SANS

ABCDEFGHIJKLMNOPQRSTUVWXYZ & (.,:;)

1234567890 abcdefghijklmnopqrstuvwxyz

ABCefg 67

36PT 8.1MM

ABCefg 89

30PT 6.7MM

ABCefg 34

26PT 5.8MM

ABCefg 23

24PT 5.4MM

ABCefg 89

22PT 4.9MM

ABCefg 45

18PT 4MM

ABCefg 67

16PT 3.6MM

ABCefg 34

14PT 3.1MM

ABCefg 123

12PT 2.7MM

ABCDefg 56

10PT 2.2MM

ABCDEfgh 789

8PT 1.7MM

ABCDEFefgh 34567

6PT 1.4MM

CORONATION

ABCDEFGHIJKLMNOPQRSTUVWXYZ &
12345678 abcdefghijklmnopqrstuvwxyz

ABCdef I2 ABCefg34

36PT 11.1MM

30PT 9.3MM

ABCefg23

26PT 7.7MM

ABCefgI2

24PT 7.3MM

ABCefg56

22PT 6.6MM

ABCDefg67

18PT 5.7MM

ABCDefg 45

16PT 4.6MM

ABCDefg89

14PT 4.2MM

ABCDefg 67

12PT 3.7MM

ABCDE efgh I23

10PT 3MM

ABCDEefgh345

8PT 2.3MM

ABCDEF efghi 678

6PT 1.8MM

DEVON

ABCDEFGHIJKLMNOPQRSTUVWXYZ
&ÆŒ abcdefghijklmnopqrstuvwxyz
1234567890.,'–

ABCdef I2 ABCefg34

36PT 10.3MM

30PT 8.6MM

ABCefg67

26PT 7.6MM

ABCefg 45

24PT 6.8MM

ABC 23

22PT 6.3MM

ABCefg78

18PT 5.4MM

ABCefg89

16PT 4.3MM

ABCDefg34

14PT 4MM

ABCDefg23

ABCDEefg89

ABCDEefgh I23

ABCDEF efghi 345

HELVETICA LIGHT

ABCDEFGHIJKLMNOPQRSTUVWXYZ &
1234567890.,'-abcdefghijklmnopqrstuvwxyz

ABCefg12

36PT 10MM

ABCefg34

30PT 8.1MM

ABCefg23

26PT 7.1MM

ABCefg67

24PT 6.5MM

ABCefg67

22PT 6MM

ABCefg 89

18PT 5MM

ABCefg 78

16PT 4.3MM

ABCefg 45

14PT 3.9MM

efg123

12PT 3MM

ABCDefgh 456

10PT 2.5MM

ABCDefghi 789

8PT 2MM

ABCDEefghij 678

6PT 1.7MM

HELVETICA MEDIUM

ABCDEFGHIJKLMNOPQRSTUVWXYZ &
1234567890 abcdefghijklmnopqrstuvwxyz

ABCefg12

36PT 10MM

ABCefg 34

30PT 8.1MM

ABCefg23

26PT 7.1MM

ABCefg78

24PT 6.5MM

ABCefg56

22PT 6MM

ABCefg 89

18PT 5MM

ABCefg 45

16PT 4.3MM

ABCDefg 34

14PT 3.9MM

ABCDefg 456

12PT 3MM

ABCDEefgh 234

10PT 2.5MM

ABCDEFefghi 678

8PT 2MM

ABCDEFGHefghij 4567

6PT 1.7MM

UNIVERS 65

ABCDEFGHIJKLMNOPQRSTUVWXYZ &
1234567890 .,'- abcdefghijklmnopqrstuvwxyz

ABCdef 23

36PT 9.7MM

ABCefg34

30PT 8.1MM

ABCefg123

26PT 7MM

ABCefg45

24PT 6.5MM

ABCefg23

22PT 5.9MM

ABCefg67

18PT 4.9MM

ABCDE efg 78

16PT 4.3MM

ABCDE efg 89

14PT 3.8MM

ABCDEF efg 56

12PT 3.2MM

ABCDEF efg 123

10PT 2.7MM

ABCDEFG efg 345

8PT 2.2MM

ABCDEFGHI efg 678

6PT 1.6MM

UNIVERS 49

ABCDEFGHIJKLMNOPQRSTUVWXYZ & Æ 0123456789.,'-

ABC 45

36PT 9.7MM

ABC 67

30PT 8.1MM

ABCD 78

26PT 7MM

ABC 23

24PT 6.5MM

ABCD 78

22PT 5.9MM

ABCD678

18PT 4.9MM

ABCDE 1234

16PT 4.3MM

ABCDE 4567

14PT 3.8MM

ABCDEF 6789

12PT 3.2MM

ABCDEF 6789

10PT 2.7MM

ABCDEF 2345

8PT 2.2MM

ABCDEFG 45678

6PT 1.6MM

UNIVERS 57

ABCDEFGHIJKLMNOPQRSTUVWXYZ && (.,:)

1234567890 abcdefghijklmnopqrstuvwxyz

ABCefg 56

36PT 9.7MM

ABCefg 34

30PT 8.1MM

ABCefg 56

26PT 7MM

ABCefg 78

24PT 6.5MM

ABCefg 45

22PT 5.9MM

ABCefg 23

18PT 4.9MM

ABCefg 67

16PT 4.3MM

ABCefg 45

14PT 3.8MM

ABCDefgh 123

12PT 3.2MM

ABCDEefgh 567

10PT 2.7MM

ABCDEFefghij 345

8PT 2.2MM

ABCDEFefghij 4567

6PT 1.6MM

UNIVERS 59

ABCDEFGHIJKLMNOPQRSTUVWXYZ && (.,:)

1234567890 abcdefghijklmnopqrstuvwxyz

ABCefg 34

36PT 9.7MM

ABCefg 56

30PT 8.1MM

ABCefg 34

26PT 7MM

ABCefg 89

24PT 6.5MM

ABCefg 34

22PT 5.9MM

ABCDefg 123

18PT 4.9MM

ABCDEfgh 456

16PT 4.3MM

ABCDEfgh 789

14PT 3.8MM

ABCDEefgh 456

12PT 3.2MM

ABCDEFefghi 123

10PT 2.7MM

ABCDEFefghij 567

8PT 2.2MM

ABCDEFefghij 6789

6PT 1.6MM

GRANBY CONDENSED

ABCDEFGHIJKLMNOPQRSTUVWXYZ &-.:,'£
0123456789 abcdefghijklmnopqrstuvwxyz

ABCefg34

36PT 9.4MM

ABCefg67

30PT 7.9MM

ABCefg89

26PT 6.7MM

ABCefg45

24PT 6.2MM

ABCefg89

22PT 5.7MM

ABCefg23

18PT 4.6MM

ABCefg56

16PT 4.3MM

ABCDefg67

14PT 3.6MM

ABCDefgh123

12PT 3MM

ABCDefgh3456

10PT 2.5MM

efghi6789

8PT 2.1MM

ABCDEFefghij5678

6PT 1.6MM

GROTESQUE NO.9

ABCDEFGHIJKLMNOPQRSTUVWXYZ &
1234567890 .,'- abcdefghijklmnopqrstuvwxyz

ABCefg23

36PT 10MM

ABCefg12

30PT 8.4MM

ABCefg34

26PT 7.3MM

ABCefg56

24PT 6.6MM

ABCefg67

22PT 6.1MM

ABCefg89

18PT 5MM

ABCDefg12

16PT 4.5MM

ABCDefg67

14PT 3.9MM

ABCDefg345

12PT 3.4MM

ABCDEfgh678

10PT 2.8MM

ABCDEefghi567

8PT 2.2MM

ABCDEFefghij1234

6PT 1.7MM

NEWS GOTHIC CONDENSED

ABCDEFGHIJKLMNOPQRSTUVWXYZ B &!£\$(.,:)
1234567890 abcdefghijklmnopqrstuvwxyz

ABCefg 45

36PT 9.5MM

ABCefg 78

30PT 7.9MM

ABCefg 89

26PT 6.9MM

ABCefg 67

24PT 6.3MM

ABCefg 78

22PT 5.7MM

ABCefg 34

18PT 4.8MM

ABCDefg 123

16PT 4.3MM

ABCDefgh 789

14PT 3.7MM

ABCDEefgh 345

12PT 3.1MM

ABCDEFefgh 5678

10PT 2.7MM

ABCDEFGHefghij 6789

8PT 2.2MM

ABCDEFGHIHefghij 123456

6PT 1.6MM

RUTLAND

ABCDEFGHIJKLMNOPQRSTUVWXYZ &
1234567890 ÆÆ.,'- abcdefghijklmnopqrstuvwxyz

ABCefg 34

36PT 10.3MM

ABCefg 45

30PT 8.7MM

ABCefg 12

26PT 7.4MM

ABCefg 78

24PT 6.8MM

ABCefg 23

22PT 6.2MM

ABCefg 89

18PT 5.4MM

ABCDefg 567

16PT 4.5MM

ABCDefg 789

14PT 4.1MM

ABCDEefgh 123

12PT 3.6MM

ABCDEefgh 345

10PT 3MM

ABCDEFefghi 456

8PT 2.5MM

ABCDEFGHefghij 234

6PT 1.8MM

FRUTIGER

ABCDEFGHIJKLMNOPQRSTUVWXYZ & (.,:;)
abcdefghijklmnopqrstuvwxyz 1234567890

ABCefg67

36PT 9.1MM

ABCefg34

30PT 7.6MM

ABCefg45

26PT 6.6MM

ABCefg89

24PT 6.1MM

ABCefg67

22PT 5.6MM

ABCefg23

18PT 4.6MM

ABCefg67

16PT 4.1MM

ABCefg89

14PT 3.6MM

ABCefg345

12PT 3MM

ABCDefgh678

10PT 2.5MM

ABCDefghi6789

8PT 2MM

ABCDEfghij5678

6PT 1.6MM

PASCAL

ABCDEFGHIJKLMNOPQRSTUVWXYZ Æ Æ & (:;/)
abcdefghijklmnopqrstuvwxyz æ œ 1234567890

ABCefg34

36PT 8.6MM

ABCefg89

30PT 7.2MM

ABCefg56

26PT 6.1MM

ABCefg23

24PT 5.7MM

ABCefg89

22PT 5.2MM

ABCefg45

18PT 4.3MM

ABCefg78

16PT 3.8MM

ABCefg56

14PT 3.4MM

ABCefgh123

12PT 2.9MM

ABCDefghi456

10PT 2.4MM

ABCDEfghij6789

8PT 1.9MM

ABCDEFefghij5678

6PT 1.5MM

OPTIMA

ABCDEFGHIJKLMNOPQRSTUVWXYZ & (,,:)
abcdefghijklmnopqrstuvwxyz 1234567890

ABCefg56

36PT 8.7MM

ABCefg89

30PT 7.3MM

ABCefg67

26PT 6.3MM

ABCefg23

24PT 5.8MM

ABCefg78

22PT 5.4MM

ABCefg45

18PT 4.4MM

ABCefg89

16PT 3.9MM

ABCefg123

14PT 3.4MM

ABCefgh678

12PT 2.9MM

ABCDefgh345

10PT 2.4MM

ABCDEefghi6789

8PT 1.9MM

ABCDEFefghij23456

6PT 1.5MM

OPTIMA MEDIUM

ABCDEFGHIJKLMNOPQRSTUVWXYZ & (,,:)
abcdefghijklmnopqrstuvwxyz 1234567890

ABCefg45

36PT 8.7MM

ABCefg89

30PT 7.3MM

ABCefg67

26PT 6.3MM

ABCefg23

24PT 5.8MM

ABCefg78

22PT 5.4MM

ABCefg89

18PT 4.4MM

ABCefg123

16PT 3.9MM

ABCefgh456

14PT 3.4MM

ABCefgh789

12PT 2.9MM

ABCefgh567

10PT 2.4MM

ABCDefghi6789

8PT 1.9MM

ABCDEFefghij45678

6PT 1.5MM

CAMBERWELL

ABCDEFGHIJKLMNOPQRSTUVWXYZ
&-.:,Æ1234567890

ABC 123

36PT 10.5MM

ABC456

30PT 8.8MM

ABC 789

26PT 7.9MM

ABCD 567

24PT 6.8MM

ABCD 234

22PT 6.2MM

ABCD 678

18PT 5.6MM

ABCDE 3456

16PT 4.6MM

ABCDE 7890

14PT 4.2MM

ABCDEF 3456

12PT 3.5MM

ABCDEF 5678

10PT 3.3MM

ABCDEFG 1234

8PT 2.4MM

ABCDEFGH 34567

6PT 1.8MM

CENTAUR

ABCDEFGHIJKLMNOPQRSTUVWXYZ&Æ
1234567890 .,'- abcdefghijklmnopqrstuvwxyzæœ

ABCefg 123

36PT 7.5MM

ABCefg 234

30PT 6.2MM

ABCDefg 345

26PT 5.4MM

ABCDefg 567

24PT 5MM

ABCDefg 789

22PT 4.5MM

ABCDEefg 567

18PT 3.7MM

ABCDEefg 2345

16PT 3.3MM

ABCDEFefg 6789

14PT 2.9MM

ABCDEFGefgh 4567

12PT 2.5MM

ABCDEFGefgh 12345

10PT 2.2MM

ABCDEFGH 12345678

8PT 1.9MM

FOURNIER

ABCDEFGHIJKLMNOPQRSTUVWXYZ &
1234567890.,'- Æ abcdefghijklmnopqrstuvwxyz

ABCcde12

36PT 11.2MM

ABCefg23

30PT 9.3MM

ABCefg123

26PT 7.9MM

ABCefg34

24PT 7.4MM

ABCefg67

22PT 6.6MM

ABCefg89

18PT 5.8MM

ABCefg56

16PT 5MM

ABCDefg78

14PT 4.3MM

ABCDefg56

12PT 3.7MM

ABCDefgh234

10PT 3.2MM

ABCDEefghi678

8PT 2.4MM

ABCDEFefghij3456

6PT 1.8MM

GLOUCESTER

ABCDEFGHIJKLMNOPQRSTUVWXYZ & Æ Æ -'.
1234567890 abcdefghijklmnopqrstuvwxyz æ

ABCefg23

36PT 11.2MM

ABCefg34

30PT 9.3MM

ABCefg78

26PT 7.9MM

ABCefg67

24PT 7.4MM

ABCefg89

22PT 6.6MM

ABCefg45

18PT 5.8MM

ABCefg78

16PT 5MM

ABCDefg34

14PT 4.3MM

ABCDefgh123

ABCDefgh456

ABCDEefghi789

ABCDEFefghij34567

CHICHESTER REGULAR

ABCDEFGHIJKLMNOPQRSTUVWXYZ

Æ & 1234567890 . , ' -

ABC56

36PT 9.3MM

ABC67

30PT 7.7MM

ABC34

26PT 6.8MM

ABC90

24PT 6.2MM

ABC56

22PT 5.6MM

ABC34

18PT 4.8MM

ABC123

16PT 4.2MM

ABC567

14PT 3.6MM

ABCD789

12PT 2.9MM

ABCDE3456

10PT 2.6MM

ABCDE5678

8PT 2.1MM

ABCDEF34567

6PT 1.7MM

CHICHESTER LIGHT CONDENSED

ABCDEFGHIJKLMNOPQRSTUVWXYZ

0123456789 Æ & - . , ' -

ABC45

36PT 9.3MM

ABC23

30PT 7.7MM

ABC67

26PT 6.8MM

ABC89

24PT 6.2MM

ABC34

22PT 5.6MM

ABC67

18PT 4.8MM

ABC78

16PT 4.2MM

ABC345

14PT 3.6MM

ABCD567

12PT 2.9MM

ABCD1234

10PT 2.6MM

ABCD6789

8PT 2.1MM

ABCDEF45678

6PT 1.7MM

CHICHESTER ITALIC

ABCDEFGHIJKLMNOPQRSTUVWXYZ

&-0123456789.,'Æ

ABC 34

36PT 9.3MM

ABC 23

30PT 7.7MM

ABC 67

26PT 6.8MM

ABC 56

24PT 6.2MM

ABC 89

22PT 5.6MM

ABC 56

18PT 4.8MM

ABC 123

16PT 4.2MM

ABC 456

14PT 3.6MM

ABCD 678

12PT 2.9MM

ABCD 3456

10PT 2.6MM

ABCDE 6789

8PT 2.1MM

ABCDEF 23456

6PT 1.7MM

WINCHESTER OLD STYLE ITALIC

ABCDEFGHIJKLMNOPQRSTUVWXYZ&

0123456789-.,'/()abcdefghijklmnopqrstuvwxyz

ABCefg 56

36PT 9.3MM

ABCefg 23

30PT 7.7MM

ABCefg 56

26PT 6.8MM

ABCefg 23

24PT 6.2MM

ABCefg 56

22PT 5.6MM

ABCefg 89

18PT 4.8MM

ABCefg 67

16PT 4.2MM

ABCefg 45

14PT 3.6MM

ABCDefgh 123

ABCDefgh 789

ABCDEefghi 3456

ABCDEFefghij 56789

CHELTENHAM OLD STYLE

ABCDEFGHIJKLMNOPQRSTUVWXYZ&

Æ/()1234567890.,'-

ABC 34

36PT 11.2MM

ABC 67

30PT 9.1MM

ABC 45

26PT 7.9MM

ABC 89

24PT 7.2MM

ABC 23

22PT 6.4MM

ABC 67

18PT 5.8MM

ABC 456

16PT 5MM

ABCD 789

14PT 4.2MM

ABCD1234

12PT 3.6MM

ABCD6789

10PT 3.2MM

ABCDE 3456

8PT 2.5MM

ABCDEF 56789

6PT 1.8MM

TRAJAN ROMAN

ABCDEFGHIJKLMNOPQRSTUVWXYZ

&O123456789

ABC 23

36PT 9.1MM

ABC 56

30PT 7.6MM

ABC 89

26PT 6.6MM

ABC 56

24PT 6.1MM

ABC 23

22PT 5.6MM

ABC123

18PT 4.6MM

ABC456

16PT 4.1MM

ABC 789

14PT 3.6MM

ABCD 456

12PT 3MM

ABCD 234

10PT 2.5MM

ABCD 4567

8PT 2MM

ABCDE 12345

6PT 1.6MM

YORK

ABCDEFGHIJKLMNOPQRSTUVWXYZ &Æ

1234567890 .,:- abcdefghijklmnopqrstuvwxyz

ABCefg12

36PT 10.3MM

ABCefg34

30PT 8.9MM

ABCefg45

26PT 7.5MM

ABCefg78

24PT 6.9MM

ABCefg56

22PT 6.3MM

ABCefg89

18PT 5.6MM

ABCefg56

16PT 4.6MM

ABCefg78

14PT 4.1MM

ABCDefg34

12PT 3.7MM

ABCDefg89

10PT 3.2MM

ABCDEefgh456

8PT 2.5MM

ABCDEFefghi789

6PT 1.8MM

KENT

ABCDEFGHIJKLMNOPQRSTUVWXYZ Æ &

1234567890 .,:- abcdefghijklmnopqrstuvwxyz

ABCefg23

36PT 10.3MM

ABCefg56

30PT 8.9MM

ABCefg34

26PT 7.5MM

ABCefg89

24PT 6.9MM

ABCefg67

22PT 6.3MM

ABCefg45

18PT 5.6MM

ABCefg12

16PT 4.6MM

ABCDefg78

14PT 4.1MM

ABCDefg34

12PT 3.7MM

ABCDefgh678

10PT 3.2MM

ABCDEefghi234

8PT 2.5MM

ABCDEFefghij789

6PT 1.8MM

EDINBURGH

ABCDEFGHIJKLMNOPQRSTUVWXYZ&
12345678 -.,' abcdefghijklmnopqrstuvwxyz

ABCefg12

36PT 11.2MM

ABCefg23

30PT 9.3MM

ABCefg12

26PT 7.9MM

ABCefg34

24PT 7.4MM

ABCefg23

22PT 6.6MM

ABCefg56

18PT 5.8MM

ABCefg78

16PT 5MM

ABCefg89

14PT 4.3MM

ABCDefg67

12PT 3.7MM

ABCDefg45

10PT 3.2MM

ABCDEefgh89

8PT 2.4MM

ABCDEefgh123

6PT 1.8MM

ELIZABETHAN

ABCDEFGHIJKLMNOPQRSTUVWXYZ&
1234567890 .,-' abcdefghijklmnopqrstuvwxyz

ABCefg23

36PT 11.2MM

ABCefg34

30PT 9.3MM

ABCefg12

26PT 7.9MM

ABCefg56

24PT 7.4MM

ABCefg89

22PT 6.6MM

ABCefg67

18PT 5.8MM

ABCefg12

16PT 5MM

ABCDefg56

14PT 4.3MM

ABCDefg89

12PT 3.7MM

ABCDEfg67

10PT 3.2MM

ABCDEefgh456

8PT 2.4MM

ABCDEFGefghi1234

6PT 1.8MM

TIMES NEW ROMAN CONDENSED

ABCDEFGHIJKLMNOPQRSTUVWXYZ.,'-&
1234567890 abcdefghijklmnopqrstuvwxyz

ABC efg 23

36PT 9.2MM

ABC efg 12

30PT 7.8MM

ABC efg 45

26PT 6.7MM

ABC efg 89

24PT 6.3MM

ABCefg 67

22PT 5.7MM

ABC efg 78

18PT 4.3MM

ABC efg 34

16PT 3.9MM

ABCD efg 678

14PT 3.6MM

ABCD efgh 123

12PT 2.9MM

ABCDE efgh 456

10PT 2.5MM

ABCDE efgh: 789

8PT 2.1MM

ABCDEF efghi 3456

6PT 1.6MM

TIMES NEW ROMAN

ABCDEFGHIJKLMNOPQRSTUVWXYZ &
1234567890 (.,:) abcdefghijklmnopqrstuvwxyz

ABCefg 45

36PT 9.2MM

ABCefg 67

30PT 7.8MM

ABCefg 23

26PT 6.7MM

ABCefg 78

24PT 6.3MM

ABCefg 78

22PT 5.7MM

ABC efg 23

18PT 4.3MM

ABC efg 89

16PT 3.9MM

ABC efg 45

14PT 3.6MM

ABC efg 23

12PT 2.9MM

ABCDefg 345

10PT 2.5MM

ABCD efgh 678

8PT 2.1MM

ABCDE efghi 3456

6PT 1.6MM

GOUDY OLD STYLE

ABCDEFGHIJKLMNOPQRSTUVWXYZ Æ &
abcdefghijklmnopqrstuvwxyz æ (,,:;) 1234567890

ABCefg34

36PT 9.1MM

ABCefg67

30PT 7.6MM

ABCefg89

26PT 6.6MM

ABCefg67

24PT 6.1MM

ABCefg34

22PT 5.6MM

ABCefg56

18PT 4.6MM

ABCefg89

16PT 4.1MM

ABCefg78

14PT 3.6MM

ABCefgh123

12PT 3MM

ABCDefgh456

10PT 2.5MM

ABCDEefghi789

8PT 2MM

ABCDEF45678efghij

6PT 1.6MM

BASKERVILLE

ABCDEFGHIJKLMNOPQRSTUVWXYZ

ŒÆ.,-0123456789

ABC45

36PT 9.1MM

ABC78

30PT 7.6MM

ABC89

26PT 6.6MM

ABC45

24PT 6.1MM

ABC23

22PT 5.6MM

ABC56

18PT 4.6MM

ABC123

16PT 4.1MM

ABCD345

14PT 3.6MM

ABCD6789

12PT 3MM

ABCD2345

10PT 2.5MM

ABCDE4567

8PT 2MM

ABCDEF123456

6PT 1.6MM

CASLON BOLD

ABCDEFGHIJKLMNOPQRSTUVWXYZ Æ &
abcdefghijklmnopqrstuvwxyz 1234567890 (.,:)

ABCefg45

36 PT 9.1 MM

ABCefg78

30 PT 7.6 MM

ABCefg34

26 PT 6.6 MM

ABCefg89

24 PT 6.1 MM

ABCefg67

22 PT 5.6 MM

ABCefg34

18 PT 4.6 MM

ABCefg67

16 PT 4.1 MM

ABCefg89

14 PT 3.6 MM

ABCefg 123

12 PT 3 MM

ABCefgh 789

10 PT 2.5 MM

ABCD efghi 3456

8 PT 2 MM

ABCDE efghij 5678

6 PT 1.6 MM

CASLON BOLD CONDENSED

ABCDEFGHIJKLMN OPQRSTUVWXYZ
0123456789 & Æ Æ .-, '()?!

ABC45

36 PT 9.1 MM

ABC67

30 PT 7.6 MM

ABC89

26 PT 6.6 MM

ABC67

24 PT 6.1 MM

ABC45

22 PT 5.6 MM

ABCD123

18 PT 4.6 MM

ABCD456

16 PT 4.1 MM

ABCD 678

14 PT 3.6 MM

ABCDE 1234

12 PT 3 MM

ABCDE 6789

10 PT 2.5 MM

ABCDE 3456

8 PT 2 MM

ABCDEF 45678

6 PT 1.6 MM

WINDSOR ELONGATED

ABCDEFGHIJKLMNOPQRSTUVWXYZ&
1234567890.,'~ abcdefghijklmnopqrstuvwxyz

ABC efg 34

36PT 9.8MM

ABC efg 67

30PT 8MM

ABC efg 89

26PT 6.6MM

ABCD efg 78

24PT 6.1MM

ABCD efg 34

22PT 5.6MM

ABCDE efg 89

18PT 4.8MM

ABCDE efg 56

16PT 4.1MM

ABCDEF efg 78

14PT 3.6MM

ABCDEF eghi 345

12PT 3MM

ABCDEF eghij 1234

10PT 2.5MM

PLAYBILL

ABCDEFGHIJKLMNOPQRSTUVWXYZ&
abcdefghijklmnopqrstuvwxyz 1234567890.,'-

ABC efg 45

36PT 9.6MM

ABC efg 89

30PT 7.6MM

ABCD efg 12

26PT 6.6MM

ABCD efg 67

24PT 6.1MM

ABCDE efg 456

22PT 5.7MM

ABCDE efg 678

18PT 4.8MM

ABCDEF eghi 123

16PT 4.2MM

ABCDEF eghij 6789

14PT 3.6MM

ABCDEFGH eghijklm 123456

12PT 3MM

ABCDEFGH eghijk 4567890

10PT 2.5MM

PLANTIN BOLD

ABCDEFGHIJKLMNOPQRSTUVWXYZÆ &
abcdefghijklmnopqrstuvwxyz æ 1234567890 (.,,:)

ABCefg 45

36PT 9.3MM

ABCefg 23

30PT 7.8MM

ABCefg 89

26PT 6.8MM

ABCefg 78

24PT 6.2MM

ABCefg 23

22PT 5.7MM

ABCefg 56

18PT 4.7MM

ABCefg 78

16PT 4.1MM

ABCefg 123

14PT 3.6MM

ABCefg 678

12PT 3MM

ABCDefgh 4567

10PT 2.5MM

ABCDEefghi 6789

8PT 2MM

ABCDEefghij 12345

6PT 1.5MM

PLANTIN BOLD CONDENSED

ABCDEFGHIJKLMNOPQRSTUVWXYZ & (.,,:)
abcdefghijklmnopqrstuvwxyz 1234567890

ABCefg 89

36PT 9.3MM

ABCefg 56

30PT 7.8MM

ABCefg 23

26PT 6.8MM

ABCefg 45

24PT 6.2MM

ABCefg 78

22PT 5.7MM

ABCefg 45

18PT 4.7MM

ABCefg 123

16PT 4.1MM

ABCefgh 678

14PT 3.6MM

ABCDefgh 789

ABCDEefghi 3456

ABCDEefghij 5678

ABCDEefghij 12345

AMERICANA EXTRA BOLD

ABCDEFGHIJKLMNOPQRSTUVWXYZ-' &
1234567890

ABCD

36PT 9.3MM

ABCD

30PT 8MM

ABCD

26PT 7MM

ABCD

24PT 6.5MM

ABCD

22PT 5.8MM

ABCDE

18PT 4.4MM

ABCDE

16PT 4MM

ABCDE

14PT 3.7MM

ABCDEF

12PT 3.2MM

ABCDEF

10PT 2.7MM

ABCDEF

8PT 2.2MM

ABCDEF

6PT 1.8MM

PRETORIAN

ABCDEFGHIJKLMNOPQRSTUVWXYZ & (.,:;)
abcdefghijklmnopqrstuvwxyz 1234567890

ABGefg45

36PT 9.1MM

ABGefg67

30PT 7.6MM

ABGefg89

26PT 6.6MM

ABGefg67

24PT 6.1MM

ABGefg67

22PT 5.6

ABGefg89

18PT 4.6MM

ABGefg56

16PT 4.1MM

ABGefg123

14PT 3.6MM

ABGefg678

12PT 3MM

ABGefgh345

10PT 2.5MM

ABGDefgh6789

8PT 2MM

ABGDEefghi4567

6PT 1.6MM

TIFFANY EXTENDED BOLD

ABCDEFGHIJKLMNOPQRSTUVWXYZ&=

0123456789.,'

AB23

36PT 10.8MM

AB56

30PT 8.9MM

AB12

26PT 7.8MM

AB89

24PT 7.2MM

AB45

22PT 6.1MM

ABC34

18PT 5.3MM

ABC23

16PT 4.5MM

ABC56

14PT 4.1MM

ABC89

12PT 3.7MM

ABC45

10PT 2.8MM

ABC123

8PT 2MM

ABCD567

6PT 1.6MM

TIFFANY EXTENDED LIGHT

ABCDEFGHIJKLMNOPQRSTUVWXYZ&

0123456789-.,'

ABC34

36PT 10.8MM

ABC67

30PT 8.9MM

ABC23

26PT 7.8MM

ABC89

24PT 7.2MM

ABC45

22PT 6.1MM

ABC23

18PT 5.3MM

ABC78

16PT 4.5MM

ABC56

14PT 4.1MM

ABC34

12PT 3.7MM

ABC123

10PT 2.8MM

ABCD567

8PT 2MM

ABCD345

6PT 1.6MM

ENGRAVERS ROMAN

ABCDEFGHIJKLMNOPQRSTUVWXYZ &
1234567890 .,:'-

ABC12

36PT 10.8MM

ABC23

30PT 8.9MM

ABC34

26PT 7.8MM

ABC56

24PT 7.2MM

ABC67

22PT 6.1MM

ABC89

18PT 5.3MM

ABC78

16PT 4.5MM

ABC23

14PT 4.1MM

ABCD567

12PT 3.7MM

ABCDE567

10PT 2.8MM

ABCDE456

8PT 2MM

ABCDEF1234

6PT 1.6MM

ENGRAVERS ROMAN OUTLINE

ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789 £-,:'- &

ABC23

36PT 10.8MM

ABC67

30PT 8.9MM

ABC34

26PT 7.8MM

ABC89

24PT 7.2MM

ABC12

22PT 6.1MM

ABC34

18PT 5.3MM

ABC56

16PT 4.5MM

ABC34

14PT 4.1MM

ABCD123

12PT 3.7MM

ABCD789

10PT 2.8MM

ABCDE567

8PT 2MM

ABCDE234

6PT 1.6MM

AMERICAN SCRIPT

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z &
0 1 2 3 4 5 6 7 8 9 - , ' a b c d e f g h i j k l m n o p q r s t u v w x y z

A B C e f g 1 2

36PT 9.4MM

A B C e f g 4 5

30PT 8MM

A B C e f g 6 7

26PT 6.8MM

A B C e f g 3 4

24PT 6.3MM

A B C e f g 7 8

22PT 5.7MM

A B C e f g 3 4

18PT 4.8MM

A B C D e f g h 5 6 7

16PT 4.3MM

A B C D e f g h i 2 3 4

14PT 3.7MM

A B C D E F e f g h i j 6 7 8 9

12PT 3.2MM

A B C D E F d e f g h i j k 0 1 2 3 4 5 6

10PT 2.6MM

MERCURY LIGHT SCRIPT

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z &
1 2 3 4 5 6 7 8 9 0 . , ' - a b c d e f g h i j k l m n o p q r s t u v w x y z

A B C e f g 4 5

36PT 10MM

A B C e f g 3 4

30PT 8.4MM

A B C e f g 6 7

26PT 7.3MM

A B C e f g 1 2

24PT 6.7MM

A B C e f g 8 9

22PT 6.1MM

A B C e f g 5 6 7

18PT 5MM

A B C D e f g h 7 8 9

16PT 4.5MM

A B C D E e f g h i 1 2 3 4

14PT 3.9MM

A B C D E d e f g h i j 1 2 3 4 5 6 7

12PT 3.4MM

A B C D E d e f g h i j k 4 5 6 7 8 9 0

10PT 2.9MM

CELTIC SCRIPT

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z &
0 1 2 3 4 5 6 7 8 9 - . ,

A B C 45

36PT 9.4MM

A B C 23

30PT 8.1MM

A B C 89

26PT 6.8MM

A B C 67

24PT 6.3MM

A B C 56

22PT 5.8MM

A B C 78

18PT 4.3MM

A B C 34

16PT 4MM

A B C 123

14PT 3.7MM

A B C D 456

12PT 3.3MM

A B C D 678

10PT 2.5MM

A B C D E 2345

8PT 2.1MM

A B C D E F 56789

6PT 1.8MM

AMERICAN UNCIAL

a b c d e f g h i j k l m n o p q r s t u v w x y z

1 2 3 4 5 6 7 8 9 0 & () - . ,

a B C 89

36PT 7.1MM

a B C 23

30PT 6MM

a B C 34

26PT 5MM

a B C 23

24PT 4.6MM

a B C 56

22PT 4.3MM

a B C 78

18PT 3.6MM

a B C 123

16PT 3.2MM

a B C D 789

14PT 2.8MM

a B C D 567

12PT 2.4MM

a B C D E 789

10PT 1.9MM

a B C D E 1234

8PT 1.6MM

a B C D E F 56789

6PT 1.3MM

VICTORIANA

AB@DEFGHIJKL MNOPQRSTU VWXYZ&-.,'

1234567890 abedefghijklmnopqrstuvwxyz

AB@efgh34

42PT 9.2MM

AB@efgh67

36PT 7.8MM

AB@efgh89

30PT 6.8MM

AB@efgh45

26PT 6.2MM

AB@efgh23

24PT 5.8MM

AB@efgh67

22PT 4.2MM

AB@efgh45

18PT 3.8PT

AB@efgh34

16PT 3.4MM

AB@efgh56

14PT 3MM

AB@efgh89

12PT 2.5MM

AB@efgh456

10PT 2.1MM

AB@efgh6789

8PT 1.8MM

ART NOUVAEU

ABCDEFGHIJKLMN OPQRS TUVWXYZ&

0123456789-.,'

ABC34

36PT 11.1MM

ABC56

30PT 9.2MM

ABC78

26PT 8MM

ABC23

24PT 7.4MM

ABC456

22PT 6.6MM

ABCD123

18PT 5.8MM

ABCD678

16PT 5MM

ABCD345

14PT 4.3MM

ABCDE5678

12PT 3.8MM

ABCDE2345

10PT 3.2MM

ABCDEF6789

8PT 2.5MM

ABCDEFGH34567

6PT 1.8MM

OLD ENGLISH

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

1 2 3 4 5 6 7 8 9 0 ß & (,,:;) a b c d e f g h i j k l m n o p q r s t u v w x y z

A B C e f g 67

36PT 9.1MM

A B C e f g 34

30PT 7.6MM

A B C e f g 89

26PT 6.6MM

A B C e f g 45

24PT 6.1MM

A B C e f g 23

22PT 5.6

A B C e f g 78

18PT 4.6MM

A B C e f g 456

16PT 4.1MM

A B C e f g h 789

14PT 3.6MM

A B C e f g h 1234

12PT 3MM

A B C D e f g h i 5678

10PT 2.5MM

A B C D e f g h i j 3456

8PT 2MM

A B C D E e f g h i j k 56789

6PT 1.6MM

FRAKTUR

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z & (,,:;)

1 2 3 4 5 6 7 8 9 0 a b c d e f g h i j k l m n o p q r s t u v w x y z æ ø ß

A B C e f g 56

36PT 9.5MM

A B C e f g 34

30PT 7.9MM

A B C e f g 89

26PT 6.9MM

A B C e f g 34

24PT 6.3MM

A B C e f g 56

22PT 6MM

A B C e f g 78

18PT 4.5MM

A B C e f g 123

16PT 4.2MM

A B C e f g h 89

14PT 3.7MM

A B C e f g h 345

12PT 3MM

A B C D e f g h i 678

10PT 2.6MM

A B C D e f g h i j 1234

8PT 2.1MM

A B C D E e f g h i j k 45678

6PT 1.6MM

HEBREW S'TAM

לךםןהזםעפצקרשתחטיכ למנאבגדהוז

גדהוז

36PT 7.4MM

גדהוז

30PT 6MM

בגדהוז

26PT 5.3MM

בגדהוז

24PT 4.7MM

בגדהוז

22PT 4.4MM

אבגדהוז

18PT 3.7MM

אבגדהוז

16PT 3.3MM

אבגדהוז

14PT 2.8MM

נאבגדהוז

12PT 2.5MM

נאבגדהוז

10PT 2.1MM

נאבגדהוז

8PT 1.8MM

ARABIC NASKHI Size shown 36pt, other sizes available.

ج خ ح د ذ ر ز س ش ص ض ط ظ ع ف غ ع ط ط ط ط ط
ظ ظ ظ ظ ظ ظ ظ ظ ظ ظ ظ ظ ظ ظ ظ ظ ظ
ل
ف ف ف ف ف ف ف ف ف ف ف ف ف ف ف ف ف
ي
ا
١٢٣٤٥٦٧٨٩٠ ف ف ف ف ف ف ف ف ف ف ف ف

RUSSIAN Available in the two faces shown, Times Roman and Helvetica Light.

АБВГДЕЖЗИЙКЛМНОПРСТУФХЦ
ЧШЩЪЫЬЭЮЯ 1234567890

АБВГДЕЖЗИЙКЛМНОПРСТУФХЦ
ЧШЩЪЫЬЭЮЯ 1234567890

GREEK Caps only, available in many faces, please enquire.

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ 1234567890

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ 1234567890

CASLON REGULAR

ABCDEFGHIJKLMNOPQRSTUVWXYZ Æ &
abcdefghijklmnopqrstuvwxyz æ 1234567890 (.,:;)

ABCefg 34

36PT 9.1MM

ABCefg 78

30PT 7.6MM

ABCefg 23

26PT 6.6MM

ABCefg 56

24PT 6.1MM

ABCefg 90

22PT 5.6MM

ABCefg 45

18PT 4.6MM

ABCefg 67

16PT 4.1MM

ABCefg 78

14PT 3.6MM

ABCefg 123

12PT 3.0MM

ABCefgh 89

10PT 2.5MM

ABCDefgh 345

8PT 2.0MM

ABCDEefgh 6789

6PT 1.6MM

ACADEMY CONDENSED

ABCDEFGHIJKLMNOPQRSTUVWXYZ &
234567890 ., ' - abcdefghijklmnopqrstuvwxyz

ABCefg46

36PT 8.8MM

ABCefg37

30PT 7.4MM

ABCefgh58

26PT 6.5MM

ABCefghi491

24PT 6.0MM

ABCDefgh230

22PT 5.5MM

ABCDefghijk180

18PT 4.5MM

ABCDEefghijk347

16PT 4.0MM

ABCDEXefghijk256

4PT 3.5MM

ABCDEFdefghijk3894

12PT 3.0MM

ABCDEXYZefghimxy76302

10PT 2.5MM

ABCDEQRSTefghijklstuy3490

8.0PT 2.0MM

ABCDEKLMRSTWefghimnopqrs126890

6PT 1.5MM

18th CENTURY

ABCDEFGHIJKLMNOPQRSTUVWXYZ

Œ& 1234567890 =.,'

ABC45

36PT 9.1MM

ABC89

30PT 7.6MM

ABC23

26PT 6.6MM

ABC345

24PT 6.1MM

ABC890

22PT 5.6MM

ABCDI23

18PT 4.6MM

ABCD4567

16PT 4.1MM

ABCDI234

14PT 3.6MM

ABCDE7890

12PT 3.0MM

ABCDE2345

10PT 2.5MM

ABCDEF56789

8PT 2.0MM

17th CENTURY

ABCDEFGHIJKLMNOPQRSTUVWXYZ

Œ& 1234567890 -.,'

ABC34

36PT 9.1MM

ABC23

30PT 7.6MM

ABC45

26PT 6.6MM

ABCI23

24PT 6.1MM

ABC678

22PT 5.6MM

ABCD456

18PT 4.6MM

ABCD6789

16PT 4.1MM

ABCD4567

14PT 3.6MM

ABCDEI2345

12PT 3.0MM

ABCDE3456

10PT 2.5MM

ABCDEF56789

8PT 2.0MM

UNGAR FRAKTUR

U B C D E F G H I J K L M N O P Q R S T U V W X Y Z
1 2 3 4 5 6 7 8 9 0 . , ' a b c d e f g h i j k l m n o p q r s t u v w x y z c h d e f f i l s i s s b e t k

U B C e f g 23

36 PT 9.5MM

U B C e f g 34

30 PT 7.9MM

U B C e f g 78

26 PT 6.9MM

U B C e f g h 123

24 PT 6.3MM

U B C e f g h 789

22 PT 6.0MM

U B C D e f g h i 456

18 PT 4.5MM

U B C D e f g h i 7890

16 PT 4.2MM

U B C D e f g h i 4567

14 PT 3.7MM

U B C D E e f g h i j 123456

12 PT 3.0MM

U B C D E e f g h i j k l

10 PT 2.6MM

U B C D E e f g h i j k l 567890

8 PT 2.1MM

ACADEMY CONDENSED RUSSIAN

SIZES AS ENGLISH ACADEMY

А Б В Г Д Е Ж З И Й К Л М Н О П Р С Т У Ф Х
Ц Ч Ш Щ Ъ Ы Ь Э Ю Я 1234567890

BLAGOVEST

SIZES AS ACADEMY

А Б В Г Д Е Ж З И Й К Л М Н О П Р С Т У Ф Х

Ц Ч Ш Щ Ъ Ы Ь Э Ю Я . , 1234567890

GLOUCESTER RUSSIAN

SIZES AS ENGLISH GLOUCESTER

А Б В Г Д Е Ж З И Й К Л М Н О П Р С Т У Ф Х

Ц Ч Ш Щ Ъ Ы Ь Э Ю Я . , 1234568790

European Characters/Accents for Brass Type

Albanian	ÂÇË âçë
Danish	ÅÖØ åöø
Dutch & Flemish	ÄËÖÜ äëöü
Finnish	ÄÅÖ äåö
French	ÂÀÇÊÈÉËÎÔÒÛÜ âàçêèéëîôòûü
Gaelic (Scotch)	ÀÈÉÌÒÓÙ àèéìòóù
German	ÄÖÜ äöüß
Greek	ΓΔΘΛΞΠΣΦΨΩ αβγδεζηθικλμνξπρστυφχψωϰ
Icelandic	ÁÐÉÍÓÖÞÚÝ áðéíóöþúý
Italian	ÀÈÌÒÙ àèìòù
Norwegian	ÅÉÔÓØ åéôóø
Portuguese	ÂÃÄÃÇÊÈÉÏÎÔÓÕÛÚ âãäãçêèéïîôóõûú
Spanish	ÁÉÍÑÓÚÜ áéíñóúü
Swedish	ÄÅÖ äåö

Brass Dies/Plates

If you are looking to produce high quality work, then we can also produce Brass Dies/Plates for you from your camera-ready artwork.

Brass Dies will last longer as they are hard wearing, and can also help to give a sharper image. Like Magnesium Dies, Brass Dies can also be 'Deep Etched' - these are especially useful when printing onto softer leather surfaces where a 'Standard Etched' Die may 'sink in' and cause a misprint.

We can accept artwork files in Adobe Illustrator, PDF's etc. Please supply artwork to the correct size.

For a quick quote, please send us an email with dimensions of your die in inches, mm or cm.

Please send requests for dies etc to: cplsales@print1.co.uk



Our Dies are made from 1/4" thick brass and deeply etched.

To make attaching or removing your dies easier, why not purchase an option 'Lock-A-Block' from us. The Lock-A-Block will ensure that your dies stay flat (no adhesives used) and it will also speed up the changing of dies and avoiding any damage to them too.

