

Cube C-01 turnstile



www.oxgard.com

info@oxgard.com

Tel.+7(812) 366-15-94

1. Main Technical Specifications

Table 1. General specifications

Specification	Turnstile	Control Panel
Overall dimensions(H x W x D), mm: -in operating condition -with fold in arms	1024x800x900 1024x200x361	107x107x25
Weight, kg	25	0.5
Temperature range, °C: -operation -transportation and storage	+1...+40 +1...+40	+1...+40 +1...+40
Relative humidity, %, no more	80	80
Width of the formed passage, mm	500	
Width of the formed passage, mm	30	
Max. number of connected remote control panels, pcs.	2	
Lifetime, years	8	8

Table 2. Electrical characteristics

Specification	Turnstile	Control Panel
Power supply voltage, V: -rated -working	12.0 10.8...13.2	12.0 7.5...15.0
Standby average current*, A	0.4	
Average current in a pass mode*, A	0.4	
Maximum absorbed current, A	1.5	

*- values indicated at rated voltage

2. Standard Equipment (Scope of Product Delivery)

Table 3. Scope of product delivery

Name	Quantity
Cube C-01 turnstile	1 pc
Remote control panel with cable	1 pc
Base cover	1 pc
Datasheet	1 pc
Installation guidelines	1 pc
Maintenance operations	1 pc
Operating manual	1 pc
Anchor with a screw of FH 12/10 SK * type	3 pcs
Connecting cable PVA 2x1,5	1 pc

** optional*

***The manufacturer will reserve the right for changing configuration, technical specifications and appearance of the product*

3. Warranty liabilities

3.1. The warranty period is 24 months from the date of sale by the manufacturer, subject to compliance with the requirements for operating conditions in accordance with Installation guidelines and Operation Manual. Date of sale is specified in the data sheet. In case the date of sale is not provided the warranty period is calculated from the date of manufacture of the product indicated in the datasheet and on the product label.

3.2. Should a problem occur, contact the authorized dealers or the nearest authorized service center. Warranty terms and conditions provide free replacement parts, assemblies, units, etc., in which a manufacturing defect is found. The guarantee is subject to compliance with the requirements of the product maintenance according to Operation Manual.

3.3. Warranty terms and conditions do not include transport costs and travel to the place of product installation for connecting, configuring, repairing or consulting.

3.4. After-sales service will be provided at the rates set by the service center. In the case of non-warranty repair the warranty period for replaced parts and components is 3 months and shall run from the date of shipment of the product to buyer's address.

3.5. All replaced parts, components, blocks, etc. become the property of the service center, perform warranty and post-warranty repair of the product.

3.6. All claims for quantity, completeness and defects in appearance of the delivered goods are accepted by the manufacturer in writing, no later than five (5) working days of receipt of goods by the customer. In the case of non-compliance with the aforementioned term claims to put the goods on the above terms is not accepted.

3.7. Service center has a right to refuse warranty repairs in the following cases:

- the presence of defects that have arisen as a result of violations of the user instructions contained in the installation instructions, owner's manual and maintenance manual;
- when using the product for other purposes;
- if there are signs of change in the user product design;
- the presence of mechanical damage resulting from exposure to fire, shock, or an accident, etc .;
- the presence of mechanical damage resulting from operation of the product in excess of the limits of use and load characteristics declared by the manufacturer;
- the presence of electrical components and parts damaged due to surges, incorrect connections, wrong choice of power supply cable;

- the presence of electrical and other components damaged due to their exposure to water and other liquids;
- the presence of damages associated with the activity of small animals and insects;
- if there are signs of self-repair out of authorized service center, as well as defects resulting from the use of non-original spare parts;
- if faults have arisen as a result of normal wear and tear or the end of life of parts (consumables, fuses, etc.)

4. Production Data

Name	Cube C-01
Serial number	
Production Date	
Firmware version of motherboard	
Software Version	

5. The certificate of acceptance QCD

Inspector	
Signature	
QCD label	



6. Sale Information

Seller	
Buyer	
Date of sale	
Seller signature and stamp	
Buyer signature	

7. Information about Installation

Contractor	
Date of Installation	
Name and signature of contractor	
Buyer signature	

ООО “Vozrozhdenie”

66, Sofiyskaya str.

192289, Saint-Petersburg

tel./fax +7 (812) 336 15 94

www.oxgard.com

info@oxgard.com