



SAGECITY

A Guide

Connecting to MEW

Steps




We've recently established a MyEtherWallet (MEW) node for our users to connect to. This is currently experimental and running on limited bandwidth. Make sure to follow SageCity on Twitter to get notified on MEW improvements.

In this guide we present instructions on how to connect to MEW both for vintage and for current MEW.

In case of vintage MEW:

- 1) Open the server dropdown on the top right and click on the "Add Custom Network / Node" option.

Vintage: Step 1



2) Fill out the presented form with the following information:

- Node Name: SageCity (this can be whatever you wish, but for the sake of this tutorial, we'll name it like this)
- URL: <https://mew.sagecity.io> (this URL can and will change in the future)
- Port: 443
- HTTP Basic access authentication: false
- Custom selected between the radio buttons - Make sure that the "Supports EIP-155" option is not ticked

3) Press "Save & Use Custom Node".

4) If all went well, after a few seconds, you'll get a confirmation about being successfully connected to the SageCity node. Congratulations!

Vintage: Step 2

Set Up Your Custom Node ×

[Instructions can be found here](#)

Node Name

URL **Port**

HTTP Basic access authentication

ETH ETC Ropsten Kovan Rinkeby Custom Supports EIP-155



For Further Support

Your contribution is needed and very much appreciated. If you need any further support or identified anything unusual please reach out to us on:

team@sagecity.io

For more or different information:

www.sagecity.tech

