



THE LEADER IN V-TWIN FUEL INJECTION
Since 2002.

RETAIL CATALOG
2018
HorsePower^{Inc}

Table of Contents

Cable Driven Throttle Bodies	1
Max Flow™ Throttle Bodies	2
64mm Cable Driven Throttle Bodies	3
Sportster® Throttle Bodies.....	3
Throttle-By-Wire Throttle Bodies.....	4
M8 Throttle Bodies.....	4
Magnetti Marelli® Throttle Bodies.....	5
V2™ Air Cleaners.....	6
Billet-Pro™ Air Cleaners	7
High Flow Injectors	8
Turbo/Super Charged Injectors.....	9
Performance Parts	10
Replacement Parts.....	11
Terms & Conditions.....	12
Legal Disclaimers.....	13



Cable Driven Throttle Bodies

Cable Driven Throttle Bodies 2001-2005 | Fits all cable driven **2001-2005 Harley-Davidson®**

motorcycles excluding 2001 Touring models. Includes throttle body, manifold, throttle cable bracket, intake flanges and seals. Stock bolt pattern and location, fully compatible with all factory OEM electronics and cruise control. 51mm, 55mm and 58mm throttle body sizes available with ported intake runner diameters for 1.660 (stock), 1.710, 1.730, 1.760 and 1.800 dimensions.

Part #	Diameter	Intake Runner	Retail \$
HPI-51D1-16	51mm	1.660	\$695
HPI-51D1-17	51mm	1.710	\$695
HPI-51D1-73	51mm	1.730	\$695
HPI-51D1-76	51mm	1.760	\$695
HPI-51D1-18	51mm	1.800	\$695
HPI-55D1-16	55mm	1.660	\$695
HPI-55D1-17	55mm	1.710	\$695
HPI-55D1-73	55mm	1.730	\$695
HPI-55D1-76	55mm	1.760	\$695
HPI-55D1-18	55mm	1.800	\$695
HPI-58D1-16	58mm	1.660	\$785
HPI-58D1-17	58mm	1.710	\$785
HPI-58D1-73	58mm	1.730	\$785
HPI-58D1-76	58mm	1.760	\$785
HPI-58D1-18	58mm	1.800	\$785



Cable Driven Throttle Bodies 2006-Present | Fits all cable driven **2006-Present Harley-**

Davidson® motorcycles. Includes throttle body, manifold, throttle cable bracket, flanges and seals. Stock bolt pattern and location, fully compatible with all factory OEM electronics and cruise control. 51mm, 55mm and 58mm throttle body sizes available with ported intake runner diameters for 1.660 (stock), 1.710, 1.730, 1.760 and 1.800 dimensions.

Part #	Diameter	Intake Runner	Retail \$
HPI-51D6-16	51mm	1.660	\$695
HPI-51D6-17	51mm	1.710	\$695
HPI-51D6-73	51mm	1.730	\$695
HPI-51D6-76	51mm	1.760	\$695
HPI-51D6-18	51mm	1.800	\$695
HPI-55D6-16	55mm	1.660	\$695
HPI-55D6-17	55mm	1.710	\$695
HPI-55D6-73	55mm	1.730	\$695
HPI-55D6-76	55mm	1.760	\$695
HPI-55D6-18	55mm	1.800	\$695
HPI-58D6-16	58mm	1.660	\$785
HPI-58D6-17	58mm	1.710	\$785
HPI-58D6-73	58mm	1.730	\$785
HPI-58D6-76	58mm	1.760	\$785
HPI-58D6-18	58mm	1.800	\$785



*Anodizing available for additional \$150 + 1 week lead time. Extended deck heights are available at 1 week lead time + additional cost.

MAX FLOW THROTTLE BODIES


Max Flow™ I Throttle Bodies | Equipped with a large plenum to maximize mid and high RPM power and torque. Specifically engineered for larger cubic inch motors that require a larger amount of airflow. Available in 1.710, 1.730, 1.760 and 1.800 intake runner diameters, accepts the factory Delphi bolt pattern and compatible with cruise control.

Year	Part #	Diameter	Intake Runner	Retail \$
'01-'05	HPI-55MFI-17	55-58mm	1.710	\$785
'01-'05	HPI-55MFI-73	55-58mm	1.730	\$785
'01-'05	HPI-55MFI-76	55-58mm	1.760	\$785
'01-'05	HPI-55MFI-18	55-58mm	1.800	\$785
'01-'05	HPI-58MFI-17	58-62mm	1.710	\$785
'01-'05	HPI-58MFI-73	58-62mm	1.730	\$785
'01-'05	HPI-58MFI-76	58-62mm	1.760	\$785
'01-'05	HPI-58MFI-18	58-62mm	1.800	\$785
'06-Pres.	HPI-55MF6-17	55-58mm	1.710	\$785
'06-Pres.	HPI-55MF6-73	55-58mm	1.730	\$785
'06-Pres.	HPI-55MF6-76	55-58mm	1.760	\$785
'06-Pres.	HPI-55MF6-18	55-58mm	1.800	\$785
'06-Pres.	HPI-58MF6-17	58-62mm	1.710	\$785
'06-Pres.	HPI-58MF6-73	58-62mm	1.730	\$785
'06-Pres.	HPI-58MF6-76	58-62mm	1.760	\$785
'06-Pres.	HPI-58MF6-18	58-62mm	1.800	\$785



Max Flow™ II Throttle Bodies | Engineered with a billet throttle body and cast 356 aluminum intake. The 62mm straight through bore offers maximum airflow and is our largest cable driven throttle body on the market. A high flow V2 air cleaner is included with this unit (cover sold separately). No need to worry about air restriction with this powerful combination. Available in 1.710, 1.730, 1.760 and 1.800 intake runner diameters and is compatible with cruise control.

Year	Part #	Diameter	Intake Runner	Retail \$
'01-'05	HPI-62MFII-17	62mm	1.710	\$1,150
'01-'05	HPI-62MFII-73	62mm	1.730	\$1,150
'01-'05	HPI-62MFII-76	62mm	1.760	\$1,150
'01-'05	HPI-62MFII-18	62mm	1.800	\$1,150
'01-'05	HPI-62MFII-01	62mm-Oval	Oval	\$1,235
'06-Pres.	HPI-62MFII6-17	62mm	1.710	\$1,150
'06-Pres.	HPI-62MFII6-73	62mm	1.730	\$1,150
'06-Pres.	HPI-62MFII6-76	62mm	1.760	\$1,150
'06-Pres.	HPI-62MFII6-18	62mm	1.800	\$1,150
'06-Pres.	HPI-62MFII6-02	62mm-Oval	Oval	\$1,235



64mm CABLE DRIVEN

64mm Cable Driven | 2001-2005 and 2006-Present Harley-Davidson® motorcycles excluding 2001 Touring models. Includes throttle body, manifold, throttle cable bracket, flanges and seals, and high flow fuel rail. Compatible with cruise control and requires a throttle-by-wire air cleaner bolt pattern. 64mm Billet throttle body size available with intake runner diameters for 1.710, 1.730, 1.760, 1.800 and 1.900 dimensions. B2 and B3 applications also available.

Part #	Diameter	Intake Runner	Cost \$
HPI-64D1-17	64mm '01-'05	1.710	\$1,110
HPI-64D1-73	64mm '01-'05	1.730	\$1,110
HPI-64D1-76	64mm '01-'05	1.760	\$1,110
HPI-64D1-18	64mm '01-'05	1.800	\$1,110
HPI-64D1-19	64mm '01-'05	1.900	\$1,210
HPI-64D6-17	64mm '06-Pres	1.710	\$1,110
HPI-64D6-73	64mm '06-Pres	1.730	\$1,110
HPI-64D6-76	64mm '06-Pres	1.760	\$1,110
HPI-64D6-18	64mm '06-Pres	1.800	\$1,110
HPI-64D6-19	64mm '06-Pres	1.900	\$1,210



*Black anodize available for additional \$150 and 1 week lead time. Extended deck heights are available at 1 week lead time at additional cost.

SPORTSTER THROTTLE BODIES

Sportster® Throttle Body Kit | Fits all fuel injected Harley-Davidson® Sportster® motorcycles. One of HPI's newest products and the only Sportster® throttle body upgrade on the market, this unit allows for more airflow over the stock 45mm throttle body. Kit includes a Billet-Pro air cleaner equipped with a K&N lifetime warranty air filter element (carbon fiber cover sold separately). Designed to improve horsepower gains between 8-10hp depending on other build modifications. 51mm and 55mm throttle body sizes available with hand ported intake runner diameters for 1.620 and 1.710 dimensions.

Part #	Diameter	Intake Runner	Retail \$
HPI-51S1-62	51mm	1.620	\$790
HPI-51S1-17	51mm	1.710	\$790
HPI-55S1-62	55mm	1.620	\$790
HPI-55S1-17	55mm	1.710	\$790



FBW THROTTLE BODIES

Throttle-By-Wire | 2008-2016 H-D® Big Twins, B2, B3, and Milwaukee 8® Harley-Davidson® EFI Throttle-by-wire motorcycles. HPI Throttle-By-Wire throttle bodies are CNC machined in-house from high quality 356 aluminum castings to ensure perfect OEM fit every time. We utilize your stock core electronics and build them into a new throttle body casting, CNC ported manifold, complete with new intake flanges and seals. Our units are designed to increase airflow and improve horsepower gains while maintaining compatibility with stock map sensors, fuel rail and cruise control. Official order is placed when stock throttle body is sent in with work order form, 3-5 day turnaround time.


55-58mm Max Flow™, 58mm Elliptical, 62-64mm Max Flow™ & 68mm

Part #	Diameter	Intake Runner	Retail \$
HPI-55FBW-16	55-58mm Max Flow™	1.660	\$550
HPI-55FBW-17	55-58mm Max Flow™	1.710	\$550
HPI-55FBW-73	55-58mm Max Flow™	1.730	\$550
HPI-55FBW-76	55-58mm Max Flow™	1.760	\$550
HPI-55FBW-18	55-58mm Max Flow™	1.800	\$550
HPI-58FBW-16	58mm Elliptical	1.660	\$550
HPI-58FBW-17	58mm Elliptical	1.710	\$550
HPI-58FBW-73	58mm Elliptical	1.730	\$550
HPI-58FBW-76	58mm Elliptical	1.760	\$550
HPI-58FBW-18	58mm Elliptical	1.800	\$550
HPI-58FBW-19	58mm Elliptical	1.900	\$649
HPI-62FBW-17	62-64mm Max Flow™	1.710	\$585
HPI-62FBW-73	62-64mm Max Flow™	1.730	\$585
HPI-62FBW-76	62-64mm Max Flow™	1.760	\$585
HPI-62FBW-18	62-64mm Max Flow™	1.800	\$585
HPI-62FBW-19	62-64mm Max Flow™	1.900	\$684
HPI-68FBW-76	68mm Big Bore	1.760	\$585
HPI-68FBW-18	68mm Big Bore	1.800	\$585
HPI-68FBW-19	68mm Big Bore	1.900	\$684



M8® Throttle Body | For the new 2017 + Milwaukee 8® motorcycles. 58mm and 62mm billet throttle body with fully CNC ported aluminum intake manifolds. Stock location for air cleaner bolt pattern and opening. 6.2gps high flow injectors, sold separately. *Includes intake seals, utilize stock intake flanges.

Part #	Diameter	Intake Runner	Retail \$
HPI-58M8-19	58mm M8™	1.900	\$675
HPI-62M8-19	62mm M8™	1.900	\$675



MAGNETTI THROTTLE BODIES

Magnetti Marelli® Throttle Bodies | Fits 1995-2001 Marelli® injected Harley-Davidson®

motorcycles. Electronic Fuel Injection (EFI) problems have been solved with this single bore throttle body and intake manifold. Hard starting and erratic idling issues resolved, and tuning becomes a breeze. Performance gains are superior to any other conversion system. All units require 1 week lead time from ordering date. 51mm throttle body sizes available with hand ported intake runner diameters for 1.660, 1.710, 1.730, 1.760 and 1.800 dimensions.

*Please note: This unit now accepts the OEM Delphi bolt pattern, and customers will no longer be able to use a stock Marelli air cleaner.

Part #	Diameter	Intake Runner	Retail \$
HPI-51M-16	51mm	1.660	\$900
HPI-51M-17	51mm	1.710	\$900
HPI-51M-73	51mm	1.730	\$900
HPI-51M-76	51mm	1.760	\$900
HPI-51M-18	51mm	1.800	\$900



MMXF THROTTLE BODIES

MMXF™ Throttle Bodies | Fits 1995-2001 Marelli® injected Harley-Davidson® motorcycles.

Made to accommodate larger cubic inch engines, our MMXF is an extension of our Magnetti Marelli® that solves issues by allowing more air and fuel to pass. Supplied with Delphi® style injectors, a billet fuel rail, 62-psi fuel pressure regulator, and fuel lines for easy installation. All units require 1 week lead time from ordering date. 51mm and 55mm throttle body sizes available with hand ported intake runner diameters for 1.660, 1.710, 1.730, 1.760 and 1.800 dimensions.

*Please note: This unit now accepts the OEM Delphi® bolt pattern, and customers will no longer be able to use a stock Marelli® air cleaner. *Both the Magnetti Marelli® and MMXF™ Max Magnetti Marelli® throttle bodies require Delphi®/CV bolt pattern air cleaners.

Part #	Diameter	Intake Runner	Retail \$
HPI-51MM-16	51mm	1.660	\$1,360
HPI-51MM-17	51mm	1.710	\$1,360
HPI-51MM-73	51mm	1.730	\$1,360
HPI-51MM-76	51mm	1.760	\$1,360
HPI-51MM-18	51mm	1.800	\$1,360
HPI-55MM-16	55mm	1.660	\$1,360
HPI-55MM-17	55mm	1.710	\$1,360
HPI-55MM-73	55mm	1.730	\$1,360
HPI-55MM-76	55mm	1.760	\$1,360
HPI-55MM-18	55mm	1.800	\$1,360



HIGH FLOW AIR CLEANERS

V2™ Air Cleaner | Maximize your engine's potential with a high flow air cleaner. The V2™ high flow air cleaner is equipped with a velocity stack inside to provide the air your engine needs for maximum flow and velocity. With a flow rate of 428.95cfm @ 28" it is proven for performance. The billet aluminum air cleaner can be used to enhance the performance of your Harley-Davidson® motorcycle, while allowing for a super clean look with different cover designs to choose from, or the option to utilize any stock center bolt pattern cover. Accepts either Delphi/CV or Throttle-by-wire bolt pattern, available with or without cover.

Cyclone 1 Design

Part #	Description	Retail \$
HPI-V2CD-C1	V2 Cyclone 1 Design Cable Driven	\$425
HPI-V2FBW-C1	V2 Cyclone 1 Design Throttle-by-Wire	\$425
HPI-V2CO-C1	V2 Cyclone 1 Cover Only	\$105



Cyclone 2 Design

Part #	Description	Retail \$
HPI-V2CD-C2	V2 Cyclone 2 Design Cable Driven	\$425
HPI-V2FBW-C2	V2 Cyclone 2 Design Throttle-by-Wire	\$425
HPI-V2CO-C2	V2 Cyclone 2 Cover Only	\$105



Maltese Cross Design

Part #	Description	Retail \$
HPI-V2CD-MC	V2 Maltese Cross Design Cable Driven	\$425
HPI-V2FBW-MC	V2 Maltese Cross Design Throttle-by-Wire	\$425
HPI-V2CO-MC	V2 Maltese Cross Cover Only	\$105



Plain Cover Design

Part #	Description	Retail \$
HPI-V2CD-P	V2 Plain Design Cable Driven	\$425
HPI-V2FBW-P	V2 Plain Design Throttle-by-Wire	\$425
HPI-V2CO-P	V2 Plain Cover Only	\$105



No Cover Design

Part #	Description	Retail \$
HPI-V2CD-1	V2 Cable Driven No Cover	\$320
HPI-V2FBW-1	V2 Throttle-by-Wire No Cover	\$320



HIGH FLOW AIR CLEANERS

Billet-Pro™ Air Cleaner | Less is more with the Billet-Pro™ air cleaner that has all the basics with all the great looks at an affordable price. Features including a billet backing plate, a light weight carbon fiber cover and a K&N® lifetime warranty air filter element complete this unit. It's a must have for rider's seeking more leg room. Available with or without carbon fiber cover. Utilize any center bolt pattern cover without.

Part #	Description	Retail \$
HPI-BPCD-AC	Billet-Pro Cable Driven	\$248
HPI-BPFBW-AC	Billet-Pro Throttle-by-Wire	\$248
HPI-BPSP-AC	Billet-Pro Sportster®	\$248
HPI-BPAC-NC	Billet-Pro No Cover	\$200
HPI-BPAC-CO	Carbon Fiber Cover Only	\$75



Air Cleaner External Breather | Add an external breather to any air cleaner to help eliminate oil misting on bike and contamination of intake tract with a fully o-ringed design. Complete with billet and stainless steel purpose built to retro fit any air cleaner that uses a flat mounting back plate. Allows for a slight misalignment of air cleaner due to head/throttle body fitment issues.

Part #	Description	Retail \$
HPI-HYBS-CD	Breather System Cable Driven	\$90
HPI-HYBS-FBW	Breather System Throttle-by-Wire	\$90



Air Cleaner Rain Socks | Protect your air cleaner with a HPI water repellent Rain Sock custom made by Outerwears®. Sizes available to fit our V2 and Billet-Pro systems.

Part #	Description	Retail \$
HPI-RS-V2	V2 Rain Sock	\$34
HPI-RS-BP	Billet-Pro Rain Sock	\$34



HIGH FLOW INJECTORS

Direct drop-in replacements for Harley-Davidson® motorcycles equipped with a Delphi engine management system, our injectors feature a specifically engineered spray pattern that optimizes fuel atomization.

2001-2005 Cable Driven & Sportster® & '08-Present FBW

Yellow/Pink Band Injectors | Provides a fuel delivery rate of 6.2gps (49.2lbs/h) which increases flow 43% over stock injectors. Highly recommended for engines making or exceeding 120hp. Pink Bands for larger cubic inch motorcycles with mild cam work, hard to tune on the bottom end.

Part #	Description	Retail \$
HPI-DINJ-1	6.2 grams per second	\$285/set
HPI-DINJ-1F	6.2gps wide spray pattern	\$285/set



Black Body Injectors | Provides a fuel delivery rate of 5.3gps (42.06lbs/h). Highly recommended for engines making or exceeding 110hp.

Part #	Description	Retail \$
HPI-DINJ-2	5.3 grams per second	\$180/set



Brown Band Injectors | Provides a fuel delivery rate of 4.3gps (33.3lbs/h). Direct stock replacement.

Part #	Description	Retail \$
HPI-DINJ-R	4.3 grams per second	\$248/set



2006-Present Cable Driven Only

Late Model Injectors | Provides a fuel delivery rate of 5.3gps (42.06lbs/h). Highly recommended for engines making or exceeding 110hp.

Part #	Description	Retail \$
HPI-LMINJ-1	5.3 grams per second	\$180/set



2017+ Milwaukee 8® Touring

Provides a fuel delivery rate of 6.2gps (49.2lbs/h). Direct replacement upgrade for the Milwaukee 8™ models.

Part #	Description	Retail \$
HPI-M8INJ-1	6.2gps M8 high flow injector	\$285/set



HIGH FLOW TURBO INJECTORS

Direct drop-in replacements for Harley-Davidson® motorcycles equipped with a Delphi engine management system, our injectors feature a specifically engineered spray pattern that optimizes fuel atomization. Recommended for Super Charged and Turbo applications only.

2001-2005 Cable Driven & Sportster® & '08-Present FBW

Blue Band Injectors | Provides a fuel delivery rate of 7.5gps (@43.5 psi) & 8.6gps (@60 psi) . Highly recommended for super charged and turbo applications only.

Part #	Description	Retail \$
HPI-BAMF-1	7.5gps (@43.5 psi) & 8.6gps (@60 psi).	\$200/set



Maroon Band Injectors | Provides a fuel delivery rate of 10gps 80lb. Highly recommended for super charged and turbo applications only.

Part #	Description	Retail \$
HPI-BAMF-8	10gps 80lb.	\$220/set



Turbo Tip Injectors | Provides a fuel delivery rate of 11gps 88lb. @ 3BAR 13.2gps 105lb. @ 4BAR. Highly recommended for super charged and turbo applications only.

Part #	Description	Retail \$
HPI-BAMF-88	11gps 88lb. @ 3BAR 13.2gps 105lb. @ 4BAR	\$230/set



Injector Clips & Spacers | Injector clip and spacer kit can retrofit any 2001-2005 style injector on a 2006-Present bike or 2006-Present injector on a 2001-2005 bike.

Part #	Description	Retail \$
HPI-IC-1	'01-'05 Inj EV1 connector to '06 EV6 Harness	\$40
HPI-IC-6	'06-Pres Inj EV6 connector to '01-'05 EV1 Harness	\$45
HPI-ICS-1	'01-'05 Inj EV1 connector to '06 EV6 Harness Clips & Spacers adapting injectors into '06-Pres bikes	\$55



PERFORMANCE PARTS

Oil Cooler Mounting Bracket | Fits 1999-2007 twin cam A motors, manufactured from billet 6061 aluminum and polished for a clean look, this bracket allows for optimized oil passages that flow nearly 30% more than competitors, leading to less oil pressure drop for a proven cooler running motorcycle. Lightweight design engineered for easy fitment with any Jagg® or aftermarket cooler. ****Cannot use without oil cooler element.***

Part #	Description	Retail \$
HPI-OC-1	Polished Oil Cooler Mounting Bracket	\$155
HPI-OC-B	Black Anodized Oil Cooler Mounting Bracket	\$230



Fuel Pressure Regulator | 62-psi fuel pressure regulator is designed for greater fuel delivery and engineered for direct fit in 2001-2005 Delphi® injected motorcycles and all Magnetti Marelli® systems.

Part #	Description	Retail \$
HPI-DPR-1	Delphi® Fuel Pressure Regulator	\$115



O₂ Tuning Adapter | This tuning adapter is perfect for every tuner aiding in air sampling for 2010-later touring models. Easy to install without drilling or removal of pipes. Adapter is screwed into factory O₂ location, just insert copper sampling tube into copper adapters, tighten and tune.

Part #	Description	Retail \$
HPI-TA-02	O ₂ Tuning Adapter	\$75



High Flow Fuel Rail | High Flow Fuel Rails for Throttle-by-Wire applications allow for a higher volume of fuel delivery specifically for larger cubic inch and super charged bikes. Eliminates the quick connect off the fuel tank and allows for full fuel flow through -6 line. Kit includes -6 braided line, tank insert, -6 90° fitting, and rail.

Part #	Description	Retail \$
HPI-HFFR-1	High Flow Fuel Rail, -6 Lines, FBW	\$210



REPLACEMENT PARTS

Intake Flanges | Intake flanges and seals are designed specifically for any head and throttle body combination. Flanges are manufactured on state-of-the-art CNC machinery from aero-space grade billet 6061 aluminum. They are not prone to cracking or warping like other forged products.

Part #	Description	Retail \$
HPI-IF-6L	'06-later throttle body to '06-later heads	\$50
HPI-IF-6E	'06-later throttle body to '05-earlier heads	\$50
HPI-IF-5L	'95-'05 throttle body to '06-later heads	\$50
HPI-IF-19	'06-later throttle bodies with 1.900 Intake Port	\$99
HPI-IF-6OE	'06-later stock throttle bodies original equip	\$50
HPI-IF-5OE	'01-'05 stock throttle bodies original equip	\$50
HPI-IF-6LS	'06-later throttle bodies chromoly flanges	\$99
HPI-IF-O	'06-later o-ring flanges for all HPI manifolds	\$85
HPI-IF-RS	Set of Replacement Seals Only	\$30



Throttle Body Rebuild Kits | O-Ring 2001-2005 and 2006-Present rebuild kits for throttle bodies.

Part #	Description	Retail \$
HPI-RBKIT-1	2001-2005 Rebuild Kit	\$27
HPI-RBKIT-6	2006-Present Rebuild Kit	\$27



Hurricane Head® Adapters | Allow us to modify your existing throttle body to accept the Hurricane Heads® manifold with an adaptor for both cable driven and throttle-by-wire motorcycles.

Part #	Description	Retail \$
HPI-FBWHH-1	Throttle-by-Wire Adapter	\$450
HPI-CDHH-1	Cable driven adapter	\$250



Terms & Conditions

Orders: Parts can be ordered via telephone at (317) 757-8668 Monday-Friday from 9:00AM to 5:00PM EST. Most parts can be shipped UPS within 24 hours. Priority "Next Day" and "Second Day" orders must be placed by 1:00PM EST. Faxed orders can be sent to (317) 222-6360 and email orders can be sent to laura@horsepowerinc.net.

Payment: We accept cash, all major credit cards, and cashier's checks and money orders via UPS C.O.D. Company checks only to previously approved accounts. A service charge will be applied to all returned checks. Net 30 terms are available upon request. A service charge of 1-1/2% (at 8% per annum) will be added to all past due accounts. If the seller requires the services of an attorney, whether legal action is taken or not, in the event of any default, the buyer agrees to pay all costs of collection including, but not limited to, court costs and attorney fees.

Shipping: We use UPS for shipping with freights and other delivery charges (C.O.D., insurance, etc.) collect. There is an additional \$14 charge on all C.O.D. orders. C.O.D. shipments will be sent "Certified Check" or "Money Order" unless other arrangements have been made with the factory in advance. Please request an HPI Credit Application for open account status or company check.

Custom Orders: All custom orders must be paid in full, in advance when ordered. The sales of custom orders are final and no items may be returned. A 50% deposit will be collected prior to all engines and bike builds.

Refunds and Exchanges: If you are not completely satisfied with your order, you may return it within 30 days for an account credit for merchandise only, provided:

1. You are the original purchaser and you purchased your items directly from HPI.
2. You have a copy of the original receipt with your current contact information and reason for return.
3. The item is new, in its original packaging and has not been used, installed or tampered with in any way.
4. You receive a RMA number from HPI.

Return you package (pre-paid and insured) to: Horsepower Inc. Attn: Returns Dept. 4 Gasoline Alley, Suite D Indianapolis, IN 46222. Your package must be postmarked on or before 30 days from the date of purchase. Credit will be applied to account for merchandise only. Freight, handling and associated fees are not refundable. For International shipments, please call or email laura@horsepowerinc.net. All returned merchandise is subject to a 15% restocking fee. Please note: custom manufactured or special built items are not returnable.

Warranty: Limited guarantee- We continually inspect and try to improve our products. All parts have been inspected prior to packaging, and our guarantee is limited to replacement or defective parts. This guarantee is in lieu of all other guarantees or warranties implied or expressed. Because we cannot control the application of our products, buyer assumes risk for any and all damage caused to himself or third party, by virtue of failure of these parts. We make no warranty as to products distributed by us, express or implied, including without limitation any warranties or mechanical ability and fitness for a particular purpose. All HPI products are custom designed for high performance applications. Products are non-returnable and no warranty is extended. Implied or expressed most high performance parts are not legal for sale or use on public highways, CA or EPA Pollution Controlled Motorcycles. Users must comply with all federal, state and EPA regulations. In some instance, high performance parts can be recalibrated to meet the above guidelines. We shall not be liable for indirect or consequential damages.

Legal Disclaimers

Warranties and Guarantees

We continually inspect and try to improve our products. All parts have been inspected prior to packaging, and our guarantee is limited to replacement or defective parts. This guarantee lieu of all other guarantees or warranties implied or expressed. Because we cannot control the application of our products, buyer assumes risk for any and all damages caused to himself or third party, by virtue of failure of these parts. We make no warranty as to products distributed by us, expressed or implied, including without limitation any warranties or merchant ability and fitness for a particular purpose. All Horsepower Inc. products are custom designed for high performance applications. Products are non-returnable and no warranty is extended. Implied or expressed most high performance parts are not legal for sale or use on CA or EPA Pollution Controlled Motorcycles. Users must comply with all federal, state and EPA regulations. In some instance - high performance parts can be recalibrated to meet the above guidelines. We shall not be liable for indirect or consequential damages. Installation of HPI products (and similar products from other manufacturers) may reduce or void your Harley-Davidson® vehicle warranty.

Catalog Contents

We believe the contents and specifications of this catalog are correct. We assume no liability for errors in listings, specifications, part numbers, prices or model applications. We reserve the right to change specifications, product descriptions, product quality, pricing and application at any time without further notice and without further obligation. The reproduction of any material from this catalog is forbidden without our written approval. Harley-Davidson® is a registered trademark and is utilized in this catalog for reference only.

Caution

These products are not legal for sale or use in California on pollution controlled vehicles. Harley-Davidson® motorcycles equipped with some HPI products may not be used on public roads, and may be restricted to closed course completion use. HPI performance products are intended for the experienced rider only. Some products are intended for race applications only.



“All Horsepower Inc. manufacturing is done in the United States on state-of-the-art CNC machining equipment from U.S. materials and U.S. labor.”

HORSEPOWER INC.

4 Gasoline Alley Suite D • Indianapolis, IN 46222

PH (317) 757-8668 • Fax (317) 222-6360

www.horsepowerinc.net

©2018 Horsepower Inc.

Harley-Davidson® is a registered trademark and is used for reference only.

