

EMERGENCY INFORMATION AND STORAGE GUIDE / DANGEROUS GOODS DECLARATION

Silo® Dust Insecticide

Substance: Grey/brown powder (organophosphorus insecticide) containing 20 gm/kg pirimiphos-methyl CAS no. 29232-93-7.
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PIRIMIPHOS METHYL 2%)

UN No.	DG Class	Subsidiary Risk Class	Packing Group	Flash Point (°C)	HAZCHEM	Marine Pollutant	Maximum Transport Quantity
3077	9	None	III	>93	2Z	Yes	250 kg
Hazard Classifications [ERMA Approval Code: HSR000197]				Tracking Required		Approved Handler	IER Guide
6.8B, 6.9B, 9.1A, 9.3C, 9.4C				No		No	No. 47

EMERGENCY PROCEDURES

24 HOUR ADVICE IN AN EMERGENCY ONLY: 0800 243 622

IF THIS HAPPENS	DO THIS
Tanker/Vehicle Accident	Switch off engine. Keep people away, warn other traffic. Check for spills, leaks. Call the emergency services: Dial 111
Spill or leak	Wear PVC overalls, chemical resistant gloves, facemask or goggles. Prevent further spillage. Do not inhale dust. Moisten to prevent dust and carefully sweep up spilled product and place in sealable container for disposal. If dust is generated, wear respiratory protection. Dispose of to a suitable landfill or other suitable facility.
Fire	Call the Fire Service: Dial 111. Wear PVC protective clothing and breathing apparatus. Toxic fumes may be released. Extinguish fires with foam, dry chemical, carbon dioxide or fine water spray. During a fire toxic fumes may be released. Cool other containers to prevent rupture. Contain run-off

FIRST AID

If Swallowed	DO NOT induce vomiting. For advice contact the National Poisons Centre 0800 CHEM CALL (0800 243 622) or a doctor immediately.
If in Eyes	Hold eyelids apart and flush the eye continuously with running water for several minutes. Remove contact lenses if easy to do so. Call a doctor or National Poisons Centre for advice if irritation persists.
If on Skin	If skin or hair contact occurs, remove contaminated clothing and wash affected with soap and water with running water. Wash contaminated clothing before re-use. Call a doctor or National Poisons Centre for advice if irritation persists.
If Inhaled	Remove patient to fresh air. Maintain half upright position if breathing is difficult. Call a doctor or National Poisons Centre for advice if feeling unwell.

STORAGE AND SEGREGATION SUMMARY

Storage: Keep out of the reach of children. Store in original container in a cool, dry, ventilated place away from direct heat or direct sunlight. Store away from foodstuffs, animal feed, children and animals. Keep container sealed when not in use.

Aggregate Storage Volume Thresholds: When stored with substances of the same hazard the aggregate quantity must be considered. For full details refer to the current NZS8409 Management of Agrichemicals and the HSNO Regulations.

Location Certificate	Hazardous Atmosphere Zone	Number of Fire Extinguishers	Hazard Class & Emergency Action Signage	Emergency Information	Emergency Plan	Secondary Containment
N.A.	N.A.	N.A.	≥ 100 kg	≥ 3 kg	> 100 kg	NA

DO NOT Store or Load With:

Hazard Classifications: Not applicable

Segregate From: NA for HSNO

Do NOT transport on same vehicle with: DG Class 1

Transport: Check NZS 5433: Transport of Dangerous Goods on Land for additional information. Sea transport may require additional segregation. Refer NZS5433, sea segregation, or the International Maritime Dangerous Goods Code for details.

Number and Kind of Packages:	Gross Weight: Kg	Volume: m³
Consignor:	Consignee:	
Dangerous Goods Declaration: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name and are classified, packaged, marked and labelled, and are in all respects in proper condition for transport according to the applicable international and national rules, regulations and legislation.	Name: Title: Signature:	
	Date:	

