

SAFETY DATA SHEET

MBC 500 FLO

Date of Issue: 17th May 2016

1. SUBSTANCE/PREPARATION AND COMPANY IDENTIFICATION

Chemical name of active ingredient(s): carbendazim

Recommended use: Fungicide

Supplier: Etec Crop Solutions Ltd

PO Box 51584, Pakuranga

Auckland

Phone 0800 100 325

Emergency telephone number: 0800 Poison (0800 764 766) 24 Hours

2. HAZARDS IDENTIFICATION

Hazard Classification: Toxic - 6.6A, 6.8A, 6.9B,

Ecotoxic - 9.1A, 9.2B Approved Handler Applies

Required identification Details: HARMFUL - KEEP OUT OF REACH OF CHILDREN

ECOTOXIC

TOXIC – frequent exposure at high doses may cause heritable

mutations/genetic defects.

Repeated oral exposure at high doses may cause

reproductive/ development damage or may damage fertility

of the unborn child.

HARMFUL - Repeated oral exposure at high doses is believed

to cause liver damage.

Toxic to aquatic life. Toxic to fish, Toxic to the soil environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/preparation Information on hazardous ingredients

Common nameCAS No%Carbendazim10605-21-750%Inert ingredients50%

Issued by Etec Crop Solutions Limited Page 1 of 5 (MBC 500Flo ES291) Product: MBC 500 FLO

4. FIRST-AID MEASURES

Description of necessary first aid measures:

Effects and symptoms

<u>First-aid measures</u> The acute toxicity of this product is low, but it may be

harmful if a large amount is swallowed. May irritate eyes. May irritate skin. The dermal toxicity of this product is low. However, skin contact should be avoided. This product is not

a skin sensitiser. May be a slight respiratory irritant.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Get medical

attention.

Ingestion: Do NOT induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

Skin contact: In case of contact, immediately flush skin with plenty of

water. Remove contaminated clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention.

Eye contact: Check for and remove any contact lenses. Immediately flush

eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Get medical attention.

Notes to a physician:

5. FIRE-FIGHTING MEASURES

HAZCHEM Code: 2XE

Extinguishing media : Fog, foam, dry chemical,CO2,water.

Hazardous thermal

(de)composition products: Protection of fire-fighters:

Can give off carbon monoxide and nitrogen oxides in a fire

Wear full protective clothing and self contained breathing.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Wear protective clothing as prescribed in section 8.

Environmental precautions: Contain spill, do not allow material to enter sewers or bodies

of water. Keep unprotected persons and animals out of the

area.

Methods for cleaning up: Soak up with sand, sawdust or other absorbent material,

shovel or sweep up and bury in an approved landfill.

Issued by Etec Crop Solutions Limited Page 2 of 5 (MBC 500Flo ES291) Product: MBC 500 FLO

7. HANDLING AND STORAGE

Keep away from heat and flames. Keep out of reach of **Handling:**

children and animals.

Store in original container, tightly closed in a locked, dry, well Storage:

ventilated place away from food or feedstuffs.

Packaging materials: **HDPE Plastic**

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace Exposure Guidelines

Exposure Standards: Not established.

Engineering measures

Exposure control measures: Provide exhaust ventilation or other engineering controls to

keep the airborne concentrations of vapors at a low level.

Personal Protective Equipment Detail specifications for equipment:

Respiratory system: Respiratory protection not normally required.

If airborne concentrations are likely to be excessive, wear an

approved respirator.

Skin and body: Cotton overalls buttoned to the neck and wrist and a

washable hat.

Hands: Wear elbow length PVC gloves.

Eyes: Safety goggles or face shield

General hygiene: After use and before eating, drinking or smoking, wash

> hands, arms and face thoroughly with soap and water. After each day's use wash gloves, goggles or face shield and

contaminated clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Colour, Odour. White to grey, practically odourless liquid.

6.0 to 8.0 pH: Vapour Pressure: 0.09 mpa (a.i)

Boiling Point: The lowest known value is 100°C (Water). Weighted average:

111.53°C

May start to solidify at 0°C (32°F). Freezing/melting point:

Soluble in water, methanol, diethyl ether, acetone. Solubility:

Specific gravity or density: 1.168

Information for flammable material: Not Flammable Flashpoint: Not Flammable

Very slightly soluble in n-octanol. Octanol/water partition coefficient:

Explosion properties: Not Explosive

Oxidation properties: Not an Oxidising Agent.

Issued by Etec Crop Solutions Limited Page 3 of 5 (MBC 500Flo ES291) Product: MBC 500 FLO

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of use.

Conditions to avoid: Excessive heat.

Materials to avoid: Incompatible with alkaline materials.

Hazardous decomposition Products: Oxides of carbon and nitrogen may be given off when

exposed to extreme heat or fire.

Hazardous polymerization:

Specific Data:

Will not polymerise.

Hazardous reactions: None expected

11. TOXICOLOGICAL INFORMATION

Acute toxicity - Oral: LD50 > 10,000 mg/kg (Rat)
Acute toxicity - Dermal: LD50 > 5,000 mg/kg (Rabbit)
Acute toxicity - Inhalation: LC50 > 5.40 mg/litre (Rat)
Skin irritation: Slightly irritating Species: Rabbit

Eye irritation: Slightly irritating Species: Rabbit

Sensitization: Non sensitising Species: Guinea pig

Chronic toxicity

Studies indicate that reproductive and teratogenic effects in humans are unlikely at expected exposure levels.

Danger - may cause heritable mutations in human cells.

Danger - may damage fertility or unborn children from repeated oral exposure. Danger - may cause organ damage from repeated oral exposure at high doses.

Other information:

12. ECOLOGICAL INFORMATION

Ecotoxicity [Data relates to active ingredient]

Soil half life is 8-32 days. Toxic to the soil environment.

Very toxic to aquatic organisms LC 50 = 0.83 mg/litre ,96 hr

(Rainbow trout), 0.61 mg/litre,96hr (Carp)

Low toxicity to birds LD 50 >5,000mg/kg (Bobwhite quail)

Non toxic to bees/terrestrial invertebrates.

E.E.L 0.00014 Water (carbendazim a.i.)

T.E.L Not Established

13. DISPOSAL CONSIDERATIONS

Methods of disposal: Triple rinse container and add to spray tank, burn if

circumstances, particularly wind direction, permit, otherwise crush and bury in an approved landfill. Do not contaminate

bodies of water with chemical or empty container.

14. TRANSPORT INFORMATION - International transport regulations

Issued by Etec Crop Solutions Limited Page 4 of 5 (MBC 500Flo ES291) Product: MBC 500 FLO UN number: 3082

Class or Division: 9

Packing Group: III Marine Pollutant: YES

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Contains 80% carbendazim)

INTERNATIONAL AIR TRANSPORT

ASSOCIATION (IATA):

15. REGULATORY INFORMATION

ACVM Registered Number: P5447 **HSNO Approval Code:** HSR000453

16. OTHER INFORMATION

Additional information: Original Issue Date: 22nd December 2005

Revision Date: 17th May 2016

Replaces: ES291

Disclaimer EXCLUSION OF LIABILITY: PLEASE READ

This Safety Data Sheet is based on the most recent information available. To the extent permitted by law, users of this information accept that neither the manufacturer, Etec Crop Solutions Ltd as distributor, nor any other distributor have any liability or responsibility whatsoever for any loss, damage or injury whether in contract or tort, whether direct, indirect or consequential howsoever arising in connection with the supply of these information.

Issued by Etec Crop Solutions Limited Page 5 of 5 (MBC 500Flo ES291) Product: MBC 500 FLO