

# Performance meet efficiency



PRINT | COPY | SCAN

#### SUPERB CONNECTIVITY



Experience the convenience of wireless capabilities (Applicable for MF212w).

#### INTUITIVE OPERATION



Get the job done in **one** tap, **one** key, **one** moment.

HIGH-PERFORMANCE



Make quick work of every print, copy and scan.

### Business Can be simple

MF211 • MF212w • MF221d

### GO ABOUT YOUR BUSINESS WITH INCREASED EFFICIENCY

Quick to start on new tasks, the latest series of imageCLASS Print, Copy, & Scan multi-function monochrome laser printers are capable of delivering high-quality printouts, allowing you to get more work done and boosting the overall productivity in the office.



# Designed for how you were meant to work.

Featuring a 5-line LCD display, the imageCLASS 3-in-1 series lets users view more menu options at one glance. With the vari-angle operation panel, you will be able to view from different angles, which makes navigation a breeze. Tap on the convenience of One-Touch Solution Keys, which are task-dedicated buttons that simplify operations with minimal button-pushing for frequently performed tasks.



The imageCLASS series of printers are made to work for you, and not the other way around. Thanks to a remote scanning feature, you can send scans of your document from the printer into your computer or laptop.

# Keeps up with your job on the fast lane

With Canon's On-Demand Fixing technology, it only takes a mere 12 seconds for the MF211 or MF221d, and 13.5 seconds for the MF212w to be ready for the next print or copy job.



And through the day, these imageCLASS printers keep productivity levels high and workflow efficient with fast print and copy speeds of up to 23ppm (A4). The MF221d even flies through at 27ppm (A4). Color scan resolution goes up to 9600 x 9600dpi while print resolution is up to 1200 x 1200dpi (equivalent), so documents have razor sharp black text and high-quality images.

\*Warm up time differs by model. Please refer to specifications table for more details.



### USING LESS NOW SAVES YOU MORE.



It's a simpler and faster way to make 2-on-1 or 4-on-1 copies, but the Paper Save Copy key from One-Touch Solution Keys also saves on paper resources. The MF221d even has an Auto Duplex printing feature for you to print or copy on both sides of the paper easily.

### MINIMAL MAINTENANCE FOR MAXIMUM PERFORMANCE.

Expect low levels of device maintenance with the use of All-in-One Cartridge 337 on your imageCLASS printer. Combining the drum, toner reservoir and waste toner into one compact unit, it makes toner replacement a hassle-free task.

With the Quiet Mode feature to reduce the operation sound of the machine, it allows you to work without disturbing your co-workers. ONLY FOR MF212w

# Mobile Printing Solutions

Business



The Canon PRINT Business App allows you to print and save documents or images scanned by Canon imageCLASS series printers. Scanned images can then be uploaded to various cloud services, sent as email attachments, or printed out.



SCAN HERE TO DISCOVER MORE ABOUT CANON MOBILE SOLUTIONS.

ONLY FOR MF212w



## Connections that work wherever you are.

With built-in Wi-Fi and wired Ethernet network support, the MF212w lets you and your co-workers share the printer easily. It's incredibly quick and simple to set up the wireless connection, with the WPS (Wi-Fi Protected Setup) Push Button Mode.

Keep pace with today's demanding and changing workforce with Canon's PRINT
Business app. Navigate easily with its intuitive and streamlined user interface, and its option for users to send various types of files for wireless printing from both iOS and Android devices. Built-in apps such as Support for Apple AirPrint<sup>™</sup>,
Google Cloud Print<sup>™</sup>, Mopria <sup>™</sup>, and Canon Print Service make it possible to directly print documents without the need to install any sort of printer driver

### imageCLASS MF211 | MF212w | MF221d | Specifications

		MF211	MF212w	MF221d		
PRINT SPECIFICATION						
Printing Method		Monochrome Laser Beam Printing				
Print Speed		A4:	Up to 23ppm	A4: Up to 27 ppm		
Print Resolution		600 x 600dpi				
Print Quality with Image Refinement Technology		1200 x 1200dpi (equivalent)				
Warm up Time (From Power On)		12 sec or less	13.5 sec or less	12 sec or less		
First Printout Time (F	POT)		A4: Approx. 6 sec			
Recovery Time (From Sleep Mode)		Approx 2.0 sec				
Print Language		UFR II LT				
Auto Duplex Print		NA Standard				
Available Paper Size for Auto Duplex Print		NA A4, Letter, Legal, Officio , B-Officio, Indian Legal, Foolscap * 60 to 105 g/m²				
Print Margins		5mm - top, bottom, left and right (Other sizes than Envelope) 10mm - top, bottom, left and right (Envelope)				
Print Features		Poster, Watermark, Page Composer, Toner Saver				
COPY SPECIFICATIONS						
Copy Speed		A4:	Up to 23ppm	A4: Up to 27ppm		
Copy Resolution			600 x 600dpi			
First Copy Time (FCOT)		Α4: Αρριοχ. 9 sec				
Maximum Number of Copies		Up to 99 copies				
Reduce/Enlargement			25 - 400% in 1% increments			
Copy Features		Memory Sort, 2 on 1, 4 on 1, ID Card Copy				
SCAN SPECIFICATION	IS					
Scan Resolution		Optical: Up to 600 x 600dpi, Driver Enhanced: Up to 9600 x 9600dpi				
Color Depth			24-bit			
Pull Scan		Yes, USB	Yes, USB and Network	Yes, USB		
Push Scan (Scan To PC) with ToolBox		Yes, USB	Yes, USB and Network	Yes, USB		
Scan Features			TWAIN, WIA (Scan Driver Compatibility)			
PAPER HANDLING SP	ECIFICATIONS					
Paper Input (Standard)		250-sheet Cassette, 1-sheet Multipurpose Tray * Plain Paper (60-80g/m²)				
Paper Output		jo sket (daste) zasterna ungar jost ratio (ratio (dasterna)) jos skets (daste down, 68g/m² A4)				
Paper Sizes	Standard Cassette	A4, B5, A5, Legal, Letter, Executive, Statement, Officio, B-Officio, Government Letter, Government Legal, Foolscap, 16K, Index Card, Australia Foolscap, Indian Legal   Envelope: COMto, Monarch, C5, DL, Custom ( Min. 76.2 x 210mm to Max. 216 x 356mm )				
	Multi-Purpose Tray	A4, B5, A5, Legal, Letter, Executive, Statement, Officio , B-Officio, M-Officio, Government Letter, Government Legal, Foolscap,				
		16K, Index Card, Australia Foolscap, Indian Legal Envelope: COM10, Monarch, C5, DL, Custom ( Min. 76.2 x 127mm to Max. 216 x 356mm )				
Paper Types		Plain, Heavy, Recycled, Transparency, Label, Envelope				
Paper Weight	Standard Cassette			-		
i apei weight	Multi-Purpose Tray	60 to 163g/m <sup>2</sup> 60 to 163g/m <sup>2</sup>				
CONNECTIVITY & SOFTWARE			00.00.10556/11			
Standard Interfaces		USB 2.0 High-Speed	USB 2.0 High-Speed, 10/100 Base-T Ethernet (Network)	USB 2.0 High-Speed		
Standard Interfaces	Wireless	N/A	Wi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup)	N/A		
Network Protocol	- Micicos	N/A N/A	Print: LPD, RAW, WSD-Print (IPv4, IPv6)	N/A N/A		
			Scan: WSD-Scan (IPv4, IPv6) TCP/IP Application Services: Bonjour (mDNS), DHCP, BOOTP, RARP, Auto IP (IPv4), DHCPv6 (IPv6) Management: SMMPv1 (IPv4,IPv6)			
Network Security	Wired	N/A	IP/Mac address filtering	N/A		
	Wireless	N/A	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES), 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS)	N/A		
Mobile Print		N/A	Canon PRINT Business, Apple AirPrint <sup>™</sup> , Google Cloud Print <sup>™</sup> , Mopria <sup>™</sup> ,	N/A		
			Canon Print Service			
One-Push Wireless Configuration		N/A	Wi-Fi Protected Setup (WPS)	N/A		
Compatible Operating Systems (*1)		Windows 10, Windows 8.1, Windows 8, Windows 7, Windows XP, Windows Vista, Mac OS X 10.5.8 & up (*2), Linux(*3)	Windows 10, Windows 8.1, Windows 8, Windows 7, Windows XP, Windows Vista, Windows Server 2012 R2, Windows Server 2012, Windows Server 2008 R2, Windows Server 2008, Windows Server 2003, Mac OS X 10.5.8 & up (*2), Linux(*3)	Windows 10, Windows 8.1, Windows 8, Windows 7, Windows XP, Windows Vista, Mac OS X 10.5.8 & up (*2), Linux(*3)		
Software Included		Printer driver, Scanner driver, MF Toolbox, AddressBookTool, Presto! PageManager, Toner Status	Printer driver, Scanner driver, MF Toolbox, AddressBookTool, Presto! PageManager, SSID Tool, Toner Status	Printer driver, Scanner driver, MF Toolbox, AddressBookTool, Presto! PageManager, Toner Status		

		MF211	MF212w	MF221d		
GENERAL SPECIFICATIONS						
Device Memory		128MB	256MB	128MB		
LCD Display		5-line BW LCD (Vari-Angle Operation Panel)				
Dimensions (W x D x H)		390 x 371 x 312 mm (Cassette closed), 390 x 441 x 312 mm (Cassette opened)				
Weight		10.1kg(10.7kg with cartridge)	10.2kg (10.8kg with cartridge)	10.8kg (11.4kg with cartridge)		
Power Consumption	Maximum	1,270W or less		1,300W or less		
	Average; During Operation	Approx. 500W		Approx. 570W		
	Average; During Standby	Approx. 3.2W		Approx. 4.1W		
	Average; During Sleep	Approx. 1.6W	Approx. 1.6W, Approx 2.0W (Wireless Mode On)	Approx 1.7W		
Noise Levels (*5)	During Operation	Sound Pressure Level(Bystander's position): 50dB in printing Sound Power Level : 6.5B		Sound Pressure Level(Bystander's position): 51dB in printing Sound Power Level : 6.5B		
	During Standby	Sound Pressure Level(Bystander's position): Inaudible (*5) Sound Power Level : 43dB or less (standard value)		Sound Pressure Level(Bystander's position): Inaudible (*6) Sound Power Level : 43dB or less (standard value)		
Operating Environment		Temperature: 10 to 30°C, Humidity: 20% to 80% RH (no condensation)				
Power Requirements		AC 220 - 240V, 50/60H				
Toner Cartridge(*6)		Cartridge 337: 2,400 pages, (bundled cartridge: 1,700 pages)				
Monthly Duty Cycle(*7)		Up to 8,000 pages		Up to 10,000 pages		

\*1 ScanGear and MF Toolbox are not available for Windows Server 2003/2008/2012 \*2 Drivers for Mac OS can be downloaded from the www.canon-asia.com website when available \*3 Only the print function is supported for Linux. The latest drivers for Linux can be downloaded from the www.canon-asia.com website when available \*4 Tested in accordance to ISO 7779 and declared per ISO 9296 \*5 "Inaudible" means each Sound pressure level at bystander's position is less than the absolute criterion value about background noise of ISO 7779 \*6 Toner cartridge yield is in accordance with ISO/IEC 19752 \*7 Monthly Duty Cycle value provides a means of comparison for product robustness in relation to other Canon multi-function laser devices, and does not refer to actual maximum image output per month

# Canon

Delighting You Always

### SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

Canon Singapore Pte. Ltd. 1 Fusionopolis Place #15-10 Galaxis Singapore 138522

Tel: 65-6799-8888 Fax: 65-6799-8882

www.canon-asia.com

#### CANON OFFICES

HONG KONG Canon Hongkong Co., Ltd. Tel : 852-3191-2388 Fax : 852-2369-3800 www.canon.com.hk

INDIA Canon India Pvt. Ltd. Tel : 91-124-4160-000 Fax : 91-124-4160-011 www.canon.co.in

MALAYSIA Canon Marketing (Malaysia) Sdn. Bhd. Tel : 603-7844-6000 Fax : 603-7845-0505 www.canon.com.my

PHILIPPINES Canon Marketing (Philippines), Inc. Tel: 632-884-9000 Fax: 632-894-4174 www.canon.com.ph

SINGAPORE Canon Singapore Pte. Ltd. Tel : 65-6799-8888 Fax : 65-6799-8882 www.canon.com.sg THAILAND Canon Marketing (Thailand) Co., Ltd. Tel : 66-2-3449-999 Fax : 66-2-3449-967/68 www.canon.co.th

VIETNAM Canon Marketing Vietnam Co., Ltd. Ho Chi Minh City, Vietnam Tel : 84-8 38200 466 Fax : 84-8 38200 477 www.canon.com.vn

#### CANON BUSINESS PARTNERS

BANGLADESH J.A.N Associates Tel : 880-2-8611-444 Fax : 880-2-8610-410

BRUNEI Interhouse Company Tel : 673-2-6530-01 Fax : 673-2-6530-03

CAMBODIA i-Qlick (Cambodia) Pte. Ltd. Tel : 855-23-966-638 Fax : 855-23-996-639

Royal Cambodia Co., Ltd Tel : 855-23-4289-55 Fax : 855-23-7229-61 INDONESIA P.T. Samafitro Tel : 62-21-3455-521 Fax : 62-21-3844-271

MALDIVES SIMDI Company (Pvt) Ltd. Tel : 960-3334-421 Fax : 960-3334-424

MYANMAR Myanmar Golden Rock International Co., Ltd. Tel : 95-1-654810 Fax : 95-1-654820

NEPAL International Electronics Concern (P) Ltd. Tel : 977-1-4421-991 Fax : 977-1-4421-909

PAKISTAN Shirazi Trading Co. (Pvt.) Ltd. Tel : 9221-32417659 Fax : 9221-32417747

SRI LANKA Metropolitan Office (Pvt) Ltd Tel : 94-114 700 200 Fax : 94-114 700 267

DEALER'S STAMP

0190W452 @ 2014 Canon Singapore Pte. Ltd. All rights reserved.

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this documents should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this documents.

Canon, imageCLASS and Business Can Be Simple are trademarks of Canon Inc, and/or its affiliates. Other names may be the trademarks for their respective owners.