



Wera
Tools. From Ideas.



NOTES

INDEX

Comfort Range	3
Comfort VDE	4
Kraftform Classic	5-6
Kraftform Orange	7-8
Hammer, Bits & Accessories	9-10

Contact Details

Trade Enquiries

WHY WERA?

Our Competence

The quality range of Wera screwdrivers are manufactured at the factory situated in the Pinetown district of the Kwa Zulu Natal Province.

Tools Created From Ideas

The unique features of the Wera screwdriver results in a truly professional screwdriving performance

Comprehensive Range

Wera manufactures a comprehensive range of screwdrivers. Wera offers the right screwdriver for every application.

Quality Manufacturer

The Wera screwdriver blades are manufactured using a highly specialized screwdriver steel.

The Wera black point drive tip is dimensionally accurate and is reliable and long lasting.

The quality has to be right. This is assured through a manufacturing process that is continually monitored.

Brand

Wera brand has a strong presence in the South African market and is a reliable partner for the industry, trade and users.

Product Design

Wera tools are stylish and ergonomic. The Wera Kraftform handle provides for fast hand-sparing screwdriving.

Manufactured and imported by HWS Industries (Pty) Ltd

Tel: +27 (0) 31 702 9321

Address: 11-13 Suffert Street, Pinetown 3601

Email: gpc@iafrica.com

Web: www.wera.co.za


Tel: Johannesburg: 011 312 8400



Electricians Screwdriver



Application: For slotted screws
Blade: Round, chrome plated
Tip: DIN 5264-A, ISO 2380, Black point
Handle: Kraftform Comfort with anti-roll protection, multi component



CODE	DESCRIPTION	mm	mm	mm	BARCODE
05031401001	ELS2.5x75	0.40	2.50	75	6004353004122
05031415570	ELS3.5x75	0.60	3.50	75	6004353004139
05031405001	ELS3.5x100	0.60	3.50	100	6004353004146
05031411057	ELS4.0x75	0.80	4.00	75	6004353004153
05031408001	ELS4.0x100	0.80	4.00	100	6004353004160
05031409001	ELS4.0x150	0.80	4.00	150	6004353004177
05031412100	ELS5.5x100	1.00	5.50	100	6004353004184
05031413001	ELS5.5x150	1.00	5.50	150	6004353004191

Phillips Screwdriver



Application: For Phillips screws
Blade: Round, chrome plated
Tip: DIN 5260-PH, ISO 8764-PH, Black point
Handle: Kraftform Comfort with anti-roll protection, multi component



CODE	DESCRIPTION	mm	mm	BARCODE
05031440001	PH 0x60	3.00	60	6004353004344
05031441001	PH 1x80	4.50	80	6004353004351
05031444001	PH 2x100	6.00	100	6004353004368
05031421051	PH 2x150	6.00	150	6004353004375
05031447001	PH 3x150	8.00	150	6004353004382
05031448001	PH 4x200	8.00	200	6004353004399

Pozidriv Screwdriver



Application: For Pozidriv screws
Blade: Round, chrome plated
Tip: ISO 8764-PZ, Black point
Handle: Kraftform Comfort with anti-roll protection, multi component



CODE	DESCRIPTION	mm	mm	BARCODE
05031461001	PZ 1x80	4.50	80	6004353004405
05031463001	PZ 2x100	6.00	100	6004353004412

Mechanics Screwdriver



Application: For slotted screws
Blade: Round, chrome plated
Tip: DIN 5264-A, ISO 2380, Black point
Handle: Kraftform Comfort with anti-roll protection, multi component



CODE	DESCRIPTION	mm	mm	mm	BARCODE
05031400100	MS6.5x100	1.20	6.50	100	6004353004207
05031400125	MS6.5x125	1.20	6.50	125	6004353004214
05031422001	MS6.5x150	1.20	6.50	150	6004353004221
05031422175	MS6.5x175	1.20	6.50	175	6004353004238
05031401125	MS8.0x125	1.20	8.00	125	6004353004245
05031401150	MS8.0x150	1.20	8.00	150	6004353004252
05031425001	MS8.0x175	1.20	8.00	175	6004353004269
05031401200	MS8.0x200	1.20	8.00	200	6004353004276
05031402150	MS10x150	1.60	10.0	150	6004353004283
05031402175	MS10x175	1.60	10.0	175	6004353004290
05031427001	MS10x200	1.60	10.0	200	6004353004306
05031402250	MS10x250	1.60	10.0	250	6004353004313
05031405200	MS12x200	2.00	12.0	200	6004353004320
05031405300	MS12x300	2.00	12.0	300	6004353004337

Stubby Screwdriver



Application: For Electrician / Phillips screws
Blade: Round, chrome plated
Tip: Black point
Handle: Kraftform Comfort with anti-roll protection, multi component



CODE	DESCRIPTION	mm	mm	BARCODE
05031470001	ELS 1.00x5.5x40	5.50	40	6004353004429
05031475001	PH 1x30		30	6004353004436
05031480001	PH 2x40		40	6004353004443
05031430001	PZD 1x30		30	6004353004450
05031435001	PZD 2x40		40	6004353004467

Kraftform Comfort 1334/6 GPC Display Set

Application: For Electrician, Mechanics and Phillips screws
Quantity: 6 piece set



DESCRIPTION	QTY	SIZE
ELS	1	0.6x3.5x75
ELS	1	0.8x4.0x100
MS	1	1.2x6.5x125
MS	1	1.20x8.0x150
PH	1	No 1x80
PH	1	No 2x100
CODE	05031551001	
BARCODE	6004353004474	



The hexagonal non-roll feature prevents any annoying rolling away at the workplace.

Kraftform Comfort VDE Screwdrivers

The Kraftform Comfort VDE series offers a wide and diverse range of screwdrivers for universal use, with the distinctive Kraftform handle.

The multi-component Kraftform handle, for quick and low-exertion working.



Electricians Screwdriver



Application: For slotted screws
Blade: Insulated, individually tested as per IEC 60900 : 2004
Tip: Conical tip, Black point
Handle: Kraftform Comfort with anti-roll protection, multi component



CODE	DESCRIPTION	mm	mm	mm	BARCODE
05031580001	ELS2.5x80	0.40	2.50	80	4013288110107
05031582001	ELS3.5x100	0.60	3.50	100	4013288110121
05031583001	ELS4.0x100	0.80	4.00	100	4013288110138
05031587001	ELS5.5x125	1.00	5.50	125	4013288110176
05031588001	ELS6.5x150	1.20	6.50	150	4013288110183
05031590001	ELS8.0x200	1.60	8.00	200	4013288110206

Pozidriv Screwdriver



Application: For Pozidriv screws
Blade: Insulated, individually tested as per IEC 60900 : 2004
Tip: Black point
Handle: Kraftform Comfort with anti-roll protection, multi component



CODE	DESCRIPTION	mm	mm	BARCODE
05031611001	PZ 1x80	4.50	80	4013288110305
05031613001	PZ 2x100	6.00	100	4013288110329

VDE KRAFTFORM COMFORT SETS

Kraftform Kompakt VDE 1160i 7 Set

Application: For Electricians, Phillips screws. Voltage tester.
Quantity: 7 piece set



Phillips Screwdriver



Application: For Phillips screws
Blade: Insulated, individually tested as per IEC 60900 : 2004
Tip: Black point
Handle: Kraftform Comfort with anti-roll protection, multi component




CODE	DESCRIPTION	mm	mm	BARCODE
05031601001	PH 1x80	4.50	80	4013288110237
05031603001	PH 2x100	6.00	100	4013288110251

DESCRIPTION		QTY	mm
	ELS2.50x80	1	80
	ELS3.5x100	1	100
	ELS4x100	1	100
	ELS5.5x125	1	125
	PH1x80	1	80
	PH2x100	1	100
Tester	3.0x65	1	65
CODE		05031575001	
BARCODE		4013288110831	



The Kraftform Comfort series offers a wide and diverse range of screwdrivers for universal use, with the distinctive Kraftform handle.
The multi-component Kraftform handle for quick and low-exertion working.



A dielectric strength test under a 10 000 volts load (in accordance with DIN EN 60900 (IEC 60900:2004)) in a water bath is the only way of reassuring users that their screwdrivers have been exhaustively tested for their most important feature: their insulation. Each individual Wera VDE screwdriver is subjected to this test to guarantee safe working up to 1,000 volts.

Kraftform Classic Blackpoint Screwdrivers

Screwdrivers on
merchandising hangers

All single screwdrivers are
merchandised on tough
plastic hangers with
gromet insert, which hold
the tool in place.



Electricians Screwdriver



Application: For slotted screws
Blade: Round, chrome plated
Tip: DIN 5264-A, ISO 2380, Black point
Handle: Kraftform with anti-roll protection, one component



CODE	DESCRIPTION	mm	mm	mm	BARCODE
05031209001	8115 B ELS 2.5x75	0.40	2.50	75	6004353002845
05038015570	8001 B ELS 3.5x75	0.60	3.50	75	6004353002838
05038015001	8002 B ELS 3.5x100	0.60	3.50	100	6004353003057
05038015125	8025 B ELS 3.5x125	0.60	3.50	125	6004353003309
05038015051	8003 B ELS 3.5x150	0.60	3.50	150	6004353003064
05031211057	8004 B ELS 4.0x75	0.80	4.00	75	6004353003071
05031211001	8005 B ELS 4.0x100	0.80	4.00	100	6004353002869
05031211051	8006 B ELS 4.0x150	0.80	4.00	150	6004353003088
05031211002	8007 B ELS 4.0x200	0.80	4.00	200	6004353003095
05031211052	8026 B ELS 4.0x250	0.80	4.00	250	6004353003101
05031212100	8008 B ELS 5.5x100	1.00	5.50	100	6004353003118
05031212001	8049 B ELS 5.5x125	1.00	5.50	125	6004353002876
05031212150	8009 B ELS 5.5x150	1.00	5.50	150	6004353003125
05031212200	8010 B ELS 5.5x200	1.00	5.50	200	6004353003136
05031212250	8011 B ELS 5.5x250	1.00	5.50	250	6004353003521
05031212300	8012 B ELS 5.5x300	1.00	5.50	300	6004353003132

Phillips Screwdriver



Application: For Phillips screws
Blade: Round, chrome plated
Tip: DIN 5260-PH, ISO 8764-PH, Black point
Handle: Kraftform with anti-roll protection, one component



CODE	DESCRIPTION	mm	mm	BARCODE
05031219001	8028 B PH 0x60	3.00	60	6004353002883
05031220001	8029 B PH 1x80	4.50	80	6004353002890
05031220200	8038 B PH 1x200	4.50	200	6004353003231
05031221001	8030 B PH 2x100	6.00	100	6004353002906
05031221051	8031 B PH 2x150	6.00	150	6004353003248
05031221003	8039 B PH 2x300	6.00	300	6004353003255
05031222001	8033 B PH 3x150	8.00	150	6004353002913
05038740001	8034 B PH 4x200	8.00	200	6004353003262

Stubby Screwdriver



Application: For Electrician / Phillips screws
Blade: Round, chrome plated
Tip: Black point
Handle: Kraftform with anti-roll protection, one component



Mechanics Screwdriver



Application: For slotted screws
Blade: Round, chrome plated
Tip: DIN 5264-A, ISO 2380, Black point
Handle: Kraftform with anti-roll protection, one component




CODE	DESCRIPTION	mm	mm	mm	BARCODE
05031200100	8013 B MS 6.50x100	1.20	6.50	100	6004353003149
05031200125	8040 B MS 6.50x125	1.20	6.50	125	6004353003286
05031200001	8014 B MS 6.50x150	1.20	6.50	150	6004353002807
05031200200	8015 B MS 6.50x200	1.20	6.50	200	6004353003293
05031201100	8032 B MS 8.00x100	1.20	8.00	100	6004353003156
05031201125	8044 B MS 8.00x125	1.20	8.00	125	6004353003163
05031201150	8016 B MS 8.00x150	1.20	8.00	150	6004353002791
05031201001	8041 B MS 8.00x175	1.20	8.00	175	6004353002814
05031201200	8017 B MS 8.00x200	1.20	8.00	200	6004353003170
05031201250	8018 B MS 8.00x250	1.20	8.00	250	6004353003187
05031202150	8019 B MS 10.0x150	1.60	10.00	150	6004353003330
05031202001	8020 B MS 10.0x200	1.60	10.00	200	6004353002821
05031202250	8021 B MS 10.0x250	1.60	10.00	250	6004353003194
05031202300	8022 B MS 10.0x300	1.60	10.00	300	6004353003200
05031205200	8045 B MS 12.0x200	2.00	12.00	200	6004353003217
05031205300	8047 B MS 12.0x300	2.00	12.00	300	6004353003224

Pozidriv Screwdriver



Application: For Pozidriv screws
Blade: Round, chrome plated
Tip: ISO 8764-PZ, Black point
Handle: Kraftform with anti-roll protection, one component



CODE	DESCRIPTION	mm	mm	BARCODE
05031225001	8081 B PZD 1x80	4.50	80	6004353002937
05031226001	8082 B PZD 2x100	6.00	100	6004353002944

Torx® Screwdriver



Application: For Torx® socket screws
Blade: Round, chrome plated
Tip: Black point
Handle: Kraftform with anti-roll protection, one component



CODE	DESCRIPTION	mm	mm	BARCODE
05031309000	TX 6	3.00	70	6004353003989
05031310001	TX 7	3.00	70	6004353003996
05031300001	TX 8	3.00	70	6004353004009
05031301001	TX 9	3.00	70	6004353004016
05031302001	TX 10	3.50	80	6004353004023
05031303001	TX 15	3.50	80	6004353004030
05031304001	TX 20	4.00	80	6004353004047
05031305001	TX 25	4.50	90	6004353004054
05031308001	TX 27	5.50	90	6004353004061
05031306001	TX 30	6.00	100	6004353004078
05031307001	TX 40	7.00	100	6004353004085

Kraftform Classic Blackpoint Sets



Kraftform Classic VDE Screwdrivers

Kraftform Classic 1734/6

Application For Electrician, Mechanics
and Phillips screws
Quantity: 6 piece set



DESCRIPTION	QTY	SIZE
⦿ ELS	1	0.60x3.5x75
⦿ ELS	1	0.8x4.0x100
⦿ ELS	1	1.0x5.5x125
⦿ MS	1	1.20x6.5x150
⦿ PH	1	No 1x80
⦿ PH	1	No 2x100
CODE	05031280001	
BARCODE	6004353002968	

Kraftform Classic 1734/9

Application For Electrician, Mechanics
and Phillips screws
Quantity: 9 piece set



DESCRIPTION	QTY	SIZE
⦿ ELS	1	0.60x3.5x75
⦿ ELS	1	0.8x4.0x100
⦿ ELS	1	1.0x5.5x40
⦿ ELS	1	1.0x5.5x150
⦿ MS	1	1.20x6.5x125
⦿ MS	1	1.20x8.0x150
⦿ MS	1	1.60x10.0x150
⦿ PH	1	No 1x80
⦿ PH	1	No 2x100
CODE	05031280009	
BARCODE	6004353003279	

Kraftform Classic Torx® No 1767/11

Application For Torx® screws
Quantity: 11 piece set



DESCRIPTION	QTY	TORX® SIZE
⦿ TX	1	6
	1	7
	1	8
	1	9
	1	10
	1	15
	1	20
	1	25
	1	27
	1	30
	1	40
CODE	05031301100	
BARCODE	6004353004092	

Kraftform Classic Combo 1734/6/3 VDE

Application For Electrician, Mechanics
and Phillips screws
Quantity: 9 piece set



DESCRIPTION	QTY	SIZE
⦿ ELS	1	0.8x4.0x100
⦿ MS	1	1.20x6.5x125
⦿ MS	1	1.20x8.0x150
⦿ MS	1	1.60x10.0x150
⦿ PH	1	No 1x80
⦿ ELS	1	1.0x5.5x40
⦿ VDE ELS	1	0.6x3.5x100
⦿ VDE ELS	1	1.0x5.5x125
⦿ VDE PH	1	PH2x100
CODE	05031280124	
BARCODE	6004353004115	

Electricians VDE Screwdriver



Application For slotted screws
Blade: Insulated, individually tested as per IEC 60900: 2004
Tip: Conical tip, zinc-phosphated, Black point
Handle: Kraftform Classic with anti-roll protection, one component



CODE	DESCRIPTION	mm	mm	mm	BARCODE
05031240001	1760i ELS 2.5x80	0.40	2.50	80	4013288107725
05031241001	1760i ELS 3.5x100	0.60	3.50	100	4013288107732
05031242001	1760i ELS 4.0x100	0.80	4.00	100	4013288107749
05031243001	1760i ELS 5.5x125	1.00	5.50	125	4013288107756
05031244001	1760i ELS 6.5x150	1.20	6.50	150	4013288107763
05031245001	1760i ELS 8.0x200	1.60	8.00	200	4013288107770

Phillips VDE Screwdriver



Application For Phillips screws
Blade: Insulated, individually tested as per IEC 60900: 2004
Tip: Zinc-phosphated, Black point
Handle: Kraftform Classic with anti-roll protection, one component



CODE	DESCRIPTION	mm	mm	BARCODE
05031250001	1762i PH 1x80	4.50	80	4013288107794
05031251001	1762i PH 2x100	6.00	100	4013288107800

Pozidriv VDE Screwdriver



Application For Pozidriv screws



CODE	DESCRIPTION	mm	mm	BARCODE
05031260001	1765i PZD 1x80	4.50	80	4013288107831
05031261001	1765i PZD 2x100	6.00	100	4013288107848

Kraftform Classic 1760i/6 VDE



DESCRIPTION	QTY	SIZE
⦿ ELS	1	0.40x2.5x80
⦿ ELS	1	0.6x3.5x100
⦿ ELS	1	0.8x4.0x100
⦿ ELS	1	1.0x5.5x125
⦿ PH	1	No 1x80
⦿ PH	1	No 2x100
CODE	05031282001	
BARCODE	4013288105677	

Kraftform Screwdrivers

Screwdrivers on merchandising hangers

Electricians Screwdriver



Application For slotted screws
Blade: Round, chrome plated
Tip: DIN 5264-A, ISO 2380, Black point
Handle: Kraftform with anti-roll protection, one component



CODE	DESCRIPTION	mm	mm	mm	BARCODE
6000 C	ELS 2.5x75	0.40	2.50	75	6004353000131
6001 C	ELS 3.5x75	0.60	3.50	75	6004353000148
6002 C	ELS 3.5x100	0.60	3.50	100	6004353000155
6004 C	ELS 4.0x75	0.80	4.00	75	6004353000070
6005 C	ELS 4.0x100	0.80	4.00	100	6004353000162
6006 C	ELS 4.0x150	0.80	4.00	150	6004353000179
6008 C	ELS 5.5x100	1.00	5.50	100	6004353000186
6009 C	ELS 5.5x150	1.00	5.50	150	6004353000193

Phillips Screwdriver



Application For Phillips screws
Blade: Round, chrome plated
Tip: DIN 5260-PH, ISO 8764-PH, Black point
Handle: Kraftform with anti-roll protection, one component



CODE	DESCRIPTION	mm	mm	BARCODE
6028 C	PH 0x60	3.00	60	6004353000322
6029 C	PH 1x80	4.50	80	6004353000339
6030 C	PH 2x100	6.0	100	6004353000346
6031 C	PH 2x150	6.0	150	60043530002548
6033 C	PH 3x150	8.0	150	6004353000353
6034 C	PH 4x200	8.0	200	6004353004108

Stubby Screwdriver



Application For Electrician / Phillips screws
Blade: Round, chrome plated
Tip: Black point
Handle: Kraftform with anti-roll protection, one component




CODE	DESCRIPTION	mm	mm	mm	BARCODE
6027 C	ELS 1.0x5.5x40	1.0	5.50	40	6004353000360
6023 C	PH 1x30			30	6004353000377
6024 C	PH 2x40			40	6004353000384

Mechanics Screwdriver



Application For slotted screws
Blade: Round, chrome plated
Tip: DIN 5264-A, ISO 2380, Black point
Handle: Kraftform with anti-roll protection, one component



CODE	DESCRIPTION	mm	mm	mm	BARCODE
6013 C	MS 6.50x100	1.20	6.50	100	6004353000209
6040 C	MS 6.50x125	1.20	6.50	125	6004353000216
6014 C	MS 6.50x150	1.20	6.50	150	6004353000223
6043 C	MS 6.50x175	1.20	6.50	175	6004353000230
6044 C	MS 8.00x125	1.20	8.00	125	6004353000247
6016 C	MS 8.00x150	1.20	8.00	150	6004353000254
6041 C	MS 8.00x175	1.20	8.00	175	6004353000261
6017 C	MS 8.00x200	1.20	8.00	200	6004353000278
6019 C	MS 10.00x150	1.60	10.00	150	6004353000285
6042 C	MS 10.00x175	1.60	10.00	175	6004353000292
6020 C	MS 10.00x200	1.60	10.00	200	6004353000308
6021 C	MS 10.00x250	1.60	10.00	250	6004353000315
6045 C	MS 12.00x200	2.00	12.00	200	6004353002500
6047 C	MS 12.00x300	2.00	12.00	300	6004353002517

Pozidriv Screwdriver



Application For Pozidriv screws
Blade: Round, chrome plated
Tip: ISO 8764-PZ, Black point
Handle: Kraftform with anti-roll protection, one component



CODE	DESCRIPTION	mm	mm	BARCODE
6081 C	PZD 1x80	4.50	80	6004353002302
6082 C	PZD 2x100	6.0	100	6004353002319

Torx® Screwdriver



Application For Torx® socket screws
Blade: Round, chrome plated
Tip: Black point
Handle: Kraftform with anti-roll protection, one component



CODE	DESCRIPTION	mm	mm	BARCODE
6306 C	TX 6	3.00	70	6004353002555
6307 C	TX 7	3.00	70	6004353002562
6308 C	TX 8	3.00	70	6004353002579
6309 C	TX 9	3.00	70	6004353002586
6310 C	TX 10	3.50	80	6004353002593
6315 C	TX 15	3.50	80	6004353002609
6320 C	TX 20	4.00	80	6004353002616
6325 C	TX 25	4.50	90	6004353002623
6327 C	TX 27	5.50	90	6004353002630
6330 C	TX 30	6.00	100	6004353002647
6340 C	TX 40	7.00	100	6004353002654

All single screwdrivers are merchandised on tough plastic hangers with gromet insert, which hold the tool in place.



Kraftform Screwdrivers

Screwdrivers
merchandised in Sets



Kraftform 10001 6PC Display Set

Application For Electrician, Mechanics and Phillips screws
Quantity: 6 piece set



DESCRIPTION	QTY	SIZE
ELS	1	0.60x3.5x75
ELS	1	0.8x4.00x100
MS	1	1.20x6.50x125
MS	1	1.20x8.00x150
PH	1	No 1x80
PH	1	No 2x100
CODE	10001	
BARCODE	6004353000018	

Kraftform 10009 9PC Display Set

Application For Electrician, Mechanics and Phillips screws
Quantity: 9 piece set



DESCRIPTION	QTY	SIZE
ELS	1	0.60x3.5x75
ELS	1	0.8x4.0x100
ELS	1	1.0x5.5x150
ELS	1	1.0x5.5x40
MS	1	1.20x6.5x125
MS	1	1.20x8.0x150
MS	1	1.60x10.0x150
PH	1	No 1x80
PH	1	No 2x100
CODE	10009	
BARCODE	6004353000025	

Kraftform Torx® No 6334 Display Set

Application For Torx® screws
Quantity: 11 piece set



DESCRIPTION	QTY	TORX® SIZE
TX	1	6
	1	7
	1	8
	1	9
	1	10
	1	15
	1	20
	1	25
	1	27
	1	30
	1	40
CODE	6334	
BARCODE	6004353000087	

Wera Soft Face Hammers



Application Repair/maintenance work; automotive and engineering industry; metal processing

CODE	SIZE				BARCODE
9002	30	106	330	651	6004353001473
9004	40	119	340	820	6004353001480
9006	50	119	350	1181	6004353001497
9007	60	148	380	1974	6004353001503
REPLACEMENT HAMMER FACES: sold in pairs					
9009	30				6004353001435
9011	40				6004353001442
9013	50				6004353001459
9014	60				6004353001466

Bits and Accessories

Z Bits - 25mm



Application Z bits are ductile, tough bits for hard material such as sheet steel or metal

CODE	DESCRIPTION	mm	BARCODE
05072070001	851/1 Z PH 1x25	25	4013288013453
05072072001	851/1 Z PH 2x25	25	4013288013460
05072074001	851/1 Z PH 3x25	25	4013288013477
05072080001	855/1 Z PZ 1x25	25	4013288029096
05072082001	855/1 Z PZ 2x25	25	4013288014665
05072084001	855/1 Z PZ 3x25	25	4013288014672

Torsion Bits - 50mm



Application TZ bits are Z bits with a torsion zone. Torsion bits absorb the damaging peak torque loads in the torsion zone. This prevents premature wear and enhances the service life of the bits

CODE	DESCRIPTION	mm	BARCODE
05059805001	851/4 TZ PH 1x50	50	4013288013927
05059810001	851/4 TZ PH 2x50	50	4013288013934
05059815001	851/4 TZ PH 3x50	50	4013288013941
05060005001	855/4 TZ PZ 1x50	50	4013288015099
05060010001	855/4 TZ PZ 2x50	50	4013288015105
05060015001	855/4 TZ PZ 3x50	50	4013288015112

Torsion Gold Bits 25 / 50mm



Application TH bits are H bits with a torsion zone. Torsion bits absorb the damaging peak torque loads in the torsion zone. This prevents premature wear and enhances the service life of the bits

CODE	DESCRIPTION	mm	BARCODE
05056915001	855/1 TH PZ 2x25	25	4013288014757
05056925001	855/1 TH PZ 3x25	25	4013288014764
05060060001	855/4 TH PZ 2x50	50	4013288015075

Diamond Coated BiTorsion Bits



Application BDC Bits are absolutely premium products. They have a softer BiTorsion zone which reduces hardness of the shaft by about 20% in comparison to the drive tip. This means that the peak loads that cause bit breakage and premature wear are absorbed in this zone - thus enhancing the service life of the bits. The diamond coating lowers the danger of slipping as the minute diamond particles literally "bite" themselves into the screw head. B stands for BiTorsion and DC stands for Diamond Coated.

CODE	DESCRIPTION	mm	BARCODE
05056702001	855/1 BDC PZ 2x25	25	4013288029379
05056420001	851/1 BDC PH 2x25	25	4013288033987

Wera Series 23 Double Ended Bits



Application For Phillips screws, 1/4" hexagon and with a ball-guide groove 17mm design

CODE	DESCRIPTION	mm	BARCODE
05135716001	851/23 PH 3x65	65	4013288110732

Bitholding Screwdriver



Application Suitable for 1/4" hexagon insert bits and Wera Series 1, Kraftform single components, extra short with strong permanent magnet.

CODE	DESCRIPTION	BARCODE
05051105001	811/1 Hand-held bit hold	4013288012265

Rapidator Bit Holder



Application The Rapidator combines five significant product advantages (Rapid-in, Rapid-out, Rapid-spin, Chuck-all, Single-hand) for more safety and productivity when screwdriving.

CODE	DESCRIPTION	mm	BARCODE
05073421001	889/4/1 K SB 1x1/4"x50	50	4013288099440
05073511001	887/4 RR SB 1x1/4"x57	57	4013288105790

Bit Ratchet 8001A



CODE: 05073230001 | BARCODE: 4013288144638

Suitable for 1/4" hex bits and Wera Series 1 and 4, Wera adaptor 870/1 for 1/4" sockets. Kraftform handle, drop-forged full steel design, fine tooth ratchet mechanism, small return angle of 6°, forward and reverse drive switch.

Toolcheck

Ratchet bits and sockets in an unbelievably small package



The Wera 39 Piece Bit Check Ratchet/Socket Set is a compact, portable hard-case kit featuring the deceptively powerful Wera Bit Ratchet, a huge selection of 25mm bits and range of Zyklop sockets. The bit Ratchet was specially designed for use in confined spaces and can easily fit into a pocket or toolkit.

It features two-direction ultra-fine ratchet action with 60 teeth for rapid fastening. Made from drop-forged steel with torque exceeding 65Nm, this robust ratchet has a handy thumbwheel for accelerated fastening in the tightest of spaces.

The bit Ratchet can be used with standard 1/4" hexagon bits, as well as with 1/4" drive sockets via the included adaptor. The sockets are uniquely suitable for both manual and power tool use (not impact).

Bit Holding Screwdriver



CODE: 51205 C | BARCODE: 6004353002234

Bit holding screwdriver with a strong magnet to hold 1/4" hex driver bits

Kompakt Ratchet



CODE: 05073660001 | BARCODE: 4013288156051

Suitable for hexagon socket insert bits and Wera Series 1, Ratchet, fine tooth system for minimal return angle, switchover ring (clockwise, locked, anticlockwise), maximum torque of up to 50 Newton metres, hexagon blade with 1/4" hexagon chuck, stainless steel sleeve, strong permanent magnet Kraftform with non-roll feature, multi-component, integrated magazine for 6 bits (25 mm)

Kraftform Kompakt 27RA

For hexagon insert bits

Contents:

800/1 Z	1 x 1.0x5.5x25
	1 x 1.2x6.5x25
851/1 Z PH	1 x PH1x25 • 1 x PH2x25
855/1 Z PZ	1 x PZ1x25 • 1 x PZ2x25

Tool-Check 1 SB

CODE: 05073220001 | BARCODE: 4013288162526

Contents:

8001 A	1 x 1/4"x87.0
889/4/1 K	1 x 1/4"x50
800/1 TZ	1 x 1.0x5.5x25
840/1 Z Hex-Plus	1 x 3.0x25 • 1 x 4.0x25 • 1 x 5.0x25
	1 x 6.0x25 • 1 x 8.0x25
851/1 TZ PH	2 x PH1x25 • 3 x PH2x25 • 1 x PH3x25
855/1 TH PZ	1 x PZ1x25 • 3 x PZ2x25 • 1 x PZ3x25
867/1 TZ TORX®	1 x TX10x25 • 1 x TX15x25 • 1 x TX20x25
	1 x TX25x25 • 1 x TX30x25 • 1 x TX40x25
867/1 Z TORX® BO	1 x TX10x25 • 1 x TX15x25 • 1 x TX20x25
	1 x TX25x25 • 1 x TX30x25
870/1	1 x 1/4"x 1/4"x25
8790 HMA	1 x 5.5x23.0 • 1 x 6.0x23.0 • 1 x 7.0x23.0
	1 x 8.0x23.0 • 1 x 10.0x23.0 • 1 x 12.0x23.0
	1 x 13.0x23.0

Bit Sets



CODE	DESCRIPTION	BARCODE
72083	855/4 PZD 1 sets (4xPZD 1)	6004353002173
72084	855/4 PZD 2 sets (4xPZD 2)	6004353002180
72085	851/4 PH 1 sets (4xPH 1)	6004353002197
72086	851/4 PH 2sets (4xPH 2)	6004353002203
72087	855/2 PZD 1, PZD 2 sets (2ea)	6004353002210
72088	851/2 PH 1, PH 2 sets (2ea)	6004353002227
72089	854/PH 1, PH 2, PZD 1, PZD 2	6004353002661

