



AGRISOURCE
PRODUCTS FOR AGRICULTURE

FLAMMABLE LIQUID
HARMFUL
KEEP OUT OF THE
REACH OF CHILDREN
ECOTOXIC

Agri-IPC

A herbicide for use post-emergence in onions, pre and post-emergence in lettuce and pre-emergence in carrots, leeks and parsnips

*Contains 400g/litre of chlorpropham in the form of an emulsifiable concentrate
Also contains 485g/litre of hydrocarbon liquid*

GROUP

K2

HERBICIDE

FREE RECYCLING



AGRECOVERY

www.agrecovery.co.nz

NET CONTENTS
10 Litres

READ LABEL COMPLETELY BEFORE USE DIRECTIONS FOR USE

HSNO CLASSIFICATIONS: 3.1C, 6.1E, 6.3B, 6.4A, 6.9B, 9.1B, 9.2A

APPROVED HANDLER

This product must be under the personal control of an approved handler or secured.

WARNING

May be harmful if swallowed, inhaled or absorbed through the skin. May cause eye and mild skin irritation. Avoid skin and eye contact or inhalation. May cause organ damage from repeated oral exposure at high doses. **FLAMABLE LIQUID** keep away from sources of ignition.

ECOTOXIC

Toxic to aquatic organisms with long-lasting effects. Avoid contamination of any water supply with product or empty container. Very toxic to the soil environment.

HANDLING PRECAUTIONS

PERSONAL PROTECTION

When mixing or applying, avoid contact with skin and eyes. Wear full protective clothing, gloves and goggles. Do not eat or drink while using. Wash hands and face before meals and after work. Wash protective clothing after work.

EQUIPMENT

Apply using accurately calibrated and maintained equipment in accordance with the New Zealand Standard for the Management of Agrichemicals (NZS8409). Flush spray equipment thoroughly with water after use.

STORAGE

Store in original container tightly closed and in a locked, dry, cool, well ventilated area away from fertilisers, feed, seeds and foodstuffs. Keep out of reach of children. Store in accordance with NZ8409 Management of Agrichemicals.

SHELF LIFE

When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

SPILLAGE

Move non-essential people from the area. Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Sweep up solids without creating dust. Wash area with water and absorb with further inert material. Dispose of waste safely (such as to a suitable landfill).

PRODUCT DISPOSAL

Dispose of unwanted product by using strictly in accordance with label directions.

CONTAINER DISPOSAL

Triple rinse container and add rinsate to spray tank. Dispose of cleaned container at your local AGRECOVERY container collection site.

SAFETY DATA SHEET

Additional information is provided in the SDS available from your supplier.

FIRST AID

If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre 0800 Poison (0800764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If concentrate is splashed in the eyes, flush with running water immediately.

EMERGENCY RESPONSE

In a transport emergency call 111, Police or Fire Brigade

GENERAL INFORMATION

Agri-IPC is mainly a soil acting residual herbicide. It is taken up by the emerging shoot and roots of weeds and affects the growing point of certain plants post-emergence. It generally has weak contact action. Rain or irrigation is required shortly after application for residual control of weeds.

WEEDS CONTROLLED (Seedlings only)

Black nightshade, Chickweed, Docks, Fathen, Foxtail, Fumitory, Paspalum, Annual Poa, Italian ryegrass, Speedwells, Spurrey, Willow Weed.

It is an offence for the users of this product to cause residues exceeding the relevant MRL in the NZ (Maximum Residues Limits of Agricultural Compounds) Food Standards.

MIXING

Half fill the spray tank with clean water, add the required amount of **Agri-IPC** with the agitation on and continue to fill the tank. If mixing other products follow the instructions on their label.

APPLICATION

Apply to a firm moist seed bed in 200-400 litres of water per hectare.

IMPORTANT - RESISTANCE MANAGEMENT

Agri-IPC contains the GROUP K2 HERBICIDE ,chlorpropham. Resistance to pesticides can develop from excessive use. To minimise this risk, avoid using this herbicide exclusively all season, avoid unnecessary spraying and endeavour to alternate with herbicides from other groups within the crop and in subsequent seasons for a sprayed paddock. Use strictly in accordance with label instructions. Maintain good cultural practices.

APPLICATION RATES

| CROP | CROP STAGE | RATE | COMMENTS |
|--------------------------|-------------------|-----------|---|
| Onions | Post-emergence | 1-2 L/ha | Apply at flag stage of the onion in combination with Chloranion™ at 1-2 L/ha + Peptol® Crop Oil at 1 L/ha. Repeat mixture 2-3 weeks later. |
| Lettuce | Pre-emergence | 3-8 L/ha | Apply immediately after sowing. |
| | Pre-transplanting | 6-11 L/ha | Apply to a freshly cultivated seed bed immediately prior to transplanting. Keep soil disturbance to a minimum during planting. Avoid incorporation of the treated soil into the root zone of the lettuce transplants. |
| Carrots, Leeks, Parsnips | Pre-emergence | 6-8 L/ha | Apply immediately after sowing. |

NOTES

Best results will be obtained if application is followed by 15mm of rain or irrigation. Use the lower rates on sandy or silty soils. Excessive rainfall may wash the product too deeply into the soil and retard crop growth, especially on light or sandy soils.

CONDITIONS OF SUPPLY

All goods supplied by us are produced under rigid quality control procedures which assure the purchaser that at the time of sale they are physically suitable for use in the manner stated. However, to the extent permitted by law, buyers and/or users of the goods accept that neither the manufacturer, Agri Solutions Ltd as registrant, nor any other distributor have any liability or responsibility whatsoever for any loss, damage or injury whether in contract or tort, whether direct, indirect or consequential howsoever arising in connection with the supply of these goods.

© Registered Trademark of Elliott Technologies Limited.

™1 Registered Trademark of Drexel Chemical Company, USA

Registered pursuant to the ACVM Act 1997 No. P8218
See www.foodsafety.govt.nz for registration conditions

Approved pursuant to HSNO Act 1996 No. HSR100992
See www.epa.govt.nz for approval conditions

REGISTRANT

Agri Solutions Ltd
Level 1, 26 Crummer Road,
Grey Lynn, Auckland 1021

BATCH NO:

DISTRIBUTOR

Agrisource (2000) Ltd
45 Kitchener Road, Pukekohe 2120
09 237 0442 · www.agrisource.co.nz

DATE OF
MANUFACTURE:

24 HOUR EMERGENCY RESPONSE 0800 CHEMCALL (0800 243 622)