





ACCURATE LOCK & HARDWARE

AMERICAN CRAFTED SINCE 1972

2000 SPRING LOADED EDGE PULL

2000 SPRING LOADED EDGE PULL TECHNICAL DETAILS



2000 SPRING LOADED EDGE PULL

- For non-locking passage pocket doors
- 3 1/16" deep mortise body standard
- Spring loaded edge pull that pops out with the press of a button allowing for comfortable operation to pull door out of the pocket.



Available as SilentPac™ 2000Q Quiet Pocket Door Pull featuring a quiet, slow release edge pull.

TECHNICAL SPECS

- 3 1/16" overall depth
- CASE: Heavy gauge, wrought (11/16" thick)
- ARMOR FRONT: 1" wide, 5" tall standard made from brass, bronze or stainless steel, and finished as required.
- STRIKE: Jamb Protector Plate available (for wood frames), 1" wide x 8" tall. Specify 2002JPP separately.

**ACCURATE LOCK & HARDWARE
MANUFACTURERS OF CUSTOM LOCKS
AND ARCHITECTURAL HARDWARE**

1 Annie Place | Stamford, CT 06902

P: 203.348.8865

F: 203.348.5234

E: sales@accuratelockandhardware.com

www.accuratelockandhardware.com



**AMERICAN CRAFTED
— SINCE 1972 —**