



DEEP ROOF LIGHTING INC.
 55 Sea Cliff Avenue, Glen Cove, NY 11542
 Tel: 516-676-9100, -9101, -9103, -9105, -9106
 Fax: 516-676-9109
 Web Site: www.deeprooflighting.com
 Email: deeproof@aol.com

T8 Open Strip, Industrial Strip, Wrap Strip
 --- For Fluorescent and LED T8 tubes ---

Open Strip :


4 Feet



PRODUCT FEATURES

Heavy-duty 20-gauge steel utilized through out for durability body and code compliance.
 All welded assembly and post painted for maximum operating life.
 Pretreated with five-stage iron phosphate process ensures superior paint adhesion.
 Painted high-gloss baked white enamel.
 Shallow design ideal for commercial and industrial spaces requiring general illumination.
 Suitable for dry and damp environments.
 Thermally protected, self re-setting, Class P, NPF, non-PCB and UL & CEE Listed ballast.
 Suitable for surface mounting.
 Individual or continuous row mounting.
 Light weight design enables easier installation and increases worker productivity.


2 Lamps ---



2 Lamps ---

UNITS	M	L	W	H
INCHES	47 1/2"	48"	4"	3 1/4"
TOL (+/-)	0.05	0.05	0.05	0.05


3 Lamps ---



3 Lamps ---

UNITS	M	L	W	H
INCHES	47 1/2"	48"	8"	3 1/4"
TOL (+/-)	0.05	0.05	0.05	0.05

4 Lamps ---



4 Lamps ---

UNITS	M	L	W	H
INCHES	47 1/2"	48"	8"	3 1/4"
TOL (+/-)	0.05	0.05	0.05	0.05



ITEM CODES

- FOL42W** **Open 4 feet, 2 lamps, For LED - No Ballast, White**
- FOL43W** **Open 4 feet, 3 lamps, For LED - No Ballast, White**
- FOL44W** **Open 4 feet, 4 lamps, For LED - No Ballast, White**
- FOF42W-HB** **Open 4 feet, 2 lamps, For fluorescent T8, HPF ballast, White**
- FOF43W-HB** **Open 4 feet, 3 lamps, For fluorescent T8, HPF ballast, White**
- FOF44W-HB** **Open 4 feet, 4 lamps, For fluorescent T8, HPF ballast, White**
- FOF42W-NB** **Open 4 feet, 2 lamps, For fluorescent T8, NPF ballast, White**
- FOF43W-NB** **Open 4 feet, 3 lamps, For fluorescent T8, NPF ballast, White**
- FOF44W-NB** **Open 4 feet, 4 lamps, For fluorescent T8, NPF ballast, White**
- FOF42W-D** **Open 4 feet, 2 lamps, For fluorescent T8, Dimming HPF ballast, White**
- FOF43W-D** **Open 4 feet, 3 lamps, For fluorescent T8, Dimming HPF ballast, White**
- FOF44W-D** **Open 4 feet, 4 lamps, For fluorescent T8, Dimming HPF ballast, White**

----- 8 Feet -----

For 4 x 4 Feet tubes



Or 2 X 8 Feet tubes



UNITS	M	L	W	H
INCHES	95 1/2"	96"	4"	3 1/4"
TOL (+/-)	0.05	0.05	0.05	0.05

For 6 X 4 Feet tubes



Or 3 X 8 Feet tubes



UNITS	M	L	W	H
INCHES	95 1/2"	96"	8"	3 1/4"
TOL (+/-)	0.05	0.05	0.05	0.05

For 8 X 4 Feet tubes

Or 4 X 8 Feet tubes




UNITS	M	L	W	H
INCHES	95 1/2"	96"	8"	3 1/4"
TOL (+/-)	0.05	0.05	0.05	0.05

ITEM CODES

- FOL844W** **Open strip 8 feet, For 4 lamps LED 4 feet tubes White**
- FOL882W** **Open strip 8 feet, For 2 lamps LED 8 feet tubes White**
- FOL846W** **Open strip 8 feet, For 6 lamps LED 4 feet tubes White**
- FOL883W** **Open strip 8 feet, For 3 lamps LED 8 feet tubes White**
- FOL848W** **Open strip 8 feet, For 8 lamps LED 4 feet tubes White**
- FOL884W** **Open strip 8 feet, For 4 lamps LED 8 feet tubes White**
- FOF84W-HB** **Open 8 feet, 4 lamps, For fluorescent T8, HPF ballast, White**
- FOF86W-HB** **Open 8 feet, 6 lamps, For fluorescent T8, HPF ballast, White**
- FOF88W-HB** **Open 8 feet, 8 lamps, For fluorescent T8, HPF ballast, White**
- FOF84W-NB** **Open 8 feet, 4 lamps, For fluorescent T8, NPF ballast, White**
- FOF86W-NB** **Open 8 feet, 6 lamps, For fluorescent T8, NPF ballast, White**
- FOF88W-NB** **Open 8 feet, 8 lamps, For fluorescent T8, NPF ballast, White**



Wire Guard



PRODUCT FEATURES

Heavy-duty 20-gauge steel utilized through out for durability body and code compliance.

All welded assembly and post painted for maximum operating life.

Pretreated with five-stage iron phosphate process ensures superior paint adhesion.

Painted high-gloss baked white enamel.

Shallow design ideal for commercial and industrial spaces requiring general illumination.

Suitable for dry and damp environments.


Thermally protected, self re-setting, Class P, NPF, non-PCB and UL & CEE Listed ballast.

Suitable for surface mounting.

Individual or continuous row mounting.

Light weight design enables easier installation and increases worker productivity.


2 Lamps ---



2 Lamps ---

UNITS	M	L	W	H
INCHES	47 1/2"	48"	12"	4"
TOL (+/-)	0.05	0.05	0.05	0.05


3 Lamps ---



3 Lamps ---

UNITS	M	L	W	H
INCHES	47 1/2"	48"	12"	4"
TOL (+/-)	0.05	0.05	0.05	0.05

4 Lamps ---



4 Lamps ---

UNITS	M	L	W	H
INCHES	47 1/2"	48"	12"	4"
TOL (+/-)	0.05	0.05	0.05	0.05


ITEM CODES

- FCL42W-(WG)** Industrial strip 4 feet, 2 lamps, For LED - No Ballast, White, (Wire Guard)
- FCL43W-(WG)** Industrial strip 4 feet, 3 lamps, For LED - No Ballast, White, (Wire Guard)
- FCL44W-(WG)** Industrial strip 4 feet, 4 lamps, For LED - No Ballast, White, (Wire Guard)
- FCF42W-HB** Closure 4 feet, 2 lamps, For fluorescent T8, HPF ballast, White
- FCF43W-HB** Closure 4 feet, 3 lamps, For fluorescent T8, HPF ballast, White
- FCF44W-HB** Closure 4 feet, 4 lamps, For fluorescent T8, HPF ballast, White
- FCF42W-NB** Closure 4 feet, 2 lamps, For fluorescent T8, NPF ballast, White
- FCF43W-NB** Closure 4 feet, 3 lamps, For fluorescent T8, NPF ballast, White
- FCF44W-NB** Closure 4 feet, 4 lamps, For fluorescent T8, NPF ballast, White
- FCF42W-D** Closure 4 feet, 2 lamps, For fluorescent T8, Dimming HPF ballast, White
- FCF43W-D** Closure 4 feet, 3 lamps, For fluorescent T8, Dimming HPF ballast, White
- FCF44W-D** Closure 4 feet, 4 lamps, For fluorescent T8, Dimming HPF ballast, White



----- **8 Feet** -----



Wire Guard





Using 4 X 4 feet tubes or 2 x 8 feet lamps





UNITS	M	L	W	H
INCHES	95 1/2"	96"	12"	4"
TOL (+/-)	0.05	0.05	0.05	0.05

Using 6 X 4 feet tubes
Or 3 X 8 feet tubes



UNITS	M	L	W	H
INCHES	95 1/2"	96"	12"	4"
TOL (+/-)	0.05	0.05	0.05	0.05

Using 8 X 4 feet tubes
Or 4 X 8 feet tubes




UNITS	M	L	W	H
INCHES	95 1/2"	96"	12"	4"
TOL (+/-)	0.05	0.05	0.05	0.05

ITEM CODES

- FCL844W-(WG)** Industrial Strip 8 feet, 4 lamps 4 feet LED tubes G-13, White (Wire Guard)
- FCL882W-(WG)** Industrial Strip 8 feet, 2 lamps 8 feet LED tubes FA8, White (Wire Guard)
- FCL846W-(WG)** Industrial Strip 8 feet, 6 lamps 4 feet LED tubes G-13, White (Wire Guard)
- FCL883W-(WG)** Industrial Strip 8 feet, 3 lamps 8 feet LED tubes FA8, White (Wire Guard)
- FCL848W-(WG)** Industrial Strip 8 feet, 8 lamps 4 feet LED tubes G-13, White (Wire Guard)
- FCL884W-(WG)** Industrial Strip 8 feet, 4 lamps 8 feet LED tubes FA8, White (Wire Guard)
- FCF84W-HB** Closure 8 feet, 4 lamps, For fluorescent T8, HPF ballast, White
- FCF86W-HB** Closure 8 feet, 6 lamps, For fluorescent T8, HPF ballast, White
- FCF88W-HB** Closure 8 feet, 8 lamps, For fluorescent T8, HPF ballast, White
- FCF84W-NB** Closure 8 feet, 4 lamps, For fluorescent T8, NPF ballast, White
- FCF86W-NB** Closure 8 feet, 6 lamps, For fluorescent T8, NPF ballast, White
- FCF88W-NB** Closure 8 feet, 8 lamps, For fluorescent T8, NPF ballast, White

Wrap Around Strip :



PRODUCT FEATURES

Heavy-duty 20-gauge steel utilized through out for durability body and code compliance.

All welded assembly and post painted for maximum operating life.

Pretreated with five-stage iron phosphate process ensures superior paint adhesion.

Painted high-gloss baked white enamel.

Shallow design ideal for commercial and industrial spaces requiring general illumination.


Suitable for dry and damp environments.

Thermally protected, self re-setting, Class P, NPF, non-PCB and UL & CEE Listed ballast.

Suitable for surface mounting.

Light weight design enables easier installation and increases worker productivity.


2 Lamps ---



2 Lamps ---

UNITS	M	L	W	H
INCHES	47 1/2"	48"	7"	2 1/2"
TOL (+/-)	0.05	0.05	0.05	0.05

4 Lamps ---



4 Lamps ---

UNITS	M	L	W	H
INCHES	47 1/2"	48"	11"	2 1/2"
TOL (+/-)	0.05	0.05	0.05	0.05

ITEM CODES

FRL42W	Wrap 4 feet, 2 lamps, For LED - No Ballast, White
FRL44W	Wrap 4 feet, 4 lamps, For LED - No Ballast, White
FRF42W-HB	Wrap 4 feet, 2 lamps, For fluorescent T8, HPF ballast, White
FRF44W-HB	Wrap 4 feet, 4 lamps, For fluorescent T8, HPF ballast, White
FRF42W-NB	Wrap 4 feet, 2 lamps, For fluorescent T8, NPF ballast, White
FRF44W-NB	Wrap 4 feet, 4 lamps, For fluorescent T8, NPF ballast, White
FRF42W-D	Wrap 4 feet, 2 lamps, For fluorescent T8, Dimmable HPF ballast, White

FRF44W-D

Wrap 4 feet, 4 lamps, For fluorescent T8, Dimmable HPF ballast, White