



INCANDESCENT CLEARANCE/ MARKER LAMP

INCANDESCENT MARKER LAMP

FMVSS: P2 P3 A



L04-0059R
2 wire base

L04-0059A
2 wire base

L04-0059R-BLK
Black Base

L04-0059A-BLK
Black Base

FEATURES:

- 4" x 2"
- 1 wire or 2 wire base
- Tested at 12.8V
- Reflective lens

MATERIAL:

- Polycarbonate lens
- ABS base

LIGHT SOURCE:

L04-0059A

- 1 bulb, #194

L04-0059R

- 1 bulb, #194

L04-0059A-BLK

- 1 bulb, #194
- Black Base

L04-0059R-BLK

- 1 bulb, #194
- Black Base

L04-0059C (not shown)

- 1 bulb, #194
- Clear Lens White Light
- *not shown

REPLACEMENT LENSES:


L04-0059A-LENS

L04-0059C-LENS

L04-0059R-LENS

INCANDESCENT MARKER LAMP

FMVSS: P2 P3 A



1A-S-1300R
1 wire base

1A-S-1300A
1 wire base

1A-S-1320R
2 wire base

1A-S-1320A
2 wire base

FEATURES:

- 4" x 1 1/2"
- 1 wire or 2 wire base
- Reflective lens

MATERIAL:

- PMMA lens
- ABS housing

LIGHT SOURCE:

1A-S-1300R

- 1 bulb, #194
- Tested at 12.8V

1A-S-1300A

- 1 bulb, #194
- Tested at 12.8V

1A-S-1320R

- 1 bulb, #194
- Tested at 12.8V

1A-S-1320A

- 1 bulb, #194
- Tested at 12.8V

1A-S-1320AL

- Replacement Lens Amber


1A-S-1320AR

- Replacement Lens Red

INCANDESCENT CLEARANCE/MARKER LAMP

INCANDESCENT MARKER LAMP

FMVSS: P2



L04-0055A



FEATURES:

- 2 1/8" x 1 1/8"
- Stud mount
- 1 bare wire

MATERIAL:


- Polycarbonate lens
- Metal base

LIGHT SOURCE:

- 1 bulb, #194
- Tested at 12.8V

INCANDESCENT MARKER LAMP

FMVSS: Horizontal P2 P3 A
Vertical P2 P3 PC PC2 A



1A-S-1600A



FEATURES:

- 2 7/8" x 2"
- Stud mount
- 1 bare wire
- Reflective lens

MATERIAL:

- Polycarbonate lens
- Polycarbonate base

LIGHT SOURCE:


- 1 bulb, #194
- Tested at 12.8V

L04-0054A (not shown)

- Black Base Amber lens

INCANDESCENT MARKER LAMP

FMVSS: P2 PC



L04-0041R
FMVSS: P2, PC

L04-0041A
FMVSS: P2, PC



1A-V-1260AR
Fender mount only
Auxiliary



FEATURES:

- 3.75" x 1.25"
- Standard 2-pole plug

MATERIAL:

- Polycarbonate lens
- ABS base

LIGHT SOURCE:

L04-0041R

- 2 bulb, #194
- Tested at 12.8V

L04-0041A

- 2 bulb, #194
- Tested at 12.8V


1A-V-1260AR

- 2 bulb, #194
- Tested at 12.8V

INCANDESCENT CLEARANCE/ MARKER LAMP

INCANDESCENT MARKER LAMP

FMVSS: P2 P3 PC PC2



1A-S-1258R

1A-S-1258A

FEATURES:

- 2 1/2" x 1 1/4"
- Standard 2-pole plug

MATERIAL:

- Polycarbonate lens
- ABS housing

LIGHT SOURCE:

1A-S-1258R


- 1 bulb, #194
- Tested at 12.8V

1A-S-1258A

- 1 bulb, #194
- Tested at 12.8V

INCANDESCENT MARKER LAMP

FMVSS: P2 PC



1A-S-64RC

1A-S-64AC

L04-0057A

L04-0060A

FEATURES:

- Cab marker lamp
- 2 bare wire
- Chrome base

MATERIAL:

- PMMA lens
- ABS housing

LIGHT SOURCE:

1A-S-64RC

- 1 bulb, #1156
- Tested at 12.8V

1A-S-64AC

- 1 bulb, #1156
- Tested at 12.8V

L04-0057A (White Base)

- 1 bulb, #1156
- Tested at 12.8V

L04-0060A (Black Base)

- 1 bulb, #1156
- Tested at 12.8V

KAPER DISPLAYS

Do you need an eye-catching display for your showroom? We can create a light up display specifically for your needs. Whether it be DOT Lighting, Interior RV Lighting, or our Heavy Duty Work Light line that you specialize in, we have a display to suit you.



Ask your representative
about our programs.

1-800-336-2011




AUXILIARY LAMP

LED AUXILIARY LAMP 6 DIODE


FMVSS: AUXILIARY




L16-0064



L16-0062



L16-0065



FEATURES:

- 6 SMD diodes
- Surface screw mount

MATERIAL:

- PC lens

LIGHT SOURCE:

- 6 light emitting diodes

L16-0062

- Red light with frosted lens
- 3 bare wires

L16-0064

- White light with frosted lens
- 2 bare wires

L16-0065


- Amber light with frosted lens
- 3 bare wires

LED AUXILIARY LAMP 6 DIODE


FMVSS: AUXILIARY



L14-0074R



L09-0025



FEATURES:

- 6 light emitting diodes
- Screw mount
- Frosted lens

MATERIAL:

- Polycarbonate lens
- Polycarbonate base

LIGHT SOURCE:

- 6 light emitting diodes

L14-0074R

- Red light with frosted lens
- 2 bare wires
- Tested at 12.8V

L16-0047R (not shown)


- Red light with frosted lens
- 3 bare wires
- Tested at 12.8V

L09-0025

- White light with frosted lens
- 2 bare wires
- Tested at 12.8V

AUXILIARY LAMP

LED SIGNAL LAMP



L03-0078
FMVSS: I, I6



L16-0048



L15-0026
FMVSS: STT, S2, T2, I6

FEATURES:

- Surface Mount
- With chrome bezel

MATERIAL:

- ABS Plastic base
- Polycarbonate lens

LIGHT SOURCE:

L03-0078

- 48 light emitting diodes
- Turn signal

L15-0026

- 40 light emitting diodes
- Stop/Turn/Indicator

L16-0048


- 16 light emitting diodes
- Auxiliary light

L16-0144 (not shown)

- 28 light emitting diodes
- Reverse/Back Up

LED/INCANDESCENT CLEARANCE/MARKER LAMP


LED MARKER LAMP INCANDESCENT MARKER LAMP



1A-S-20128R
FMVSS: P2 P3



1A-S-20128A
FMVSS: P2 P3



L14-0057R
LED
FMVSS: P2 P3 PC PC2



L14-0057A
LED
FMVSS: P2 P3 PC PC2



FEATURES:

- 4 7/8" x 2"
- 1 bare wire
- Chrome plastic brush guard

MATERIAL:

- PMMA lens
- ABS housing

LIGHT SOURCE:

1A-S-20128R

- 1 bulb, #194

1A-S-20128A

- 1 bulb, #194

L12-0161A / R

- Replacement Lens

L14-0057A


- Amber LED version
- 6 Diode

L14-0057R

- Red LED version
- 6 Diode

CLEARANCE MARKER ACCESSORIES

ACCESSORIES



ITEMS AVAILABLE:

WP-B1274 Bezel


- Chrome plated zinc
- Brush guard
- Screw mount

WP-BV11B Bezel

- Chrome plated plastic
- Screw mount

BASE OPTIONS FOR

- 1A-S-1238 LAMPS
- 1A-S-1239 LAMPS
- 1A-S-1258 LAMPS



ITEMS AVAILABLE:

1A-S-1258G

- Grey ABS base
- 1 wire lead with terminal end

1A-S-1258C

- Chrome plated ABS base
- 1 wire lead with terminal end

1A-S-1258B


- Black ABS base
- 1 wire lead with terminal end

1T-G35

- Black rubber grommet

BASE OPTIONS FOR

- 1A-V-1240 LAMPS
- 1A-V-1250 LAMPS
- L04-0041 LAMPS



ITEMS AVAILABLE:

1A-V-12612

- Black base
- 1 bare wire

1A-V-12612-2W (not shown)

- Black base
- 2 bare wire

1A-V-12612G

- Gray base
- 1 bare wire

1A-V-12612C (not shown)

- Chrome base
- 1 bare wire

1A-V-12612C-2W (not shown)

- Chrome base
- 2 bare wire

1A-V-12612FT

- Black base
- Fender mount
- 1 bare wire - 14" lead

1A-V-12612CT

- Chrome base
- 1 wire
- Terminal end