






Shenzhen Coban Electronics Co., Ltd



Add: 6/F, bldg 8, zhiheng industries park, guankou 2nd Road, nantou, nanshan, shenzhen, china 518052
 Contact: Zoe zhang Mobile: +86 18033432561 Tel: 86-755-26509579 EXT.603 FAX: 86-755-26975145
 Skype: coban.sales14 Email: sales14@coban.net
 www.coban.net




Optimal web based online tracking platform: www.gpstrackerxy.com Demo ID: demo, password: 8888

GPS Tracker EX-WORKS Quotation



Picture/Model	SPECS		Function	Standard package /optional accessories	Standard Unit Price
 Model: GPS303-B Design Patent No.: Waterproof motorcycle /vehicle gps 303B with Acc alarm ,real time tracking	Size:	89×50×16mm	Easy install tracker for vehicle/motorcycle/private car (9-40V) LBS/Cell ID tracking+ GPS double real time tracking solution	GPS unit 3PIN harness Screwer Manual Giftbox Optional MicroSD	Sample \$27.17 QTY ≥ 100pcs \$18.21
	Band:	850/900/1800/1900Mhz	Voice Monitor, GPS blind spot alert Sleep by shock sensor mode, sleep by time mode, multiple power-		
	GPS sensitivity:	-159dBm	Less gprs traffic mode (Money save model) Movement, Geo-fence, over speed, ACC, shock, EXT.power, lower battery alert		
	GPS accuracy	<5M	Support MicroSD to save positions.		
	TTFF(Time To First Fix):	Hot start <1s	Built-in memory for 16,000 positions		
		Hot start <15s	Built-in 500 mA polymer battery		
			SMS tracking on cellphone with google maps link		
			Exact street address by SMS		
		Cold Start <35s	Web server, free PC tracking soft, Mobile phone APP		
	 Model: GPS303-F Design Patent No.: Waterproof motorcycle /vehicle gps 303 with Acc alarm ,real time tracking,stop engine	Size:	89×50×16mm		
Band:		850/900/1800/1901Mhz	Voice monitor, GPS blind spot alert Sleep by shock sensor mode, sleep by time mode, multiple power-		
GPS sensitivity:		-159dBm	Less gprs traffic mode (Money save model) Movement,Geo-fence,Over speed,door, ACC, Shock,ext.power off and low battery alarm		
GPS accuracy		<5M	Engine stop and resume		
TTFF(Time To First Fix):		Hot start <1s	Built-in memory for 16,000 positions, Support microSD		
		Hot start <15s	Built-in 500mA polymer battery		
			SMS tracking on cellphone with google maps link		
			Exact street address by SMS		
		Cold Start <35s	Web server, free PC tracking soft, Mobile phone APP		
 Model: GPS303-G Design Patent No.: Waterproof motorcycle /vehicle gps 303 with Acc alarm ,real time tracking,stop engine,remote controller		Size:	89×50×16mm	Vehicle tracker, motorcycle and car (9-40V) LBS/Cell ID tracking+ GPS double real time tracking solution	GPS unit 12PIN harness Microphone Relay Remote control Screwer Manual Giftbox Optional MicroSD Alarm siren(big or small both ok) Fuel sensor Extra remote control
	Band:	850/900/1800/1901Mhz	Voice monitor, GPS blind spot alert Sleep by shock sensor mode, sleep by time mode, multiple power-		
	GPS sensitivity:	-159dBm	Less gprs traffic mode (Money save model) Movement,Geo-fence,Over speed,door, ACC, Shock,ext.power off and low battery alarm		
	GPS accuracy	<5M	Engine stop and resume		
	TTFF(Time To First Fix):	Hot start <1s	Built-in memory for 16,000 positions, Support microSD		
		Hot start <15s	Built-in 500mA polymer battery		
			SMS tracking on cellphone with google maps link		
			Exact street address by SMS		
		Cold Start <35s	Web server, free PC tracking soft, Mobile phone APP		

 <p>Model: GPS303-H</p> <p>Motorcycle /vehicle gps 303 with Acc alarm ,real time tracking,stop engine</p>	Size:	89×50×16mm	Vehicle tracker, motorcycle and car (9-40V) LBS/Cell ID tracking+ GPS double real time tracking solution	GPS unit 12PIN harness Microphone	<p>Sample \$25.67</p> <p>QTY ≥ 100pcs</p> <p>\$16.72</p> <p>Note: 303H,303I , functions are the same as 303F,G.The sim card is installed in the outer side of device, not inner of device.</p>
	Band:	850/900/1800/1901Mhz	Voice monitor, GPS blind spot alert Sleep by shock sensor mode, sleep by time mode, multiple power-	Relay Screw Manual Giftbox	
	GPS sensitivity:	-159dBm	Less gprs traffic mode (Money save model)	Optional MicroSD	
	GPS accuracy	<5M	Movement,Geo-fence,Over speed,door, ACC, Shock,ext.power off and low battery alarm	Alarm sire(big or small both ok)	
	TTFF(Time To First Fix):	Hot start <1s	Engine stop and resume	Fuel sensor	
		Hot start <15s	Fuel measurement, fuel leak/theft alarm		
Cold Start <35s		ARM & DISARM BY SMS Built-in memory for 16,000 positions, Support microSD Built-in 500mA polymer battery SMS tracking on cellphone with google maps link Exact street address by SMS Web server, free PC tracking soft, Mobile phone APP			
 <p>Model: GPS303-I</p> <p>Motorcycle /vehicle gps 303 with Acc alarm ,real time tracking,stop engine,remote controller</p>	Size:	89×50×16mm	Vehicle tracker, motorcycle and car (9-40V) LBS/Cell ID tracking+ GPS double real time tracking solution	GPS unit 12PIN harness Microphone	<p>Sample \$27.46</p> <p>QTY ≥ 100pcs</p> <p>\$18.51</p>
	Band:	850/900/1800/1901Mhz	Voice monitor, GPS blind spot alert Sleep by shock sensor mode, sleep by time mode, multiple power-	Relay Remote control Screw Manual Giftbox	
	GPS sensitivity:	-159dBm	Less gprs traffic mode (Money save model)	Optional MicroSD	
	GPS accuracy	<5M	Movement,Geo-fence,Over speed,door, ACC, Shock,ext.power off and low battery alarm	Alarm sire(big or small both ok)	
	TTFF(Time To First Fix):	Hot start <1s	Engine stop and resume	Fuel sensor	
		Hot start <15s	Fuel measurement, fuel leak/theft alarm	Extra remote control	
Cold Start <35s		ARM & DISARM BY SMS ARM / DISARM by remote control Built-in memory for 16,000 positions, Support microSD Built-in 500mA polymer battery SMS tracking on cellphone with google maps link Exact street address by SMS Web server, free PC tracking soft, Mobile phone APP			
 <p>Model:GPS305 Design patent No.:</p> <p>Bicycle/bike gps tracker 305</p>	Size:	23.5×110mm	Bicycle, Hidden installation LBS/Cell ID tracking+ GPS double real time tracking solution	GPS unit Inductive Key	<p>Sample \$37.89</p> <p>QTY ≥ 100pcs \$28.87</p>
	Band:	850/900/1800/1900Mhz	Bicycle mode Sleep by shcok sensor(Calling is available) Deep sleep by shcok sensor(Calling is not available)	700MA Cylindrical Li-ion battery (2 pieces) 305 Dock charger M6 Screw(with nut)	
	GPS sensitivity:	-159dBm	Report positions according schedule ARM & DISARM by SMS ARM & DISARM by inductive key	Giftbox Manual AC adaptor	
	TTFF(Time To First Fix):	Hot start <1s Hot start <15s Cold Start <35s	shock sensor, movement, Geo-fence,over speed and low battery 700MA Changeable Li-ion Battery SMS tracking on cellphone with google maps link Exact street address by SMS Web server, free PC tracking soft, Mobile phone APP		








 <p>Model:GPS306-A Design patent No.: 201330199157.8</p> <p>OBD II GPS tracker 306 with ODO ,mileage ,USB configuration</p>	<p>size: 64.5×50×27mm</p> <p>Band: 850/900/1800/1900Mhz</p> <p>GPS sensitivity: -159dBm</p> <p>TTFF(Time To First Fix): Hot start <1s Hot start <15s Cold Start <35s</p>	<p>Vehicle OBD II tracker (9-40V) LBS/Cell ID tracking+ GPS double real time tracking solution Monitor OBDII interface to read data from car computer Fuel measurement,fuel consumption, mileage, speed, engine status, Diagnostic Trouble Codes,etc Troube and maintenance notification Sleep by time / shock sensor, deep sleep, awake at specific time, multi power saving mode Save GPRS traffic mode(Money save mode) Panic SOS button GPS blind spot, shock, movement, Geo-fence,over speed, low battery, ext.power off alarm. ARM & DISARM by SMS Built-in memory for 16,000 positions Built-in 200 mA polymer battery SMS tracking on cell phone with google map link Exact street address by SMS Web server, free PC tracking soft, Mobile phone APP</p>	<p>GPS unit</p> <p>Manual Giftbox</p> <p>Optional MicroSD OBD extended cable</p>	<p>Sample \$37.89</p> <p>QTY ≥ 100pcs \$28.87</p>
 <p>Model:GPS306-B Design patent No.: 201330199157.8</p> <p>One more difference than 306A is that 2.4G attendance management</p>	<p>size: 64.5×50×27mm</p> <p>Band: 850/900/1800/1900Mhz</p> <p>GPS sensitivity: -159dBm</p> <p>TTFF(Time To First Fix): Hot start <1s Hot start <15s Cold Start <35s</p>	<p>Vehicle OBD II tracker (9-40V) Location based service(LBS) + GPS double real time tracking solution Monitor OBDII interface to read data from car computer Fuel measurement,fuel consumption, mileage, speed, engine status, Diagnostic Trouble Codes,etc Troupe and maintenance notification 2.4G attendance management Sleep by time / shock sensor, deep sleep, awake at specific time, multi power saving mode Save GPRS traffic mode(Money save mode) Panic SOS button GPS blind spot, shock, movement, Geo-fence,over speed, low battery, ext.power off alarm. ARM & DISARM by SMS Built-in memory for 16,000 positions Built-in 200 mA polymer battery SMS tracking on cell phone with google map link Exact street address by SMS Web server, free PC tracking soft, Mobile phone APP</p>	<p>GPS unit</p> <p>Manual Giftbox</p> <p>Optional MicroSD OBD extended cable</p>	<p>Sample \$40.90</p> <p>QTY ≥ 100pcs \$31.88</p>
 <p>Model:GPS102-B Design patent No.: ZL200930167984.2</p> <p>Portable personal/vehicle gps 102 with SOS</p>	<p>size: 64*46*17mm</p> <p>Band: 850/900/1800/1900 Mhz</p> <p>GPS Chip: SIRF4 chip</p> <p>GPS sensitivity: -160dBm</p> <p>GPS accuracy <6M</p> <p>Time To First Fix: Cold status <46s Warm status Hot status<2s</p>	<p>For person and vehicle both Location based service(LBS) + GPS double real time tracking solution,monitor Built-in memory for 16,000 positions, Support microSD GPS blind spot alert SOS,geo fence,movement, overspeed and low battery alert Shock sensor alert Sleep by shock sensor mode, sleep by time mode Less gprs traffic mode SMS tracking on cellphone with google maps link Exact street address by SMS Web server and mobile APP, free PC based tracking software</p>	<p>GPS unit magnetic battery cover batteries(two) battery dock AC adapter USB cable water proof bag user manual Package Optional accessories: Hardwired car charger Cigarette lighter car charger Microsd memory card</p>	<p>Sample \$25.67</p> <p>QTY ≥ 100pcs \$16.72</p>

 <p>Model:GPS102 -C Design patent No.: ZL200930167984.2</p> <p>Portable personal/vehicle gps 102 with SOS</p>	<p>size: 64*46*17mm</p> <p>Band: 850/900/1800/1900 Mhz</p> <p>GPS Chip: SIRF4 chip</p> <p>GPS sensitivity: -160dBm</p> <p>GPS accuracy: <6M</p> <p>Time To First Fix:</p>	<p>Cold status <46s</p> <p>Warm status</p> <p>Hot status<2s</p>	<p>For person and vehicle both Location based service(LBS) + GPS double real time tracking solution,monitor Built-in memory for 16,000 positions, Support microSD GPS blind spot alert SOS,geo fence,movement, overspeed and low battery alert Shock sensor alert Sleep by shock sensor mode, sleep by time mode Less gprs traffic mode SMS tracking on cellphone with google maps link Exact street address by SMS Web server and mobile APP, free PC based tracking software</p>	<p>GPS unit Hardwired car charger battery (one) user manual Giftbox Optional accessories: AC Adapter Cigarette lighter car charger / USB cable Microsd memory card Other accessories</p>	<p>Sample \$24.93</p> <p>QTY ≥ 100pcs \$15.97</p>
 <p>Model: GPS103-A Design Patent No.:</p> <p>vehicle gps 103 with engine stop and Voice/fuel monitor</p>	<p>size: 83*54*26mm</p> <p>Band: 850/900/1800/1900 Mhz</p> <p>GPS Chip: SIRF3 chip</p> <p>GPS sensitivity: -159dBm</p> <p>GPS accuracy: <5M</p> <p>Time To First Fix:</p>	<p>Cold status <45s</p> <p>Warm status <35s</p>	<p>For vehicle (12V-24V) Location based service(LBS) + GPS double real time tracking solution,monitor remote shutdown vehicle engine and resume ARM & DISARM by SMS GPS blind spot alert SOS,Geo fence, movement, overspeed, low battery and power off alert Door alarm, ACC alarm and shock sensor alarm Less gprs traffic mode SMS tracking on cellphone with google maps link Exact street address by SMS Web server and mobile APP, free PC based tracking software</p>	<p>GPS Unit 10 PIN harness Relay for stopping engine External GSM antenna External GPS antenna External microphone manual package Optional accessories Shock sensor alarm siren Microsd memory card Fuel sensor</p>	<p>Sample \$24.42</p> <p>QTY ≥ 100pcs \$17.46</p>
 <p>Model: GPS103-B</p> <p>Vehicle gps 103 with engine stop and Voice/fuel monitor, remote controller</p>	<p>size: 83*54*26mm</p> <p>Band: 850/900/1800/1900 Mhz</p> <p>GPS Chip: SIRF3 chip</p> <p>GPS sensitivity: -159dBm</p> <p>GPS accuracy: <5M</p> <p>Time To First Fix:</p>	<p>Cold status <45s</p> <p>Warm status <35s</p> <p>Hot status<1s</p>	<p>For vehicle (12V-24V) Location based service(LBS) + GPS double real time tracking solution,monitor remote shutdown vehicle engine and resume ARM & DISARM by SMS ARM & DISARM by remote controller GPS blind spot alert SOS,Geo fence, movement, overspeed, low battery and power off alert Door alarm, ACC alarm and shock sensor alarm Less gprs traffic mode SMS tracking on cellphone with google maps link Exact street address by SMS Web server and mobile APP, free PC based tracking software</p>	<p>GPS Unit Remote controller(one) 10 PIN harness Relay for stopping engine External GSM antenna External GPS antenna External microphone manual package Optional accessories One more remote controller Shock sensor alarm siren Microsd memory card Fuel sensor</p>	<p>Sample \$27.61</p> <p>QTY ≥ 100pcs \$18.66</p>

 <p>Model: GPS103-A plus Design Patent No.: ZL201130097353.5</p> <p>vehicle gps 103 with engine stop and Voice/fuel monitor dual sim card, door lock/unlock alarm</p>	size:	87*54*26mm	For vehicle (12V-24V) LBS/Cell ID tracking+ GPS double real time tracking solution Dual simcard switch automatically	GPS Unit 16 PIN harness Relay for stopping engine	
	Band:	850/900/1800/1900 Mhz	ARM & DISARM, LOCK / UNLOCK BY SMS remote shutdown vehicle engine and resume Reset by SMS	External GSM antenna	Sample \$34.93
	GPS Chip:	SIRF3 chip	Track upon time and distance intervals Voice monitor, GPS blind spot alert Power save mode, less gprs traffic mode	External GPS antenna External microphone manual package	QTY ≥ 100pcs \$25.86
	GPS sensitivity:	-159dBm	Automatic update positions of vehicle turns SOS,Geo fence, movement, overspeed, low battery and power off alert	Optional accessories Shock sensor alarm siren	
	GPS accuracy	<5M	Door alarm, ACC alarm,shock sensor alarm, fuel alarm Configure parameters by USB SMS tracking on cellphone with google maps link Exact street address by SMS Web server and mobile APP, free PC based tracking software	Microsd memory card Fuel sensor Central locking relay(2 in 1 set)	
 <p>Model: GPS103-B plus Design Patent No.: ZL201130097353.5</p> <p>vehicle gps 103 with engine stop and Voice/fuel monitor dual sim card, door lock/unlock alarm,remote controller</p>	size:	87*54*26mm	For vehicle (12V-24V) LBS/Cell ID tracking+ GPS double real time tracking solution Dual simcard switch automatically	GPS Unit Remote controller(one) 16 PIN harness Relay for stopping engine	Sample \$36.69
	Band:	850/900/1800/1900 Mhz	ARM & DISARM, LOCK / UNLOCK BY SMS ARM & DISARM, LOCK / UNLOCK by remote controller remote shutdown vehicle engine and resume Reset by SMS	External GSM antenna External GPS antenna External microphone manual package	QTY ≥ 100pcs \$27.67
	GPS Chip:	SIRF3 chip	Track upon time and distance intervals Power save mode, less gprs traffic mode	Optional accessories One more remote controller	
	GPS sensitivity:	-159dBm	Automatic update positions of vehicle turns SOS,Geo fence, movement, overspeed, low battery,power off Voice monitor and gps blind spot alert	Shock sensor alarm siren	
	GPS accuracy	<5M	Door alarm, ACC alarm,shock sensor alarm, fuel alarm Configure parameters by USB SMS tracking on cellphone with google maps link Exact street address by SMS Web server and mobile APP, free PC based tracking software	Microsd memory card Fuel sensor Central locking relay	
 <p>Model: GPS104 Design Patent No.: ZL201130097346.5</p> <p>Portable vehicle gps tracker TK104 with 6000mA battery ,60days standby time</p>	size:	94mm*60mm*38mm	For vehicle (12V-24V) LBS/Cell ID tracking+ GPS double real time tracking solution Waterproof,support microsd monery card Built-in shock sensor	GPS Unit AC adapter Harness Relay for stopping engine	Sample \$43.91
	Band:	850/900/1800/1900 Mhz	Power save mode, less gprs traffic mode Built-in large capacity battery for 80 days standby, power save mode, less gprs traffic mode	External GSM antenna External GPS antenna Waterproof bag	QTY ≥ 100pcs \$34.89
	GPS sensitivity:	-159dBm	Built-in GPS & GSM antenna and supporte external antenna Real time tracking and voice monitor remote shutdown vehicle engine and resume	Cigarette lighter car charger manual package	
	GPS accuracy	<5M	Geo fence, movement, over speed, low battery alert Shock sensor alarm, SOS emergency alarm SMS tracking on cellphone with google maps link Exact street address by SMS Web server and mobile APP, free PC based tracking software	Optional accessories Microsd memory card	
	TTFF(Time To First Fix):	Cold status <45s Warm status <35s Hot status<1s			
 <p>Model: GPS105-A Design Patent No.:</p> <p>Vehicle gps tracker 105 support camera ,RFID ,Temperature sensor ,Fuel sensor</p>	SIZE:	92*71*26mm	For vehicle (12V-24V) LBS/Cell ID tracking+ GPS satellites tracking, monitor DualSim switch if one lost signal	GPS Unit 16 PIN harness Relay for stopping engine	Sample \$37.89
	Band:	850/900/1800/1900Mhz	ARM (Lock) / DISARM (unlock) by SMS remote shutdown vehicle engine and resume	External GSM antenna External GPS antenna External microphone manual package	QTY ≥ 100pcs \$29.07
	GPS Chip:	SIRF3 chip	Support camera,snatshot image automatically when alarm triggered,get image from cell phone or Web platform. Support RFID, Kilometrage, speed governor	Optional accessories Central locking relay box Shock sensor alarm siren SD Memory card Fuel sensor	
	GPS sensitivity:	-159dBm	GPS blind spot alert Power save mode, GPRS data save mode Real time tracking, turning points update automatically SOS,Geo fence, movement, over speed, low battery and power off alert Fuel, shock sensor, ACC, door alarm	RFID Camera Speed governor IC of speed governor(LM2917 weld on PCB)	
	GPS accuracy	<5M	Configure parameters by USB cable SMS tracking on cellphone with google maps link Exact street address by SMS Web server and mobile APP, free PC based tracking software		

 Model: GPS105-B Vehicle gps tracker 105 support camera ,RFID , Temperature sensor ,Fuel sensor remote controller	SIZE:	92*71*26mm	For vehicle (12V-24V) LBS/Cell ID tracking+ GPS satellites tracking, monitor DualSim switch if one lost signal	GPS Unit 16 PIN harness Relay for stopping engine External GSM antenna External GPS antenna External microphone Remote control manual package		
	Band:	850/900/1800/1900 Mhz	ARM (Lock) / DISARM (unlock) by SMS ARM (Lock) / DISARM (unlock) by Remote control remote shutdown vehicle engine and resume Support camera,snatshot image automatically when alarm triggered,get image from cell phone or Web platform. Support RFID	Optional accessories Central locking relay box Shock sensor alarm siren SD Memory card Fuel sensor RFID Camera Speed detector IC of speed governor(LM2917 weld on PCB)	Sample \$39.70	
	GPS Chip:	SIRF3 chip	Kilometrage, speed governor GPS blind spot alert Power save mode, GPRS data save mode			
	GPS sensitivity:	-159dBm	Real time tracking, turning points update automatically SOS,Geo fence, movement, over speed, low battery and power off alert Fuel, shock sensor, ACC, door alarm			
	GPS accuracy	<5M	Configure parameters by USB cable SMS tracking on cellphone with google maps link Exact street address by SMS Web server and mobile APP, free PC based tracking software		QTY ≥ 100pcs \$30.68	
	TTFE(Time To First Fix):	Cold status <45s				
		Warm status				
		Hot status<1s				
	Size:	75×50×24mm	For vehicle			
 Model: GPS307 New Bike/bicycle gps tracker 307 with long battery life ,easy hidden		850/900/1800/1900Mhz	LBS/Cell ID tracking+ GPS double real time tracking solution		Sample \$37.89	
	Band:		Voice monitor, GPS blind spot alert	Standard package content:		
		-159dBm	Sleep by time / shock sensor, deep sleep, awake at specific time,	GPS unit	QTY ≥ 100pcs	
		<5M	Less gprs traffic mode (Money save model)	Inductive Key	\$28.87	
	GPS sensitivity:		Movement, Geo-fence, over speed, ACC, shock, EXT.power,	AC Charger		
	GPS accuracy		Engine stop and resume	Charger cable		
		Hot start <1s	ARM / DISARM by inductive key	Giftbox		
		Hot start <15s	ARM & DISARM BY SMS	Manual		
			Built-in memory for 16,000 positions	Optional:		
	TTFE(Time To First Fix):		Built-in 3200mA polymer battery	SD CARD		

OPTIONAL Accessories Price

Picture	Accessories Name	Specs	Applicable model	Unit price (USD)
	GPS102 Magnet battery cover		GPS102	\$0.70
	GPS102 battery dock charger		GPS102	\$0.50
	GPS102 AC adapter		GPS102	\$1.20
	GPS102 battery		GPS102	\$1.50
	GPS102 waterproof bag		GPS102	\$0.30
	8PIN USB cable		GPS103-A/B, GPS103-A/B+, GPS303, GPS304	\$0.40
	12PIN USB cable		GPS102	\$0.40
	GPS102 hardwired car charger		GPS102	\$2.50
	GPS102 cigarette lighter car charger		GPS102	\$2.00

	shock sensor for 103 only		GPS103-A/B	\$2.00
	shock sensor		GPS103-A/B+, GPS105-A/B	\$2.00
	central locking relay		GPS103-A/B+,	\$3.50
	Camera		GPS105-A/B	\$22.00
	Speed detector IC		GPS105-A/B	\$3.50
	siren		GPS103-A/B GPS103-A/B+	\$2.00
	fuel sensor(drilling needed)	0.33M	GPS103-A/B+ GPS105-A/B/ GPS303F/G/H/I GPS 104	\$25.00
		0.53M		\$28.50
		0.68M		\$31.00
		0.8M		\$33.50
		0.9M		\$35.00
		1.2M		\$40.00
		1.5M		\$45.00
		1.7M		\$48.00
2.0M	\$84.00			
	Ultrasonic fuel sensor(No drilling)		GPS103AB/GPS103 AB+/GPS105AB/G PS303FG	\$117.00
	temperature sensor		GPS105-A/B	\$7.00
	Microsd		GPS102-B/C GPS103-A/B GPS103-A/B+, GPS104-A/B GPS105-A/B GPS303	\$7.00
	GPS antenna			\$3.00
	GSM antenna			\$2.00
	Relay for stopping engine			\$1.50
	Metal remote controller			\$2.50
	Plastic case remote controller		GPS103-B GPS103-B+, 303G 304B	\$2.00
	RFID reader		GPS105-A/B	\$17.00
	RFID inductive key		GPS105-A/B	\$2.00

	Small alarm siren		GPS303 , GPS304	\$2.00
	OBD Extended cable		GPS306-A/B	\$5.00