



**CY1094 KIDDIES SUPER SAFE AND SOFT
CROCHETED COMFORTER**

Materials

Kiddies Super Safe & Soft DK Peppermint 878	Col A	100g	1
Kiddies Super Safe & Soft DK White 808	Col B	100g	1
Kiddies Super Safe & Soft DK Silver Grey 812	Col C	100g	1

Hook

4mm hook

Other

1 pair Black safety
Scraps of black yarn for nose

Tension

Tension is not important, as long as you maintain the same tension throughout the project.

Abbreviations

rnd	round	dc	double crochet	ch	chain	st	stitch
dec	decrease	col	colour	slst	slip stitch	Sk	skip
SM	Small shell: (dc, ch2, dc) in same st						
LG	Large shell: (2dc, ch 2, 2dc) in same st						

Note: to decrease, insert hook into next st, yo, pull yarn through, then insert hook into next st, yo, pull through, yo pull through three loops on hook.

You may find it easier to place a stitch marker at the beginning of every round so you don't lose your place.

BASE

With 4mm hook and Col A ch 4 and join with slst to form a ring.

Rnd 1: ch 2 (always counts as first dc at beginning of rnd throughout pattern), dc 11 into ring and join with slst in top of ch 2 at beginning of rnd. (12dc)

Rnd 2: ch 2, dc in same st, 2dc in each st and join with slst in top of ch 2 at beginning of rnd. (24dc)

Rnd 3: ch 2, *sk next st, work SM in next dc; rep from * to last st and work 1 dc in base of first st, ch 2 and join with slst in top of ch 2 at beginning of rnd.

Rnd 4: slst into ch 2 sp, (ch 2, dc, ch 2, 2 dc) in ch 2 sp, *work LG in next ch 2 sp; rep from * to end

and join with slst in top of ch 2 at beginning of rnd.

Fasten off Col A and join Col B.

Rnd 5: slst into next st, ch 2, *work LG in ch 2 sp, dc in next dc, sk next 2 sts, dc in next st; rep from * to end and join with slst in top of ch 2 at beginning of rnd.

Rnd 6: slst into next st, ch 2, dc in next st, *work LG in ch 2 sp, dc in next 2 sts, sk next 2 sts, dc in next 2 sts; rep from * to end and join with slst in top of ch 2 at beginning of rnd.

Fasten off Col B and join Col C.

Rnd 7: slst into next st, ch 2, dc in next 2 sts, *work SM in ch 2 sp, dc in next 3 sts, sk next 2 sts, dc in next 3 sts; rep from * to end and join with slst in top of ch 2 at beginning of rnd.

Rnd 8: slst into next st, ch 2, dc in next 2 sts, *work LG in ch 2 sp, dc in next 3 sts, sk next 2 sts, dc in next 3 sts; rep from * ending with sk 2 sts and join with slst in top of ch 2 at beginning of rnd.

Rnd 9: slst into next st, ch 2, dc in next 3 sts, *work LG in ch 2 sp, dc in next 4 sts, sk next 2 sts, dc in next 4 sts; rep from * ending with sk 2 sts and join with slst in top of ch 2 at beginning of rnd.

Fasten off Col C and join Col B.

Rnd 10: slst into next st, ch 2, dc in next 4 sts, *work SM in ch 2 sp, dc in next 5 sts, sk next 2 sts, dc in next 5 sts; rep from * ending with sk 2 sts and join with slst in top of ch 2 at beginning of rnd.

Rnd 11: slst into next st, ch 2, dc in next 4 sts, *work LG in ch 2 sp, dc in next 5 sts, sk next 2 sts, dc in next 5 sts; rep from * ending with

sk 2 sts and join with slst in top of ch 2 at beginning of rnd.

Fasten off Col B and join Col A.

Rnd 12: slst into next st, ch 2, dc in next 5 sts, *work LG in ch 2 sp, dc in next 6 sts, sk next 2 sts, dc in next 6 sts; rep from * ending with sk 2 sts and join with slst in top of ch 2 at beginning of rnd.

Rnd 13: slst into next st, ch 2, dc in next 6 sts, *work SM in ch 2 sp, dc in next 7 sts, sk next 2 sts, dc in next 7 sts; rep from * ending with sk 2 sts and join with slst in top of ch 2 at beginning of rnd.

Rnd 14: slst into next st, ch 2, dc in next 6 sts, *work LG in ch 2 sp, dc in next 7 sts, sk next 2 sts, dc in next 7 sts; rep from * ending with sk 2 sts and join with slst in top of ch 2 at beginning of rnd.
Fasten off Col A.

EDGING

Join Col B in st where fastened off Col A.

Rnd 1: Ch 1, dc in next 6 sts, *work SM in ch 2 sp, dc in next 7 sts, sk 2 sts, dc in next 7 sts; rep from * to last edge, dc in next 7 sts, sk2, join with slst.

Fasten off Col B and join Col C.

Rnd 2: ch 1, dc in next 7 sts, *work LG in ch 2 sp, dc in next 8 sts, sk 2 sts, ch 1, dc in next 8 sts; rep from * to last corner, dc in next 8 sts, sk 2 sts, ch 1, join with slst.

Block and weave in loose ends.

EARS (Make two)

With 4mm hook and Col C make a magic ring and dc 6 into ring.

Rnd 1: 2 dc in each st (12 dc)

Rnds 2-4: dc in each st
Fasten off.

SNOUT

With 4mm hook and Col B make a magic ring and dc 6 into ring.

Rnd 1: 2 dc in each st (12 dc)

Rnd 2: *dc in next st, 2 dc in next st; rep to end (18 dc)

Rnd 3: dc in each st.
Fasten off.

HEAD

With 4mm hook and Col c make a magic ring and dc 6 into ring.

Rnd 1: 2 dc in each st (12 dc)

Rnd 2: *dc in next st, 2 dc in next st; rep to end (18 dc)

Rnd 3: *dc in next 2 sts, 2 dc in next st; rep to end (24 dc)

Rnd 4: *dc in next 3 sts, 2 dc in next st; rep to end (30 dc)

Rnd 5: *dc in next 4 sts, 2 dc in next st; rep to end (36 dc)

Rnds 6-10: dc in each

Rnd 11: *dc in next 4 sts, dec; rep to end (30 dc)

Rnd 12: *dc in next 3 sts, dec; rep to end (24 dc)

Rnd 13: *dc in next 2 sts, dec; rep to end (18 dc)

Rnd 14: *dc in next st, dec; rep to end (12 dc)

Fold ears in half and stitch in place either side of head. Lightly fill snout with toy stuffing and stitch in place on head. Attach safety eyes just above snout. Stuff head.

Rnd 15: dec in each st (6 dc)

Cut yarn leaving long tail. Thread tail through remaining sts, pull tight and secure. Use tail to attach head to centre of blanket base.

Using scraps of black yarn, embroider nose and mouth as desired.



CYGNET

Cygnets Yarns Limited

12-14 Adelaide Street, Bradford, West Yorkshire, BD5 0EA

CY1094© 2017 Designed and published by Cygnets Yarns Limited of 12-14 Adelaide Street, Bradford, BD5 0EA.

This pattern is protected by the law of Copyright of the United Kingdom and may not be reproduced or copied. This pattern may be used for manufacturing purposes up to a limit of 20 garments. For anything more than this, please contact Cygnets Yarns. All other rights are expressly reserved by Cygnets Yarns Ltd.