



Sicamu, Inc.
1066 Strong Road
Quincy, Fl, 32351
850-2706283

SECTION I. IDENTIFICATION

Name of the Manufacturer: SICAMU Inc.

Commercial name: LUSTROUS SQ

Address:
Manufacturer:
1066 Strong Road, Quincy, Fl, 32351
Telf.: +1 (850) 270.62. 83
Fax: +1 (850) 875.45.18

Type of product:
Water and silicone emulsion.

Cleans, embellishes and protects rubber, wood, leather, plastic surfaces, as well as stainless steel, ceramics and marble. Repels dirt and prevents materials from aging, as it creates a protective silicone layer.

The product is extremely slippery, do not apply on floors, pedals, tires or brakes.

SECTION II. HAZARD IDENTIFICATION

Statement of hazardous nature: This product is not classified as hazardous nor dangerous. This product is not toxic. Avoid eye contact.
Health (NFPA) 0, Flammability (NFPA) 0, Reactivity (NFPA) 0

POTENTIAL HEALTH EFFECTS

Eye contact: It may cause red eyes and irritation.

Skin contact: This product is not toxic nor hazardous. It might cause some mild irritation on some customers, but this is rare, and it should disappear as soon as the affected area is cleansed.

Ingestion or inhalation: There is no reason for this product to be ingested, but if it occurs, it is not toxic. In some cases it may create a mild irritation on mucous



Sicamu, Inc.
1066 Strong Road
Quincy, FL, 32351
850-2706283

	membranes. This product is not harmful for inhaling and extremely unlikely to cause any sort of discomfort.
Ventilation:	It's recommended to use this product in open areas or places with adequate ventilation.

SECTION III. COMPOSITION/INFORMATION ON INGREDIENTS		
Name	CAS	% Weight
Water	7732-18-5	60-100%
Polydimethylsiloxane	63148-62-9	30-60%
Fatty Alcohol Ethoxylate	160875-66-1	0.1-0.5%
Sulfonated Benzotriazole Derivative	Trade secret	0.1-0.5%
Butoxytriglycol	143-22-6	0.1-0.5%

SECTION IV. FIRST-AID MEASURES	
Eye contact:	Rinse with water. Get medical attention if irritation lasts more than 15 minutes.
Skin contact:	Rinse skin with soap and water. Clean clothes before using them again.
Inhalation:	No first aid required.
Ingestion:	Do not induce vomit. Rinse mouth with water, if symptoms develop contact a doctor.

SECTION V. FIRE-FIGHTING MEASURES	
Extinguishing media:	Use water, foam or carbon dioxide (CO ₂).
Special fire fighting procedures:	Eliminate all ignition sources. Use fire extinguishers on the ignition source. If necessary use appropriate fire extinguishing gear. Avoid flow of materials to sewers.
Classification of risk:	



Sicamu, Inc.
1066 Strong Road
Quincy, FL, 32351
850-2706283


0 = Minimal

1 = Low

2 = Moderate

3 = High

4 = Extreme



SECTION VI. ACCIDENTAL RELEASE MEASURES

Product is sold in small containers, and accidental release is not a cause of concern. The product is extremely slippery, if it spills avoid any sort of traffic over the leaked product. Clean with cloth or mop and rinse with soap and water. Small quantities (a bottle contains 12 oz) can be disposed on sewers. Larger spills should be collected, call emergency services. As with any other chemical product, it is recommended to wear impermeable gloves.

Avoid contact with spilled or released material. For guidance on selection of personal protective equipment refer to Section VIII. For disposal refer to Section XIII. Observe the relevant local and international regulations.

Protective measures: avoid contact with skin and eyes. Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth or other appropriate barriers.

Clean up methods: slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable materials and dispose properly.

Additional advice: inform local authorities of large spills.

SECTION VII. HANDLING AND STORAGE

Storage temperature:

Max: 49°C (120 F) Min: 0 °C (32 F)

Handling and storage:

Storage in a dry, cool, ventilated area.
Prevent leaks.



Sicamu, Inc.
1066 Strong Road
Quincy, FL, 32351
850-2706283

	<p>Keep away from sparks and ignition sources.</p> <p>Do not inhale, ingest or spray to the eyes.</p> <p>Keep out of the reach of children.</p> <p>Do not puncture or burn the container.</p> <p>Do not use on running machines.</p> <p>Product should not enter in contact with strong acids, strong bases or strong oxidizing agents.</p>
--	---

SECTION VIII. EXPOSURES CONTROL/PERSONAL PROTECTION

Eye protection:	Not required under normal circumstances. If allergies are known wear protective goggles.
Skin protection:	Contact should not happen, and if does it should not trigger reaction. Impermeable gloves are recommended, particularly if allergies are known.
Respiration and ventilation:	Ensure adequate ventilation, but product is not expected to cause any reaction.
Ingestion:	Product should never be ingested. If ingested do not incite vomit, prevent swallowing or sucking into lungs.
Exposure limits:	Not established for product as a whole

SECTION IX. PHYSICAL AND CHEMICAL PROPERTIES

Boiling point (°C):	Aprox 100°C at 100 kPa	Specific weight (water =1):	0.9860 gr/cc
Vapor pressure (mmHg):	2.37 kPa at 20°C	Color:	Milky white
Vapor density (Air =1):	>1	Odor:	Lime, cherry, strawberry
pH @ 100%:	Not applicable	State:	Liquid



Sicamu, Inc.
1066 Strong Road
Quincy, FL, 32351
850-2706283

Volatiles % (volume):	Water components	Viscosity:	8.5 -12..5 cSt
Water solubility:	Completely soluble	pH :	7.1
Pressure:	Not applicable		

SECTION X. STABILITY AND REACTIVITY

Stability:	Stable.
Conditions to avoid:	Do not expose to open flame, do not puncture.
Incompatibilities:	Strong acids, strong bases, strong oxidizing agents.
Fire decomposition:	CO ₂ , CO, Hydrocarbons.

SECTION XI. TOXICOLOGICAL INFORMATION

Accute eye contact:	May cause irritation.
Accute and chronical skin contact:	May cause irritation. No data regarding chronical contact.
Accute and chronical inhalation:	May cause mild irritation. No data regarding chronical inhalation.
Accute and chronical ingestion:	May cause mild irritation. No data regarding chronical ingestion.
Exposure limits:	Not stablished for product as a whole

SECTION XII. ENVIRONMENTAL INFORMATION



Sicamu, Inc.
1066 Strong Road
Quincy, FL, 32351
850-2706283

Comments: Product should not be spilled on fresh bodies of water.

SECTION XIII. DISPOSAL INFORMATION

Disposal: Cardboard and plastic are recyclable. Material used to contain large spills should be disposed in accordance with local laws and regulations.

SECTION XIV. TRANSPORT INFORMATION

Transportation: Proper shipping name: not regulated by dot.
Hazard technical name, Hazard class, UN/NA Number, Packing group:
NA
EPA SARA Title III Chemical Listings:
Section 302 Extremely Hazardous Substances: None
Section 304 CERCLA Hazardous Substances: None
Section 312 Hazard Class: Acute: No, Chronic: No, Fire: No, Pressure:
No, Reactive: No
Section 313 Toxic Chemicals: None present or none present in regulated quantities.
Supplemental State Compliance Information:
New Jersey: not required under this statute.
Pennsylvania: not required under this statute.
California Prop 65: none
TSCA Registered: All components of this product are registered in the TSCA inventory

SECTION XV. REGULATORY INFORMATION

The following chemicals are specifically listed by individual states; other products specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency of your state.

SECTION XVI. OTHER INFORMATION

Distributed by: Authorized dealers.



Sicamu, Inc.
1066 Strong Road
Quincy, FL, 32351
850-2706283

Written by:	Antonio Pons, Technical Director, VP of Operations
Date:	October 31, 2014
Guarantee waiver:	<p>This information is accurate and reliable to the best knowledge of Sicamu Inc. No representation, warranty or guarantees are made to its accuracy, reliability or completeness. All users are encouraged to review this MSDS in the context of how to use and handle this product. Users are responsible for any interpretation and/or use of this information and of this product. If clarification or further information is required, the user is responsible for contacting Sicamu Inc. to receive any additional information that he may require. Our responsibility for products sold is subject to our standard terms and conditions. A copy of which is available on request.</p>